

redmine-git - Bug # 1: aaaaa

| | | | |
|-----------------|---------------|------------------|--------|
| Status: | New | Priority: | Normal |
| Author: | Redmine Admin | Category: | |
| Created: | 07/01/2011 | Assignee: | |
| Updated: | 07/01/2011 | Due date: | |

aaaaaa:

Subject: aaaaa

Description:

Bold
Italic
-Del-
+Underline+
@Code@
This is ^superscript^ format.
This is ~subscript~ format.

Italic Bold ^superscript^ ~subscript~
*Bold Italic ^superscript^ ~subscript~*
Bold Italic Del ^superscript^ ~subscript~
_+_Bold Italic Underline ^superscript^ ~subscript~_+
_+~_Bold Italic Del Underline ^superscript^ ~subscript~_+

~*Bold Del ^superscript^ ~subscript~*~
+*Bold Underline ^superscript^ ~subscript~*+
+~_Bold Del Underline ^superscript^ ~subscript~+

~_Italic Del ^superscript^ ~subscript~*_
+_Italic Underline ^superscript^ ~subscript~*_+
+~_Italic Del Underline ^superscript^ ~subscript~*_+*

@Code Bold@
+@Code Bold Underline@+
~@Code Bold Del@~
+~@Code Bold Del Underline@+~

+@Code Underline@+
~@Code Del@~
+~@Code Del Underline@+~

h1. H1
h2. H2
h3. H3
h4. H4

h5. H5

h6. H6

* line 1

* line 2

* line 3

line 1

line 2

line 3

> line 1

> line 2

> line 3

<http://www.redmine.org/>

"Redmine":<http://www.redmine.org/>

* apple

* quick

** brown

*** fox

**** cat

***** bird

*** jumps

** over

** the

* lazy

* dog

the

quick

brown

fox

jumps

over

the

lazy

dog

> line 1

> line 2

> line 3

>> line 4

>> line 5

>> line 6

> * apple

> * quick

> ** brown

```
> *** fox
> **** cat
> ***** bird
> *** jumps
> ** over
> ** the
> * lazy
> * dog
```

```
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
>>>
```

```
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
```

```
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
```

```
# a
** b
### c
### d
**** e
**** f
### g
### h
```

```
# a
** b
### c
### d
**** e
```

**** f

g

h

|_ . name|_ . age|_ . sex|

|yamamoto|18|male|

|tanaka|22|female|

|\3. colspan 3|

|col1|col2|col3|

|\3. rowspan 3|row1|

|row2|

|row3|

|1,1|1,2|1,3|1,4|1,5|1,6|

|2,1|2,2|/5. 2,3|2,4|2,5|/5. 2,6|

|3,1|/3. 3,2|/3. 3,4|3,5|

|4,1|4,5|

|5,1|5,5|

|6,1|6,2|6,4|6,5|

|7,1|7,2|7,3|7,4|7,5|7,6|

|_ . 1,1|1,2|_ . 1,3|1,4|

|2,1|/2\2. 2,2|2,4|

|3,1|3,4|

|4,1|4,2|4,3|4,4|

<pre>

production:

adapter: postgresql

database: <your_database_name>

host: <postgres_host>

username: <postgres_user>

password: <postgres_user_password>

encoding: utf8

schema_search_path: <database_schema> (default - public)

</pre>

<pre>

production:

adapter: postgresql

database: <your_database_name>

host: <postgres_host>

username: <postgres_user>

password: <postgres_user_password>

encoding: utf8

schema_search_path: <database_schema> (default - public)

</pre>

!http://www.google.co.jp/images/logos/ps_logo2.png!

!http://www.google.co.jp/images/logos/ps_logo2.png!

Associated revisions

07/01/2011 08:26 pm - Toshi MARUYAMA

#1

Bold

Italic

-Del-

+Underline+

@Code@

This is ^{^superscript^} format.

This is _{~subscript~} format.

_Italic Bold ^{^superscript^} _{~subscript~}_

_*Bold Italic ^{^superscript^} _{~subscript~}_*

-Bold Italic Del ^{^superscript^} _{~subscript~}_

+_Bold Italic Underline ^{^superscript^} _{~subscript~}_+

+_-Bold Italic Del Underline ^{^superscript^} _{~subscript~}_+*

-*Bold Del ^{^superscript^} _{~subscript~}_*-

+*Bold Underline ^{^superscript^} _{~subscript~}_*+

+_-Bold Del Underline ^{^superscript^} _{~subscript~}_+*

-_Italic Del ^{^superscript^} _{~subscript~}_

+_Italic Underline ^{^superscript^} _{~subscript~}_+

+_-Italic Del Underline ^{^superscript^} _{~subscript~}_+*

@Code Bold@

+@Code Bold Underline@+

-@Code Bold Del@-

+_-@Code Bold Del Underline@++

+@Code Underline@+

-@Code Del@-

+_-@Code Del Underline@+*

h1. H1

h2. H2

h3. H3

h4. H4

h5. H5

h6. H6

* line 1
* line 2
* line 3

line 1
line 2
line 3

> line 1
> line 2
> line 3

<http://www.redmine.org/>

"Redmine":<http://www.redmine.org/>

* apple
* quick
** brown
*** fox
**** cat
***** bird
*** jumps
** over
** the
* lazy
* dog

the
quick
brown
fox
jumps
over
the
lazy
dog

> line 1
> line 2
> line 3
>> line 4
>> line 5
>> line 6

> * apple
> * quick
> ** brown
> *** fox
> **** cat

```
> ***** bird
> *** jumps
> ** over
> ** the
> * lazy
> * dog
```

```
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
```

```
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
```

```
>>> # the
>>> # quick
>>> ## brown
>>> ### fox
>>> ### jumps
>>> ## over
>>> ## the
>>> # lazy
>>> # dog
```

```
# a
** b
### c
### d
**** e
**** f
### g
### h
```

```
# a
** b
### c
### d
**** e
**** f
## g
```

h

```
|_ . name|_ . age|_ . sex|  
|yamamoto|18|male|  
|tanaka|22|female|
```

```
|\3. colspan 3|  
|col1|col2|col3|
```

```
|\3. rowspan 3|row1|  
|row2|  
|row3|
```

```
|1,1|1,2|1,3|1,4|1,5|1,6|  
|2,1|2,2|/5. 2,3|2,4|2,5|/5. 2,6|  
|3,1|/3. 3,2|/3. 3,4|3,5|  
|4,1|4,5|  
|5,1|5,5|  
|6,1|6,2|6,4|6,5|  
|7,1|7,2|7,3|7,4|7,5|7,6|
```

```
|\_ . 1,1|1,2|\_ . 1,3|1,4|  
|2,1|/2\2. 2,2|2,4|  
|3,1|3,4|  
|4,1|4,2|4,3|4,4|
```

```
<pre>  
production:  
  adapter: postgresql  
  database: <your_database_name>  
  host: <postgres_host>  
  username: <postgres_user>  
  password: <postgres_user_password>  
  encoding: utf8  
  schema_search_path: <database_schema> (default - public)
```

```
</pre>  
<pre>  
production:  
  adapter: postgresql  
  database: <your_database_name>  
  host: <postgres_host>  
  username: <postgres_user>  
  password: <postgres_user_password>  
  encoding: utf8  
  schema_search_path: <database_schema> (default - public)
```

```
</pre>
```

!http://www.google.co.jp/images/logos/ps_logo2.png!

!http://www.google.co.jp/images/logos/ps_logo2.png!

History

Bold

Italic

-Del-

+Underline+

@Code@

This is ^superscript^ format.

This is ~subscript~ format.

Italic Bold ^superscript^ ~subscript~

*Bold Italic ^superscript^ ~subscript~*

-_Bold Italic Del ^superscript^ ~subscript~_

+_Bold Italic Underline ^superscript^ ~subscript~_+

+-_Bold Italic Del Underline ^superscript^ ~subscript~_+

-*Bold Del ^superscript^ ~subscript~*-

+*Bold Underline ^superscript^ ~subscript~*+*

*+*Bold Del Underline ^superscript^ ~subscript~*+*

-_Italic Del ^superscript^ ~subscript~_-

+_Italic Underline ^superscript^ ~subscript~_+*

+-_Italic Del Underline ^superscript^ ~subscript~_+*

@Code Bold@

+@Code Bold Underline@+

-@Code Bold Del@-

+@Code Bold Del Underline@++*

+@Code Underline@+*

-@Code Del@-*

+@Code Del Underline@+*

h1. H1

h2. H2

h3. H3

h4. H4

h5. H5

h6. H6

* line 1

* line 2

* line 3

line 1
line 2
line 3

> line 1
> line 2
> line 3

<http://www.redmine.org/>

"Redmine":<http://www.redmine.org/>

* apple
* quick
** brown
*** fox
**** cat
***** bird
*** jumps
** over
** the
* lazy
* dog

the
quick
brown
fox
jumps
over
the
lazy
dog

> line 1
> line 2
> line 3
>> line 4
>> line 5
>> line 6

> * apple
> * quick
> ** brown
> *** fox
> **** cat
> ***** bird
> *** jumps
> ** over
> ** the
> * lazy

```
> * dog
```

```
>>> # the  
>>> # quick  
>>> ## brown  
>>> ### fox  
>>> ### jumps  
>>> ## over  
>>> ## the  
>>> # lazy  
>>> # dog  
>>>
```

```
>>> # the  
>>> # quick  
>>> ## brown  
>>> ### fox  
>>> ### jumps  
>>> ## over  
>>> ## the  
>>> # lazy  
>>> # dog
```

```
>>> # the  
>>> # quick  
>>> ## brown  
>>> ### fox  
>>> ### jumps  
>>> ## over  
>>> ## the  
>>> # lazy  
>>> # dog
```

```
# a  
** b  
### c  
### d  
**** e  
**** f  
### g  
### h
```

```
# a  
** b  
### c  
### d  
**** e  
**** f  
## g  
## h
```

```
[_ . name|_ . age|_ . sex|  
|yamamoto|18|male|  
|tanaka|22|female|
```

```
|\3. colspan 3|
|col1|col2|col3|
```

```
|\3. rowspan 3|row1|
|row2|
|row3|
```

```
|1,1|1,2|1,3|1,4|1,5|1,6|
|2,1|2,2|/5. 2,3|2,4|2,5|/5. 2,6|
|3,1|/3. 3,2|/3. 3,4|3,5|
|4,1|4,5|
|5,1|5,5|
|6,1|6,2|6,4|6,5|
|7,1|7,2|7,3|7,4|7,5|7,6|
```

```
|\_ 1,1|1,2|\_ 1,3|1,4|
|2,1|/2|\2. 2,2|2,4|
|3,1|3,4|
|4,1|4,2|4,3|4,4|
```

```
<pre>
production:
  adapter: postgresql
  database: <your_database_name>
  host: <postgres_host>
  username: <postgres_user>
  password: <postgres_user_password>
  encoding: utf8
  schema_search_path: <database_schema> (default - public)
</pre>
```

```
<pre>
production:
  adapter: postgresql
  database: <your_database_name>
  host: <postgres_host>
  username: <postgres_user>
  password: <postgres_user_password>
  encoding: utf8
  schema_search_path: <database_schema> (default - public)
</pre>
```

!http://www.google.co.jp/images/logos/ps_logo2.png!

!http://www.google.co.jp/images/logos/ps_logo2.png!