

Redmine - Defect #10198

message_id regex in pop3.rb only recognizes Message-ID header (not Message-Id)

2012-02-10 15:15 - Elie Delorme

Status:	Closed	Start date:	
Priority:	Low	Due date:	
Assignee:		% Done:	0%
Category:	Email receiving	Estimated time:	0.00 hour
Target version:	1.4.0	Affected version:	
Resolution:	Fixed		
Description			
<p>Some servers specify message id as "Message-Id" (lowercase 'd')</p> <p>This is a minor issue since it only affects logging but fixing the regex makes it easier to track mail processing.</p> <p>Simple fix:</p> <pre>(message =~ /^Message-I[Dd]: (.*)/ ? \$1 : ").strip</pre> <p>instead of:</p> <pre>(message =~ /^Message-ID: (.*)/ ? \$1 : ").strip</pre>			

Associated revisions

Revision 8842 - 2012-02-11 11:06 - Jean-Philippe Lang

POP3 task only recognizes Message-ID header, not Message-Id (#10198).

History

#1 - 2012-02-10 16:18 - Etienne Massip

- Category set to *Email receiving*
- Target version set to *Candidate for next major release*

#2 - 2012-02-11 11:06 - Jean-Philippe Lang

- Status changed from *New* to *Closed*
- Target version changed from *Candidate for next major release* to *1.4.0*
- Resolution set to *Fixed*

Fix committed in r8842.