

Redmine - Defect #11274

Repository edit link is incorrect when running in a sub-URI

2012-06-27 12:26 - Achim Gaedke

Status:	New	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Project settings	Estimated time:	0.00 hour
Target version:		Affected version:	2.0.3
Resolution:			
Description			
<p>Hi there!</p> <p>I'm running a apache2 fastcgi redmine (2.0.3) installation. It uses the Alias instruction and rewrite rules to get a "sub-URI" installation.</p> <p>Redmine::Utils::relative_url_root is set and the hack according to http://www.redmine.org/issues/11058 is applied.</p> <p>Everything works fine, except from five links:</p> <p>Project->Settings->Repositories->Users & Edit & Delete links and Project->Settings->Issue Categories->Edit & Delete links</p> <p>Do you have any clue what's wrong?</p> <p>Thanks & Cheers, Achim</p>			
Related issues:			
Related to Redmine - Defect # 11058: Run Redmine in a sub directory results i...		New	
Related to Redmine - Defect # 11881: FCGI mode does not support sub-URI		Confirmed	

History

#1 - 2012-06-27 18:43 - Jean-Philippe Lang

- Subject changed from Project->Settings->Repositories->Edit link incorrect to Repository edit link is incorrect when running in a sub-URI

#2 - 2012-06-27 21:38 - Jean-Philippe Lang

Can't see what is wrong with this link. It uses the edit_repository_path method generated by Rails.

#3 - 2012-06-28 00:03 - Achim Gaedke

Thanks for looking into that issue.

The broken link looks like that

<https://server.ac.nz/repositories/1/committers>

I tried to work around these links by adding the sub-uri path

<https://server.ac.nz/redmine/repositories/1/committers>

<https://server.ac.nz/redmine/projects/myproject/repositories/1/committers>

But they just result in a redmine404 error page.

In contrast to that the Project->Settings->Members->edit & delete buttons

<https://server.ac.nz/redmine/projects/myproject/settings#>

work well.

I followed the fastcgi & sub-uri instructions in:

http://www.redmine.org/projects/redmine/wiki/HowTo_configure_Apache_to_run_Redmine

I hope, I've described the set-up precise enough.

in the redmine source code tree, I do a svn diff:

```
Index: config/routes.rb
=====
--- config/routes.rb (revision 9889)
+++ config/routes.rb (working copy)
@@ -16,6 +16,7 @@
 # Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

RedmineApp::Application.routes.draw do
+scope "/redmine" do
  root :to => 'welcome#index', :as => 'home'

  match 'login', :to => 'account#login', :as => 'signin'
@@ -332,3 +333,4 @@
  end
  end
end
+end
Index: config/environment.rb
=====
--- config/environment.rb (revision 9889)
+++ config/environment.rb (working copy)
@@ -1,3 +1,4 @@
+ENV['RAILS_ENV'] ||= 'production'
# Load the rails application
require File.expand_path('./application', __FILE__)

@@ -12,3 +13,5 @@

# Initialize the rails application
RedmineApp::Application.initialize!
+Redmine::Utils::relative_url_root = "/redmine"
+
```

#4 - 2012-10-15 10:58 - Jonathan Tee

is <http://www.redmine.org/issues/11881#note-14> working for you?