

## Redmine - Feature #11990

### fetch\_changesets should have parameter for repository

2012-09-28 20:38 - Harald Glock

<b>Status:</b>	New	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	SCM	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Resolution:</b>			
<b>Description</b>			
<p>To trigger the update of a git repository (or other SCM), a special URL can be called. Explained here: <a href="http://www.redmine.org/projects/redmine/wiki/HowTo_setup_automatic_refresh_of_repositories_in_Redmine_on_commit">http://www.redmine.org/projects/redmine/wiki/HowTo_setup_automatic_refresh_of_repositories_in_Redmine_on_commit</a></p> <p>The call to this URL currently supports 2 parameters:</p> <p>key: the WS key id : the project numeric id or project identifier</p> <p>As redmine supports multiple repositories per project now, it would be nice to have an additional parameter, so that only a specific repository can be selected to be updated. Normally, this trigger URL will be called by some hook script of one repository and it does not make sense to update all repositories of a project then.</p>			

#### History

#1 - 2012-09-29 02:42 - Toshi MARUYAMA

- Category set to SCM