Redmine - Feature #13340

Mail handler: option to add created user to default group

2013-03-03 07:54 - Daniel Black

Status:	Closed	Start date:	Start date:	
Priority:	Normal	Due date:		
Assignee:	Jean-Philippe Lang	% Done:	0%	
Category:	Email receiving	Estimated time:	0.00 hour	
Target version:	2.3.0			
Resolution:	Fixed			
Description				
This patch creates th	ne optiondefault-group to the mai	il hander.		
With the associated	t created users that are handled by permissions on this group, and a "I ding to a issues in a private project	Default notification option" condu	•	
The patch in <u>#10178</u>	would also compliment this nicely			
Other management	unctions, like identifying how the u	iser account was created (e.g	default-group=E	mail) are also made easier.
Related issues:				
Has duplicate Redmine - Feature #8643: Allow rdm-mailhandler with unknown-use		er with unknown-use	Closed	2011-06-17

Associated revisions

Revision 11522 - 2013-03-03 08:59 - Jean-Philippe Lang

Mail handler: adds --default-group option to add created user to one or more groups (#13340).

Revision 11580 - 2013-03-10 13:35 - Jean-Philippe Lang

Merged r11522 from trunk (#13340).

History

#1 - 2013-03-03 09:02 - Jean-Philippe Lang

- Tracker changed from Patch to Feature
- Subject changed from mail_handler can put created user into default group to Mail handler: option to add created user to default group
- Status changed from New to Resolved
- Assignee set to Jean-Philippe Lang
- Target version set to 2.3.0
- Resolution set to Fixed

Feature added in r11522. The patch was slightly refactored and a test was added. The --default-group option also accepts a comma separated list of names to add new users to several groups. Thanks.

#2 - 2013-03-10 13:35 - Jean-Philippe Lang

- Status changed from Resolved to Closed

Merged.

#3 - 2013-04-03 08:39 - Daniel Jones

This doesn't seem to work when using redmine:email:receive_imap via Rake.

Specifying default_group=?? isn't passed through to the mail handler.

Can anyone help me understand how to use this with the rake task?

#4 - 2013-04-25 19:44 - Arron Woods

+1 on this not working with the redmine:email:receive_imap rake

Is this only designed for the piped version? I have a group called "Clients", with this in my cron: /usr/local/bin/rake -f /opt/apps/redmine/Rakefile redmine:email:receive_imap RAILS_ENV=production host=imap.gmail.com port=993 username=*** password=*** ssl=SSL folder=Redmine project=helpdesk tracker=Support category=Incoming unknown_user=create allow_override=project,assigned_to default_group=53

#5 - 2013-05-24 18:58 - Jadranko Stjepanović

Daniel Jones wrote:

This doesn't seem to work when using redmine:email:receive_imap via Rake.

Specifying default_group=?? isn't passed through to the mail handler.

Can anyone help me understand how to use this with the rake task?

Right, lib/tasks/email.rake has not been patched, so it does not recognize new option.

#6 - 2013-05-25 00:54 - Mischa The Evil

Jadranko Stjepanović wrote:

Right, lib/tasks/email.rake has not been patched, so it does not recognize new option.

Daniel J., Arron: Jadranko is right. Both --no-account-notice and --default-group options weren't supported for email fetching using the rake task (pop and imap) in Redmine 2.3.0.

This defect was reported via issue $\frac{#13712}{1}$, fixed in $\frac{r11748}{1}$ and released in Redmine 2.3.1.

#7 - 2015-04-05 19:04 - Go MAEDA

- Has duplicate Feature #8643: Allow rdm-mailhandler with unknown-user=create to attach the user to a specific group instead of creating a "rightless" user added

Files

mail_handler.patch

2.87 KB

2013-03-03

Daniel Black