

Redmine - Defect #13656

Notify email - unable to make custom subject

2013-04-01 10:12 - Pavel Potcheptsov

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Email notifications	Estimated time:	0.00 hour
Target version:		Affected version:	2.3.0
Resolution:	Invalid		

Description

I posted this question in forum early: <http://www.redmine.org/boards/2/topics/37090?r=37137#message-37137>
Status field in email cause broke email's chains by subject.
And bottom changes remove Status field from email subject.
But after applying it in 2.3.0 field Status still present in subject, why?

Index: app/models/mailer.rb

```
=====
--- app/models/mailer.rb      (revision 11050)
+++ app/models/mailer.rb      (working copy)
@@ -45,7 +45,8 @@
     cc = issue.watcher_recipients - recipients
     mail :to => recipients,
         :cc => cc,
-       :subject => "[#{issue.project.name} - #{issue.tracker.name} ##{issue.id}] (#{issue.status.name}) #{issue.subject}"
+       :subject => "[#{issue.project.name} - #{issue.tracker.name} ##{issue.id}] (#{issue.status.name}) #{issue.subject}"
+       :subject => "[#{issue.project.name} - #{issue.tracker.name} ##{issue.id}] #{issue.subject}"
     end

     # Builds a Mail::Message object used to email recipients of the edited issue.
@@ -66,7 +67,7 @@
     # Watchers in cc
     cc = journal.watcher_recipients - recipients
     s = "[#{issue.project.name} - #{issue.tracker.name} ##{issue.id}] "
-    s << "(#{issue.status.name}) " if journal.new_value_for('status_id')
+    #s << "(#{issue.status.name}) " if journal.new_value_for('status_id')
     s << issue.subject
     @issue = issue
     @journal = journal

Than I made such line:

:subject => "[#{issue.project.name} - #{issue.tracker.name} ##{issue.id}]"

and restart RM and received email: [IT Help Desk - Task #11112] (Assigned) test issue
```

History

- #1 - 2013-04-01 10:13 - Pavel Potcheptsov
- [IT Help Desk - Task #11112] (Assigned) test isuuse
- #2 - 2013-04-02 14:25 - Hong Nguyen
- not config email server :
config/configuration.yml
production:
email_delivery:
delivery_method: :smtp

```
smtp_settings:
enable_starttls_auto: true
address: "smtp.gmail.com"
port: '587'
domain: "smtp.gmail.com"
authentication: :plain
user_name: "tiengiangtech79@gmail.com"
password: "abc123"
```

#3 - 2013-04-02 14:52 - Pavel Potcheptsov

and what is it?

#4 - 2013-04-02 15:13 - Etienne Massip

- Status changed from New to Closed

- Resolution set to Invalid

Pavel Potcheptsov wrote:

and what is it?

An unrelated post.

Not sure you're applying your post on the right file because mailer.rb revision for [2.3.0](#) is [r11454](#), not [r11050](#) as your patch excerpt stipulates.

I close the issue because it's neither a Defect nor a Feature request.

#5 - 2013-04-02 16:44 - Pavel Potcheptsov

- Status changed from Closed to Reopened

ok. I just provide stored diff from previous version. does this change something:

```
[root@redmine rm2.3.0]# svn diff
Index: app/models/mailer.rb
=====
--- app/models/mailer.rb      (revision 11670)
+++ app/models/mailer.rb      (working copy)
@@ -45,7 +45,8 @@
     cc = issue.watcher_recipients - recipients
     mail :to => recipients,
         :cc => cc,
-        :subject => "[#{issue.project.name} - #{issue.tracker.name} ##{issue.id}] (#{issue.status.name}) #{issue.subject}"
+        :subject => "[#{issue.project.name} - #{issue.tracker.name} ##{issue.id}]"
+    #:subject => "[#{issue.project.name} - #{issue.tracker.name} ##{issue.id}] #{issue.subject}"
     end

     # Builds a Mail::Message object used to email recipients of the edited issue.
@@ -66,7 +67,6 @@
     # Watchers in cc
     cc = journal.watcher_recipients - recipients
     s = "[#{issue.project.name} - #{issue.tracker.name} ##{issue.id}] "
-    s << "(#{issue.status.name}) " if journal.new_value_for('status_id')
     s << issue.subject
     @issue = issue
     @journal = journal
@@ -87,6 +87,17 @@
     :subject => l(:mail_subject_reminder, :count => issues.size, :days => days)
   end
```

#6 - 2013-04-02 17:00 - Etienne Massip

- Status changed from Reopened to Closed

[r11670](#) is too recent to be [2.3.0](#), as you can see in <source:/tags/2.3.0/app/models/mailer.rb>, your file should be [r11454](#) or [r11661](#).

Please state clear what version you're using and if you "checkouted" it from repository or whatever.

Please don't reopen this issue as it is not a bug and it doesn't make sense to have it open.

This doesn't mean we can't discuss here (even if this would be better in forum).

Last but not least word, your patch seems right, what I doubt is that you're modifying the right file.

#7 - 2013-04-03 09:04 - Pavel Potcheptsov

Ok, `/rm2.3.0` it's my current working RM, that I just checkouted from svn some times ago and than edited `mailer.rb` to prevent composing email with field "Status" in Subject.

```
[root@redmine www]# cd ./rm2.3.0/
[root@redmine rm2.3.0]# svn info
Path: .
URL: http://svn.redmine.org/redmine/branches/2.3-stable
Repository Root: http://svn.redmine.org/redmine
Repository UUID: e93f8b46-1217-0410-a6f0-8f06a7374b81
Revision: 11670
Node Kind: directory
Schedule: normal
Last Changed Author: tmaruyama
Last Changed Rev: 11669
Last Changed Date: 2013-03-20 08:01:37 +0100 (Wed, 20 Mar 2013)

[root@redmine rm2.3.0]# cd ..
[root@redmine www]# svn co http://svn.redmine.org/redmine/branches/2.3-stable redmine-2.3
A    redmine-2.3/test
....
....skipped
....
Checked out revision 11695.
[root@redmine www]# cd redmine-2.3/
[root@redmine redmine-2.3]# svn info
Path: .
URL: http://svn.redmine.org/redmine/branches/2.3-stable
Repository Root: http://svn.redmine.org/redmine
Repository UUID: e93f8b46-1217-0410-a6f0-8f06a7374b81
Revision: 11695
Node Kind: directory
Schedule: normal
Last Changed Author: emassip
Last Changed Rev: 11695
Last Changed Date: 2013-04-02 19:50:39 +0200 (Tue, 02 Apr 2013)

[root@redmine redmine-2.3]#
```

#8 - 2013-04-03 14:41 - Etienne Massip

And you're running Apache+Passenger over `/redmine-2.3` with above mentioned patch applied and still have the issue?

#9 - 2013-04-03 17:06 - Pavel Potcheptsov

No, I use Nginx+Unicorn and local sendmail.
But I don't think that web-server or mail delivery option affect to composing email.
I have some plugin installed, but also, how do they affect to `mailer.rb`?
I'll try to apply patch on clear checkouted redmine and will report for result.

```
Environment:
  Redmine version      2.3.0.stable.11670
  Ruby version         1.9.3 (i686-linux)
  Rails version        3.2.13
  Environment          production
  Database adapter     Mysql2
Redmine plugins:
  planner              0.4
  redmine_drafts       0.2.0
  redmine_fields_permissions 1.0.0
  redmine_hide_estimated_hours 1.0.3
  redmine_knowledgebase 2.2.0
  redmine_lightbox     0.0.1
  redmine_monitoring_controlling 0.1.1
  redmine_timesheet_plugin 0.7.0
```

#10 - 2013-04-03 17:33 - Etienne Massip

Pavel Potcheptsov wrote:

No, I use Nginx+Unicorn and local sendmail.
But I don't think that web-server or mail delivery option affect to composing email.

No, it's only to understand your setup.

I have some plugin installed, but also, how do they affect to mailer.rb?

A plugin may override part of the mailer implementation and it's very likely in your case since your patch is OK.

#11 - 2013-04-04 16:49 - Pavel Potcheptsov

Thanks for your answer, I did fresh installation on the same host without any plugin, applied mail patch and it works!

I guess that it's Planner plugin, but I can't uninstall it. I don't have experience to answer why, but after compare with another plugin I found that Planner doesn't have options to delete his mysql records:

<https://github.com/dr-itz/RedminePlannerPlugin/tree/master/db/migrate>

Am I right?

So to delete plugin I should manually delete all his tables from database?