

## Redmine - Feature #14063

### Use HTML-Code

2013-05-15 16:01 - Felix Muster

<b>Status:</b> Closed	<b>Start date:</b>
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b>	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b>	
<b>Resolution:</b> Invalid	
<b>Description</b> Hello, I want to use HTML-Code in Redmine.  I have a piece of code that should enable this:  desc "Insert html" + "\n\n" + " !{{html(html block)}}" macro :html do  obj, args, text  text.html_safe end  but I don't know how to implement...  (We use the newest redmine-version)	

### History

#### #1 - 2013-05-15 19:58 - Mischa The Evil

- Status changed from New to Closed

- Resolution set to Invalid

Felix Muster wrote:

I want to use HTML-Code in Redmine.

I have a piece of code that should enable this:

```
desc "Insert html" + "\n\n" +  
" !{{html(html block)}}"  
macro :html do |obj, args, text|  
text.html_safe  
end
```

but I don't know how to implement...

This is a support request and not a feature request. Please head over to the forums to request help with implementing this custom macro, see e.g. [Insert HTML fragments](#).

Quick test shows the code you've provided isn't working correctly on Redmine trunk.