

## Redmine - Feature #1458

### Project identifier generation rule

2008-06-16 10:15 - Andrés Escudero Apesteguía

|   |          |                        |                   |
|---|----------|------------------------|-------------------|
| <b>Status:</b>  | Closed   | <b>Start date:</b>     | 2008-06-16        |
| <b>Priority:</b>  | Normal   | <b>Due date:</b>       |                   |
| <b>Assignee:</b>  |          | <b>% Done:</b>         | 0%                |
| <b>Category:</b>  | Projects | <b>Estimated time:</b> | 0.00 hour         |
| <b>Target version:</b>  |          |                        |                   |
| <b>Resolution:</b>  |          |                        |                   |
| <b>Description</b>  |          |                        |                   |
| Project identifier generation rule (in a correlative way), so every Redmine Administrator should generate a project identifier seed based on alphanumeric characters. |          |                        |                   |
| <b>Related issues:</b>  |          |                        |                   |
| Related to Redmine - Patch # 9225: Generate project identifier automatically ...  |          | <b>Closed</b>          | <b>2011-09-11</b> |

### History

#### #1 - 2011-03-16 16:12 - Etienne Massip

- Category set to Projects

#### #2 - 2013-01-15 09:08 - Jan Niggemann (redmine.org team member)

- Status changed from New to Closed

Closing this, #9225 r11129 and r11130 add this.