

Redmine - Feature #16180

Expose Public/Private via API

2014-02-26 11:05 - Stephen Fine

Status: Closed	Start date:
Priority: Urgent	Due date:
Assignee:	% Done: 0%
Category: REST API	Estimated time: 0.00 hour
Target version:	
Resolution: Duplicate	
Description	
<p>I am trying to extend the API to return the "private" journal field.</p> <p>The API obeys user authentication with displaying whether or not the journal is returned but I would like to know if the note is private if it is returned.</p> <p>The issues_controller.rb file seems to use the standard format.api method (line 128) but that does not return this field.</p> <p>Is there any easy way to force this?</p>	
Related issues:	
Duplicates Redmine - Feature # 10914: Include is_private setting in xml/json ... Closed	

History

#1 - 2014-02-27 12:33 - Stephen Fine

- Status changed from New to Resolved

Soln is as follows for anyone that needs it:

```
diff -r redmine-2.4.3/app/views/issues/index.api.rsb redmine-2.4.3_updated/app/views/issues/index.api.rsb
26a27,28
```

```
| api.is_private issue.is_private
```

```
diff -r redmine-2.4.3/app/views/issues/show.api.rsb redmine-2.4.3_updated/app/views/issues/show.api.rsb
19a20
```

```
| api.is_private @issue.is_private
```

#2 - 2016-12-11 13:45 - Go MAEDA

- Duplicates Feature #10914: Include is_private setting in xml/json output added

#3 - 2016-12-11 13:46 - Go MAEDA

- Status changed from Resolved to Closed

- Resolution set to Duplicate

Implemented by #10914 (Redmine 2.6.0).

