Redmine - Defect #17809

wrong syntax highlighting "---" header and "--" footer of git diff

2014-09-06 12:37 - Tobias Fischer

Status:	Closed	Start date:	Start date:		
Priority:	Normal	Due date:			
Assignee:		% Done:	0%		
Category:	UI	Estimated time:	0.00 hour		
Target version:					
Resolution:		Affected version:	2.5.2		
Description		·			
Rendering of patc	hes adds an additional "deletion'	' line for the following (standard) diff sy	ntax:		
app/views/lay	outs/base.html.erb				
	l :header_tags -%>				
17 17 18 18 <body cla<="" td=""><td>ss="<%=h body css classes %>'</td><td>'></td><td></td></body>	ss="<%=h body css classes %>'	'>			
19 <%= call	hook :view_layouts_base_body_				
19 20 <div <="" id="
20 21 <div id=" td=""><td></td><td></td><td></td></div>					
21 22 <div del<="" id="</td><td></td><td></td><td></td></tr><tr><td>22 -</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><th></th><th></th><th></th><th></th></tr><tr><th>Whoreas the " th=""><th>ation" of line 22 in the screensho</th><th>t isn't part of the changeset at all:</th><th></th></div>	ation" of line 22 in the screensho	t isn't part of the changeset at all:			
whereas the use		t isn't part of the changeset at all.			
Whereas the dele		i isin part of the changeset at all.			
From 9b1992fe	9db52e1df90a6a963a686cd2	cf20e706 Mon Sep 17 00:00:00	2001		
From 9b1992fe From: Tobias	9db52e1df90a6a963a686cd2 Fischer		2001		
From 9b1992fe From: Tobias Date: Sat, 6	9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200	cf20e706 Mon Sep 17 00:00:00	2001		
From 9b1992fe From: Tobias Date: Sat, 6	9db52e1df90a6a963a686cd2 Fischer	cf20e706 Mon Sep 17 00:00:00	2001		
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT	9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo	cf20e706 Mon Sep 17 00:00:00 k "body_top"	2001		
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT	9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200	cf20e706 Mon Sep 17 00:00:00 k "body_top"	2001		
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w 	9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists	2001		
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la	9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists	2001		
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang	9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+)	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists			
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/	9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.h	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists			
From 9b1992fe From: Tobias 7 Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f	9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.h 45ef5bd 100644	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b			
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie	9db52eldf90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.h 45ef5bd 100644 ws/layouts/base.html.erb	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/k			
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie +++ b/app/vie	9db52eldf90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.h 45ef5bd 100644 ws/layouts/base.html.erb ws/layouts/base.html.erb	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/k			
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie +++ b/app/vie @@ -16,6 +16,	9db52eldf90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.h 45ef5bd 100644 ws/layouts/base.html.erb ws/layouts/base.html.erb	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/k			
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie +++ b/app/vie @@ -16,6 +16,	9db52eldf90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.h 45ef5bd 100644 ws/layouts/base.html.erb ws/layouts/base.html.erb	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/k			
From 9b1992fe From: Tobias 7 Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie +++ b/app/vie @@ -16,6 +16, <%= yield :h 	9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.h 45ef5bd 100644 ws/layouts/base.html.erb ws/layouts/base.html.erb 7 @@ eader_tags -%>	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b			
From 9b1992fe From: Tobias 7 Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie +++ b/app/vie 3@ -16,6 +16, <%= yield :h <body class="</td"><td>9db52eldf90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.h 45ef5bd 100644 ws/layouts/base.html.erb ws/layouts/base.html.erb</td><td>cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b</td><td></td></body>	9db52eldf90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.h 45ef5bd 100644 ws/layouts/base.html.erb ws/layouts/base.html.erb	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b			
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie +++ b/app/vie @@ -16,6 +16, <%= yield :h <body class="</td"><td><pre>9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.html.erb ws/layouts/base.html.erb %s/layouts/base.html.erb %s/layouts/base.html.erb %s/layouts/base.html.erb %s/layouts/base.html.erb %s/layouts/base.html.erb %s/layouts/base.html.erb%s/layouts/base.btml.erb%s/layouts/base.btml/s/layouts</pre></td><td>cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b</td><td></td></body>	<pre>9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.html.erb ws/layouts/base.html.erb %s/layouts/base.html.erb %s/layouts/base.html.erb %s/layouts/base.html.erb %s/layouts/base.html.erb %s/layouts/base.html.erb %s/layouts/base.html.erb%s/layouts/base.btml.erb%s/layouts/base.btml/s/layouts</pre>	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b			
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie +++ b/app/vie @@ -16,6 +16, <%= yield :h <body class="<br">+<%= call_hoo <div id="wra
<div id=" td="" wra<=""><td><pre>9db52eldf90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.html.erb ws/layouts/base.html.erb vs/layouts/base.html.erb "<%=h body_css_classes % k :view_layouts_base_bod pper"> pper2"> </pre></td><td>cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b</td><td></td></div></body>	<pre>9db52eldf90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.html.erb ws/layouts/base.html.erb vs/layouts/base.html.erb "<%=h body_css_classes % k :view_layouts_base_bod pper"> pper2"> </pre>	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b			
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie +++ b/app/vie @@ -16,6 +16, <%= yield :h <body class="<br">+<%= call_hoo <div <="" id="wragenergy" td=""><td><pre>9db52eldf90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.html.erb ws/layouts/base.html.erb vs/layouts/base.html.erb "<%=h body_css_classes % k :view_layouts_base_bod pper"> pper2"> </pre></td><td>cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b</td><td></td></div></body>	<pre>9db52eldf90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.html.erb ws/layouts/base.html.erb vs/layouts/base.html.erb "<%=h body_css_classes % k :view_layouts_base_bod pper"> pper2"> </pre>	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b			
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie +++ b/app/vie @@ -16,6 +16, <%= yield :h <body class="<br">+<%= call_hoo <div id="wra
<div id=" td="" wra<=""><td><pre>9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.html.erb ws/layouts/base.html.erb 7 @@ eader_tags -%> "<%=h body_css_classes % k :view_layouts_base_bod pper"> pper2"> pper2"> pper3"> </pre></td><td>cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b</td><td></td></div></body>	<pre>9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.html.erb ws/layouts/base.html.erb 7 @@ eader_tags -%> "<%=h body_css_classes % k :view_layouts_base_bod pper"> pper2"> pper2"> pper3"> </pre>	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/b			
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie ++ b/app/vie (0 -16,6 +16, <%= yield :h <body class="<br">+<%= call_hoo <div id="wrai
<div id=" wrai<br=""><div id="wrai
<div id=" wrai<br=""></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></body>	<pre>9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.html.erb ws/layouts/base.html.erb 7 @@ eader_tags -%> "<%=h body_css_classes % k :view_layouts_base_bod pper"> pper2"> pper2"> pper3"> </pre>	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/k >"> y_top %>			
From 9b1992fe From: Tobias Date: Sat, 6 Subject: [PAT In the same w app/views/la 1 file chang diffgit a/ index 99ad13f a/app/vie ++ b/app/vie ++ b/app/vie 40 -16, 6 +16, <%= yield :h <body class="<br">+<%= call_hoo <div id="wrag
<div id=" wrag<br=""> 1.8.5.2 (Appl-</div></body>	<pre>9db52e1df90a6a963a686cd2 Fischer Sep 2014 12:22:02 +0200 CH] Additional view hoo ay as "view_layouts_base youts/base.html.erb 1 ed, 1 insertion(+) app/views/layouts/base.html.erb ws/layouts/base.html.erb 7 @@ eader_tags -%> "<%=h body_css_classes % k :view_layouts_base_bod pper"> pper2"> pper2"> pper2"> pper2"> pper3"> e Git-48) gets wrong syntax highlighting for </pre>	cf20e706 Mon Sep 17 00:00:00 k "body_top" _body_bottom" exists + tml.erb b/app/views/layouts/A >"> y_top %> r the meta-lines "" and " "			

History

#1 - 2014-09-06 13:20 - Toshi MARUYAMA

- Subject changed from rendering of patch files (attachments) has a bug in reading the patch/diff format to rendering extra "--" footer of git patch

#2 - 2014-09-06 13:24 - Toshi MARUYAMA

Tobias Fischer wrote:

It is not standard diff format. It is git additional footer. Mercurial patch does not have such footer. source:tags/2.5.2/test/fixtures/diffs/issue-12641-ja.diff

#3 - 2014-09-06 13:29 - Toshi MARUYAMA

- Subject changed from rendering extra "--" footer of git patch to rendering extra "---" header and "--" footer of git patch

#4 - 2014-09-06 14:48 - Tobias Fischer

Toshi MARUYAMA wrote:

Tobias Fischer wrote:

the following (standard) diff syntax:

It is not standard diff format. It is git additional footer. Mercurial patch does not have such footer.

Oh, okay, sorry then. But anyways, the "deletion" line shouldn't be rendered for git diffs then ;-)

#5 - 2020-04-04 10:59 - Go MAEDA

It can be fixed with the following code:

#6 - 2020-04-26 16:47 - Toshi MARUYAMA

- Category changed from Attachments to UI

#7 - 2020-04-26 17:03 - Toshi MARUYAMA

Go MAEDA wrote:

It can be fixed with the following code:

No.

I have created new #33357.

#8 - 2020-04-26 17:14 - Toshi MARUYAMA

- File 3.4.png added
- File 4.1.png added
- Subject changed from rendering extra "---" header and "--" footer of git patch to wrong syntax highlighting "---" header and "--" footer of git diff
- Status changed from New to Closed

3.4

```
From 9b1992fe9db52e1df90a6a963a686cd2cf20e706 Mon Sep 17 00:00:00 2001
From: Tobias Fischer
Date: Sat, 6 Sep 2014 12:22:02 +0200
Subject: [PATCH] Additional view hook "body_top"
In the same way as "view_layouts_base_body_bottom" exists...
- -
 app/views/layouts/base.html.erb | 1 +
 1 file changed, 1 insertion(+)
diff --git a/app/views/layouts/base.html.erb b/app/views/layouts/base.html.erb index 99ad13f..45ef5bd 100644
    a/app/views/layouts/base.html.erb
     b/app/views/layouts/base.html.erb
 0 -16,6 +16,7 00
<%= yield :header_tags -%>
 </head>
 <body class="<%=h body_css_classes %>">
+<%= call_hook :view_layouts_base_body_top %>
 <div id="wrapper">
<div id="wrapper2">
 <div id="wrapper3">
1.8.5.2 (Apple Git-48)
```

4.1

```
From 9b1992fe9db52e1df90a6a963a686cd2cf20e706 Mon Sep 17 00:00:00 2001
From: Tobias Fischer
Date: Sat, 6 Sep 2014 12:22:02 +0200
Subject: [PATCH] Additional view hook "body_top"
In the same way as "view_layouts_base_body_bottom" exists...
app/views/layouts/base.html.erb | 1 +
1 file changed, 1 insertion(+)
diff --git a/app/views/layouts/base.html.erb b/app/views/layouts/base.html.erb
index 99ad13f..45ef5bd 100644
--- a/app/views/layouts/base.html.erb
000 -16,6 +16,7 000
<% yield :header_tags -%>
</head>
</br/>

Date: Sat, 6 Sep 2014 12:22:02 +0200
Subject: [PATCH] Additional view hook "body_top"
```

#9 - 2020-04-27 03:43 - Toshi MARUYAMA

Toshi MARUYAMA wrote:

Go MAEDA wrote:

It can be fixed with the following code:

No.

I have created new #33357.

I have written reason at #33357#note-2.

Files		i	e	s
-------	--	---	---	---

patch_screenshot.png	28 KB	2014-09-06	Tobias Fischer
3.4.png	33.3 KB	2020-04-26	Toshi MARUYAMA
4.1.png	30 KB	2020-04-26	Toshi MARUYAMA