

## Redmine - Defect #1795

### Automatic repository creation Reposman.rb

2008-08-17 16:49 - Jonathan Dray

<b>Status:</b>	Closed	<b>Start date:</b>	2008-08-17
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	SCM	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	
<b>Resolution:</b>	Invalid		
<b>Description</b>			
<p>Hi all,</p> <p>I upgraded my redmine installation using svn and I now get an error with the automatic repository creation script. The revision number is : 1747</p> <p>I am running the script with the following arguments :</p> <pre>ruby /usr/local/share/redmine/extra/svn/reposman.rb --quiet --redmine <a href="https://www.mysite.com/">https://www.mysite.com/</a> --svn-dir /var/svn --owner www-data --url <a href="https://my.site.com/svn-private/">https://my.site.com/svn-private/</a></pre> <p>And get the error message :</p> <pre>/usr/lib/ruby/1.8/soap/streamHandler.rb:200:in `send_post': 302: Found (SOAP::HTTPStreamError) from /usr/lib/ruby/1.8/soap/streamHandler.rb:109:in `send' from /usr/lib/ruby/1.8/soap/rpc/proxy.rb:170:in `route' from /usr/lib/ruby/1.8/soap/rpc/proxy.rb:141:in `call' from /usr/lib/ruby/1.8/soap/rpc/driver.rb:178:in `call' from (eval):6:in `projects' from /usr/lib/ruby/1.8/soap/wSDLDriver.rb:117:in `__send__' from /usr/lib/ruby/1.8/soap/wSDLDriver.rb:117:in `Projects' from /usr/local/share/redmine/extra/svn/reposman.rb:136</pre> <p>Did anyone experienced the same issue ?</p> <p>Thank you Regards, Jonathan Dray</p>			

### History

#### #1 - 2008-08-25 14:16 - Jean-Philippe Lang

I'm not able to reproduce this problem with latest trunk.

Could you give your rails version and post the application log (on the redmine side with log level set to debug if possible) that is generated when running reposman.rb. Thanks.

#### #2 - 2008-08-25 15:41 - Jonathan Dray

Hi Jean-Philippe,

After switching the application log level to debug and examining production log file in details, I found the problem was not with redmine but with apache proxy configuration.

I use apache2 as a proxy to the thin webserver (monitored with god). Apache proxy is enabled with https protocol and listens on <https://www.mysite.com/> and requests are redirected to <http://localhost:3000/> on thin webserver.

I called the reposman.rb script on the https address.

Executing reposman with redmine option pointing to thin local address works perfectly.

Thanks for you help.

You can close this ticket

Regards,  
Jonathan Dray

#### #3 - 2008-08-25 17:36 - Jean-Philippe Lang

- Status changed from New to Closed

- Resolution set to Invalid

Good news :-) Thanks for the feedback.