

Redmine - Feature #19875

Dynamic Field support

2015-05-18 13:22 - Kiran Kumar

| | |
|---|----------------------------------|
| Status: Closed | Start date: |
| Priority: Normal | Due date: |
| Assignee: | % Done: 0% |
| Category: Custom fields | Estimated time: 0.00 hour |
| Target version: | |
| Resolution: Duplicate | |
| Description While raising a Defect, the field values(list box) should be populated based on the other field value selection. Example: Field1(Platform) (Values: Windows, Linux, Solaris,etc..) Field2(Version) (Values: Windows=>2000,2003 and Linux=>2.4,2.6 and Solaris=>2.8,2.9,2.10) If user selects Windows in Field1, Field2 should only be populated with 2000 & 2003. If user selects Linux in Field1, Field2 should only be populated with 2.4 & 2.6 If user selects Solaris in Field1, Field2 should only be populated with 2.8,2.9,2.10. | |
| Related issues: | |
| Related to Redmine - Defect #18958: Population of dependent list field values | Closed |
| Is duplicate of Redmine - Feature #13143: Populate dropdown custom field list... | New |

History

#1 - 2015-05-18 13:33 - Toshi MARUYAMA

- Category changed from *Issues* to *Custom fields*
- Status changed from *New* to *Closed*
- Resolution set to *Duplicate*

Duplicate of [#13143](#).

#2 - 2015-05-18 13:33 - Toshi MARUYAMA

- Is duplicate of Feature #13143: Populate dropdown custom field list based on previous another selection added

#3 - 2015-05-19 13:30 - Jan Niggemann (redmine.org team member)

- Related to Defect #18958: Population of dependent list field values added