

Redmine - Defect #21682

Documentation for nginx configuration is outdated and broken

2016-01-08 19:45 - Erik H

Status:	New	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Documentation	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:			
Description			
<p>I set up Redmine with nginx as a reverse proxy according to this HowTo: HowTo configure Nginx to run Redmine</p> <p>For the most part it seems to work normally. Then I tried to delete a project which did not work. The HowTo's nginx configuration rewrites some "sensitive" paths to https and then rewrites back to http for "non-sensitive" paths except some paths that would be broken otherwise:</p> <pre># Examples of URLs we don't want to rewrite (otherwise 404 errors occur): # /projects/PROJECTNAME/archive?status= # /projects/copy/PROJECTNAME # /projects/PROJECTNAME/destroy # This should exclude those (tested here: http://www.regextester.com/) if (\$uri !~* "^(/projects/.*(copy destroy archive) ") { rewrite ^/projects(.*) http://your.domain.here\$request_uri permanent; }</pre> <p>As far as I can see these excluded paths are outdated. This does for example break the DELETE request upon project deletion.</p> <p>I worked around this by commenting out all the rewriting stuff and just defaulting to https with:</p> <pre>server { listen 80; return 301 https://\$server_name\$request_uri; }</pre> <p><i>(In my opinion this is should be done anyways because data of non-public projects musn't be sent over http...)</i></p> <p>The regex has to be updated to match the new path structure.</p>			

History

#1 - 2016-02-06 05:09 - Toshi MARUYAMA

- Description updated

#2 - 2016-02-06 05:13 - Toshi MARUYAMA

You can edit wiki.