

Redmine - Defect #2226

broken links in apache https

2008-11-25 12:35 - Dmitry U.

Status: Closed	Start date: 2008-11-25
Priority: High	Due date:
Assignee:	% Done: 0%
Category:	Estimated time: 0.00 hour
Target version:	Affected version: 0.7.3
Resolution: Invalid	

Description

I start mongrel with:

```
mongrel_rails start -e production -a 127.0.0.1 -p 3000 --prefix /rm
```

My Apache/2.2.10 server configured to use SSL.
Configuration of proxy_module:

```
LoadModule proxy_module bin/mod_proxy.so
LoadModule proxy_http_module bin/mod_proxy_http.so
ProxyRequests Off
<Proxy *>
    Order deny,allow
    Allow from all
</Proxy>
Alias /rm "C:/redmine/public"
<Directory /rm>
    Options Indexes FollowSymLinks
    AllowOverride none
    Order allow,deny
    Allow from all
</Directory>

ProxyPass / http://127.0.0.1:3000/rm
ProxyPassReverse / http://127.0.0.1:3000/rm
```

When I press "Login" button on "/login" page it kicks me to "http://" protocol, and I have Bad request.
After I log in Redmine and press Sign Out button, it kicks me to "http://" protocol again.

Related issues:

Is duplicate of Redmine - Defect #1145: https - not all links use https but http	Closed	2008-04-29
Is duplicate of Redmine - Defect #672: https and some application part	Closed	2008-02-15

History

#1 - 2008-11-25 12:43 - Dmitry U.

- Status changed from New to Resolved

About my application's environment

```
Ruby version      1.8.6 (i386-mswin32)
RubyGems version  0.9.4
Rails version     2.0.2
Active Record version 2.0.2
Action Pack version 2.0.2
Active Resource version 2.0.2
Action Mailer version 2.0.2
Active Support version 2.0.2
Application root  C:/redmine
Environment       production
Database adapter  mysql
```

#2 - 2008-11-25 22:34 - Stephanie Collett

Have you set Redmine to use HTTPS for URLs?

In the Redmine application:

Administration -> Settings -> Protocol = HTTPS

You might also consider creating a virtual host on 80 that rewrites all URLs to use HTTPS instead of HTTP. I have the following in my setup:

```
# Virtual host for 80 (Forward to 443 SSL)
NameVirtualHost redmine.yourhost.org:80

<VirtualHost redmine.yourhost.org:80>

ServerName redmine.yourhost.org
DocumentRoot /path/to/redmine/public

RewriteEngine On

# Forward all HTTP traffic to HTTPS
RewriteCond %{HTTPS} off
RewriteRule (.*) https://%{HTTP_HOST}%{REQUEST_URI}

</VirtualHost>
```

#3 - 2008-11-26 08:28 - Dmitry U.

Stephanie Collett wrote:

Have you set Redmine to use HTTPS for URLs?

In the Redmine application:

Administration -> Settings -> Protocol = HTTPS

Yes, I have.

You might also consider creating a virtual host on 80 that rewrites all URLs to use HTTPS instead of HTTP.

Unfortunately, I may not.

Can I use `reverse_proxy_fix` with Redmine?

#4 - 2008-11-26 20:09 - Eric Davis

- *Status changed from Resolved to Closed*

- *Resolution set to Invalid*

Check [#672](#) [#1145](#) and the [FAQ item](#) I added for the solution.