

Redmine - Defect #2227

SVN Access. Repository link

2008-11-25 18:14 - Alexey Chepurnykh

Status:	Closed	Start date:	2008-11-25
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	SCM	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		

Description

After one of recent redmine updates from trunk I get an error when I click on Repository link in any project.

Internal error

An error occurred on the page you were trying to access.

If you continue to experience problems please contact your redMine administrator for assistance.

Back

In production.log I have:

```
Processing RepositoriesController#show (for 51.6.145.135 at 2008-11-19 12:13:50) [GET]
```

```
Session ID: eef9lacele571a4880ac01c170de3bb0
```

```
Parameters: {"action"=>"show", "id"=>"reportengine", "controller"=>"repositories"}
```

```
NoMethodError (undefined method `user_id' for #&lt;Changeset:0x2b935e538b40&gt;):
```

```
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/attribute_methods.rb:256:in
  `method_missing'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:215:
in `send'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:215:
in `preload_belongs_to_association'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:214:
in `each'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:214:
in `preload_belongs_to_association'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:40:i
n `send'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:40:i
n `preload_one_association'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:38:i
n `each'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:38:i
n `preload_one_association'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:17:i
n `preload_associations'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:16:i
n `preload_associations'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:16:i
n `each'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/association_preload.rb:16:i
n `preload_associations'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/base.rb:1343:in `find_every
'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/base.rb:1303:in `find_initi
al'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/base.rb:534:in `find'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/associations/association_co
llection.rb:47:in `find'
  /app/models/repository.rb:126:in `find_committer_user'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/associations/association_pr
oxy.rb:177:in `send'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/associations/association_pr
```

```
oxy.rb:177:in `method_missing'
  /app/models/changeset.rb:65:in `before_create'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/callbacks.rb:301:in `send'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/callbacks.rb:301:in `callba
ck'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/callbacks.rb:219:in `create
_without_timestamps'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/timestamp.rb:29:in `create'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/base.rb:2472:in `create_or_
update_without_callbacks'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/callbacks.rb:207:in `create
_or_update'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/base.rb:2200:in `save_witho
ut_validation'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/validations.rb:901:in `save
_without_dirty'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/dirty.rb:75:in `save_withou
t_transactions'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/transactions.rb:106:in `sav
e'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/connection_adapters/abstrac
t/database_statements.rb:66:in `transaction'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/transactions.rb:79:in `tran
saction'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/transactions.rb:98:in `tran
saction'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/transactions.rb:106:in `sav
e'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/transactions.rb:118:in `rol
lback_active_record_state!'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/transactions.rb:106:in `sav
e'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/base.rb:640:in `create'
  /app/models/repository/subversion.rb:59:in `fetch_changesets'
  /app/models/repository/subversion.rb:58:in `reverse_each'
  /app/models/repository/subversion.rb:58:in `fetch_changesets'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/connection_adapters/abstrac
t/database_statements.rb:66:in `transaction'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/transactions.rb:79:in `tran
saction'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/transactions.rb:98:in `tran
saction'
  /app/models/repository/subversion.rb:57:in `fetch_changesets'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/associations/association_pr
oxy.rb:177:in `send'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/associations/association_pr
oxy.rb:177:in `method_missing'
  /app/controllers/repositories_controller.rb:68:in `show'
  /usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/base.rb:1162:in `send'
  /usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/base.rb:1162:in `perform
_action_without_filters'
  /usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/filters.rb:580:in `call_f
ilters'
  /usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/filters.rb:573:in `perfor
m_action_without_benchmark'
  /usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/benchmarking.rb:68:in `pe
rform_action_without_rescue'
  /usr/lib/ruby/1.8/benchmark.rb:293:in `measure'
  /usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/benchmarking.rb:68:in `pe
rform_action_without_rescue'
  /usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/rescue.rb:201:in `perform
_action_without_caching'
  /usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/caching/sql_cache.rb:13:i
n `perform_action'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/connection_adapters/abstrac
t/query_cache.rb:33:in `cache'
  /usr/lib64/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/query_cache.rb:8:in `cache'
```

```
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/caching/sql_cache.rb:12:in `perform_action'
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/base.rb:529:in `send'
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/base.rb:529:in `process_without_filters'
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/filters.rb:569:in `process_without_session_management_support'
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/session_management.rb:130:in `process'
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/base.rb:389:in `process'
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:149:in `handle_request'
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:107:in `dispatch'
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:104:in `synchronize'
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:104:in `dispatch'
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:120:in `dispatch CGI'
/usr/lib64/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:35:in `dispatch'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel/rails.rb:76:in `process'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel/rails.rb:74:in `synchronize'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel/rails.rb:74:in `process'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel.rb:159:in `process_client'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel.rb:158:in `each'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel.rb:158:in `process_client'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel.rb:285:in `run'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel.rb:285:in `initialize'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel.rb:285:in `new'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel.rb:285:in `run'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel.rb:268:in `initialize'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel.rb:268:in `new'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel.rb:268:in `run'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel/configurator.rb:282:in `run'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel/configurator.rb:281:in `each'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel/configurator.rb:281:in `run'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/mongrel_rails:128:in `run'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/./lib/mongrel/command.rb:212:in `run'
/usr/lib64/ruby/gems/1.8/gems/mongrel-1.1.5/bin/mongrel_rails:281
/usr/bin/mongrel_rails:19:in `load'
/usr/bin/mongrel_rails:19
```

Rendering /home/redmine/redmine/public/500.html (500 Internal Server Error)

The redmine app is deployed on CentOS-5.2

```
$ ruby -v
ruby 1.8.5 (2006-08-25) [x86_64-linux]
```

```
$ rails -v
Rails 2.1.0
```

```
$ gem -v
1.2.0
```

I could not fix it by myself

History

#1 - 2008-11-25 18:25 - Jean-Philippe Lang

- Status changed from New to Closed
- Affected version (unused) deleted (devel)
- Resolution set to Invalid

You forgot to migrate your database. The field user_id in changesets table was added recently.

#2 - 2008-11-25 18:47 - Alexey Chepurnykh

You are right. My apologize.

#3 - 2009-03-25 13:54 - Rafal W.

Related to <http://www.redmine.org/boards/1/topics/3000>
as well.