# Redmine - Feature #22434

## **Block user via API**

2016-04-11 02:11 - Evgeniy Dushistov

Status: Closed Start date: **Priority:** Due date: Normal Assignee: % Done: 0% Category: **REST API Estimated time:** 0.00 hour Target version: Resolution: Invalid

## Description

According to Rest Users there is no way to change user state to blocked.

This is very useful feature for script that automate person discharge.

I have script that do suitable magic with LDAP, but for redmine I can only delete user, not block, so every time I have to block user account in redmine by hands.

#### History

### #1 - 2016-05-06 12:02 - Holger Just

You can set the status of the user using a PUT request. There, you can set the status as follows (here using json):

```
{
   "user": {
      "status": 3
   }
}
```

The status values are as follows:

- STATUS\_ACTIVE = 1 (User can login and use their account)
- STATUS\_REGISTERED = 2 (User has registered but not yet confirmed their email address or was not yet activated by an administrator. User can not login)
- STATUS\_LOCKED = 3 (User was once active and is now locked, User can not login)

# #2 - 2016-05-10 07:38 - Toshi MARUYAMA

- Description updated

#### #3 - 2020-06-14 15:25 - Go MAEDA

- Status changed from New to Closed
- Resolution set to Invalid

2025-05-17 1/1