

Redmine - Defect #2400

Last update broke issues controller

2008-12-26 09:52 - Philippe Lafoucrière

Status:	Closed	Start date:	2008-12-26
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Issues	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Fixed		
Description			
<p>hi, I'm using redmine dev branch (http://redmine.rubyforge.org/svn/trunk), and after a code update this morning, my issues controller throws an exception :</p>			
<pre>Processing IssuesController#index (for xxx.xxx.xxx.xxx at 2008-12-26 09:46:07) [GET] Session ID: cdbcaa6b8f966958dd3108d2ef8ce5c5 Parameters: {"project_id"=>"project", "action"=>"index", "controller"=>"issues"}</pre>			
<pre>ActiveRecord::StatementInvalid (Mysql::Error: You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'LIMIT 0, 25' at line 1: SELECT `issues`.`id` AS t0_r0, `issues`.`tracker_id` AS t0_r1, `issues`.`project_id` AS t0_r2, `issues`.`subject` AS t0_r3, `issues`.`description` AS t0_r4, `issues`.`due_date` AS t0_r5, `issues`.`category_id` AS t0_r6, `issues`.`status_id` AS t0_r7, `issues`.`assigned_to_id` AS t0_r8, `issues`.`priority_id` AS t0_r9, `issues`.`fixed_version_id` AS t0_r10, `issues`.`author_id` AS t0_r11, `issues`.`lock_version` AS t0_r12, `issues`.`created_on` AS t0_r13, `issues`.`updated_on` AS t0_r14, `issues`.`start_date` AS t0_r15, `issues`.`done_ratio` AS t0_r16, `issues`.`estimated_hours` AS t0_r17, `users`.`id` AS t1_r0, `users`.`login` AS t1_r1, `users`.`hashed_password` AS t1_r2, `users`.`firstname` AS t1_r3, `users`.`lastname` AS t1_r4, `users`.`mail` AS t1_r5, `users`.`mail_notification` AS t1_r6, `users`.`admin` AS t1_r7, `users`.`status` AS t1_r8, `users`.`last_log_in_on` AS t1_r9, `users`.`language` AS t1_r10, `users`.`auth_source_id` AS t1_r11, `users`.`create_d_on` AS t1_r12, `users`.`updated_on` AS t1_r13, `users`.`type` AS t1_r14, `issue_statuses`.`id` AS t2_r0, `issue_statuses`.`name` AS t2_r1, `issue_statuses`.`is_closed` AS t2_r2, `issue_statuses`.`is_default` AS t2_r3, `issue_statuses`.`position` AS t2_r4, `trackers`.`id` AS t3_r0, `trackers`.`name` AS t3_r1, `trackers`.`is_in_chlog` AS t3_r2, `trackers`.`position` AS t3_r3, `trackers`.`is_in_roadmap` AS t3_r4, `projects`.`id` AS t4_r0, `projects`.`name` AS t4_r1, `projects`.`description` AS t4_r2, `projects`.`homepage` AS t4_r3, `projects`.`is_public` AS t4_r4, `projects`.`parent_id` AS t4_r5, `projects`.`projects_count` AS t4_r6, `projects`.`created_on` AS t4_r7, `projects`.`updated_on` AS t4_r8, `projects`.`identifier` AS t4_r9, `projects`.`status` AS t4_r10, `enumerations`.`id` AS t5_r0, `enumerations`.`opt` AS t5_r1, `enumerations`.`name` AS t5_r2, `enumerations`.`position` AS t5_r3, `enumerations`.`is_default` AS t5_r4, `issue_categories`.`id` AS t6_r0, `issue_categories`.`project_id` AS t6_r1, `issue_categories`.`name` AS t6_r2, `issue_categories`.`assigned_to_id` AS t6_r3, `versions`.`id` AS t7_r0, `versions`.`project_id` AS t7_r1, `versions`.`name` AS t7_r2, `versions`.`description` AS t7_r3, `versions`.`effective_date` AS t7_r4, `versions`.`created_on` AS t7_r5, `versions`.`updated_on` AS t7_r6, `versions`.`wiki_page_title` AS t7_r7 FROM `issues` LEFT OUTER JOIN `users` ON `users`.id = `issues`.assigned_to_id LEFT OUTER JOIN `issue_statuses` ON `issue_statuses`.id = `issues`.status_id LEFT OUTER JOIN `trackers` ON `trackers`.id = `issues`.tracker_id LEFT OUTER JOIN `projects` ON `projects`.id = `issues`.project_id LEFT OUTER JOIN `enumerations` ON `enumerations`.id = `issues`.priority_id LEFT OUTER JOIN `issue_categories` ON `issue_categories`.id = `issues`.category_id LEFT OUTER JOIN `versions` ON `versions`.id = `issues`.fixed_version_id WHERE ((issues.fixed_version_id IN ('26')) AND (issue_statuses.is_closed=0) AND projects.id = 15 AND projects.status=1 AND EXISTS (SELECT em.id FROM enabled_modules em WHERE em.name='issue_tracking' AND em.project_id=projects.id)) ORDER BY LIMIT 0, 25): /opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract_adapter.rb:147:in `log' /opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:302:in `execute' /opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/mysql_adapter.rb:537:in `select' /opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/database_statements.rb:7:in `select_all_without_query_cache' /opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_record/connection_adapters/abstract/query_cache.rb:59:in `select_all'</pre>			

```
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_recor
d/connection_adapters/abstract/query_cache.rb:80:in `cache_sql'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_recor
d/connection_adapters/abstract/query_cache.rb:59:in `select_all'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_recor
d/associations.rb:1429:in `select_all_rows'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_recor
d/associations.rb:1260:in `find_with_associations'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_recor
d/associations.rb:1258:in `catch'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_recor
d/associations.rb:1258:in `find_with_associations'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_recor
d/base.rb:1343:in `find_every'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_recor
d/base.rb:540:in `find'
/app/controllers/issues_controller.rb:62:in `index'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/base.rb:1166:in `send'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/base.rb:1166:in `perform_action_without_filters'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/filters.rb:579:in `call_filters'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/filters.rb:572:in `perform_action_without_benchmark'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/benchmarking.rb:68:in `perform_action_without_rescue'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/1.8/benchmark.rb:293:in `measure'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/benchmarking.rb:68:in `perform_action_without_rescue'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/rescue.rb:201:in `perform_action_without_caching'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/caching/sql_cache.rb:13:in `passenger_orig_perform_action'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_recor
d/connection_adapters/abstract/query_cache.rb:33:in `cache'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/activerecord-2.1.2/lib/active_recor
d/query_cache.rb:8:in `cache'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/caching/sql_cache.rb:12:in `passenger_orig_perform_action'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz
/request_handler.rb:53:in `perform_action'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/base.rb:529:in `send'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/base.rb:529:in `process_without_filters'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/filters.rb:568:in `process_without_session_management_support'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/session_management.rb:130:in `process'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/base.rb:389:in `process'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/dispatcher.rb:149:in `handle_request'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/dispatcher.rb:107:in `dispatch'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/dispatcher.rb:104:in `synchronize'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/dispatcher.rb:104:in `dispatch'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/dispatcher.rb:120:in `dispatch CGI'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/actionpack-2.1.2/lib/action_control
ler/dispatcher.rb:35:in `dispatch'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/railz
/request_handler.rb:38:in `process_request'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstr
```



```
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstr
act_server.rb:317:in `main_loop'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/passenger-2.0.6/lib/passenger/abstr
act_server.rb:168:in `start_synchronously'
/opt/ruby-enterprise-1.8.6-20081215/lib/ruby/gems/1.8/gems/passenger-2.0.6/bin/passenger-spawn
-server:46
```

Rendering ./public/500.html (500 Internal Server Error)

Thanks

History

#1 - 2008-12-26 10:01 - youngseok yi

After rake tmp:sessions:clear , it is working for me.

#2 - 2008-12-26 10:30 - Philippe Lafoucrière

You're right, thanks. I didn't even know the sessions were server side, I though redmine was using the cookie store by default :)

#3 - 2008-12-27 15:06 - Jean-Philippe Lang

- Status changed from New to Closed

- Resolution set to Fixed

I've committed a fix in [r2183](#) that should prevent this error with old sessions after upgrading.