

## Redmine - Defect #24774

### Ubuntu 14.04 LTS Redmine could not be started

2017-01-07 03:51 - Vivek Buzruk

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	High	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Administration	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	3.3.1
<b>Resolution:</b>	Invalid		
<b>Description</b>			
Trying to install Redmine using > =====			
<a href="http://www.redmine.org/projects/redmine/wiki/HowTo_Install_Redmine_30x_on_Ubuntu_1404_with_Apache2_Phusion_Passenger_MySQL_Subversion_and_Git_(Gitolite)">http://www.redmine.org/projects/redmine/wiki/HowTo_Install_Redmine_30x_on_Ubuntu_1404_with_Apache2_Phusion_Passenger_MySQL_Subversion_and_Git_(Gitolite)</a> =====			
System Details => =====			
"Linux 4.4.0-57-generic #78~14.04.1-Ubuntu SMP Sat Dec 10 00:14:47 UTC 2016 x86_64 x86_64 x86_64 GNU/Linux"			
=====			
Error is => Web Application could not be started, uninitialized constant ActionView::Helpers::ActiveModelHelper (NameError) =====			
More details in the attachment., Same thing is repeated below as much as I can =====			
Web application could not be started			
uninitialized constant ActionView::Helpers::ActiveModelHelper (NameError)			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionview-4.2.7.1/lib/action_view/helpers.rb:40:in `<module:Helpers>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionview-4.2.7.1/lib/action_view/helpers.rb:4:in `<module:ActionView>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionview-4.2.7.1/lib/action_view/helpers.rb:3:in `<top (required)>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionview-4.2.7.1/lib/action_view/base.rb:5:in `<top (required)>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionview-4.2.7.1/lib/action_view/view_paths.rb:1:in `<top (required)>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-4.2.7.1/lib/abstract_controller/rendering.rb:4:in `<top (required)>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-4.2.7.1/lib/action_controller/base.rb:204:in `<class:Base>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-4.2.7.1/lib/action_controller/base.rb:164:in `<module:ActionController>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-4.2.7.1/lib/action_controller/base.rb:5:in `<top (required)>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-action_caching-1.1.1/lib/action_controller/action_caching.rb:13:in `<top (required)>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-action_caching-1.1.1/lib/actionpack/action_caching.rb:1:in `require'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-action_caching-1.1.1/lib/actionpack/action_caching.rb:1:in `<top (required)>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/runtime.rb:105:in `require'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/runtime.rb:105:in `rescue in block in require'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/runtime.rb:82:in `block in require'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/runtime.rb:75:in `each'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/runtime.rb:75:in `require'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler.rb:106:in `require'			
/opt/redmine/redmine-3.3.1/config/application.rb:5:in `<top (required)>'			
/opt/redmine/redmine-3.3.1/config/environment.rb:2:in `require'			
/opt/redmine/redmine-3.3.1/config/environment.rb:2:in `<top (required)>'			
config.ru:3:in `require'			
config.ru:3:in `block in <main>'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rack-1.6.5/lib/rack/builder.rb:55:in `instance_eval'			
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rack-1.6.5/lib/rack/builder.rb:55:in `initialize'			
config.ru:1:in `new'			
config.ru:1:in `<main>'			
/usr/share/passenger/helper-scripts/rack-preloader.rb:112:in `eval'			
/usr/share/passenger/helper-scripts/rack-preloader.rb:112:in `preload_app'			
/usr/share/passenger/helper-scripts/rack-preloader.rb:158:in `<module:App>'			
/usr/share/passenger/helper-scripts/rack-preloader.rb:29:in `<module:PhusionPassenger>'			
/usr/share/passenger/helper-scripts/rack-preloader.rb:28:in `<main>'			
Application root			
/opt/redmine/redmine			
Environment (value of RAILS_ENV, RACK_ENV, WSGI_ENV and PASSENGER_ENV)			

## production

### Ruby interpreter command

```
/usr/bin/ruby
```

### User and groups

```
uid=122(redmine) gid=130(redmine) groups=130(redmine)
```

### Environment variables

```
APACHE_PID_FILE = /var/run/apache2/apache2.pid
  rvm_bin_path = /opt/redmine/.rvm/bin
  GEM_HOME = /opt/redmine/.rvm/gems/ruby-2.1.4
  SHELL = /bin/bash
  APACHE_RUN_USER = www-data
  IRBRC = /opt/redmine/.rvm/rubies/ruby-2.1.4/.irbrc
  PASSENGER_DEBUG_DIR = /tmp/passenger.spawn-debug.XXXXUwwmQn
  MY_RUBY_HOME = /opt/redmine/.rvm/rubies/ruby-2.1.4
  rvm_stored_umask = 0022
  USER = redmine
  _system_type = Linux
  rvm_path = /opt/redmine/.rvm
  rvm_prefix = /opt/redmine
  APACHE_LOG_DIR = /var/log/apache2
  PATH = /opt/redmine/.rvm/gems/ruby-2.1.4/bin:/opt/redmine/.rvm/gems/ruby-2.1.4@global/bin:/opt/redmine/.rvm/rubies/ruby-2.1.4/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/opt/redmine/.rvm/bin
  QT_QPA_PLATFORMTHEME = appmenu-qt5
  rvm_loaded_flag = 1
  PWD = /opt/redmine/redmine
  APACHE_RUN_GROUP = www-data
  LANG = C
  _system_arch = x86_64
  _system_version = 14.04
  rvm_version = 1.28.0 (latest)
  SHLVL = 0
  HOME = /opt/redmine
  LOGNAME = redmine
  GEM_PATH = /opt/redmine/.rvm/gems/ruby-2.1.4:/opt/redmine/.rvm/gems/ruby-2.1.4@global
  APACHE_LOCK_DIR = /var/lock/apache2
  APACHE_RUN_DIR = /var/run/apache2
  RUBY_VERSION = ruby-2.1.4
  rvm_user_install_flag = 1
  _system_name = Ubuntu
  IN_PASSENGER = 1
  PYTHONUNBUFFERED = 1
  NODE_PATH = /usr/share/passenger/node
  RAILS_ENV = production
  RACK_ENV = production
  WSGI_ENV = production
  NODE_ENV = production
  PASSENGER_APP_ENV = production
  RAILS_RELATIVE_URL_ROOT = /redmine
  RACK_BASE_URI = /redmine
  PASSENGER_BASE_URI = /redmine
  SERVER_PROTOCOL = HTTP/1.1
  SERVER_SOFTWARE = Apache/2.4.7 (Ubuntu)
  DOCUMENT_ROOT = /var/www/html
  SERVER_ADMIN = webmaster@localhost
  QUERY_STRING =
  SERVER_NAME = localhost
  REMOTE_PORT = 45668
  REMOTE_ADDR = 127.0.0.1
  SERVER_PORT = 80
  REQUEST_METHOD = GET
  SERVER_ADDR = 127.0.0.1
```

```

REQUEST_URI = /redmine
BUNDLER_ORIG_PATH = /opt/redmine/.rvm/gems/ruby-2.1.4/bin:/opt/redmine/.rvm/gems/ruby-2.1.4@gl
obal/bin:/opt/redmine/.rvm/rubies/ruby-2.1.4/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin
:/sbin:/bin:/opt/redmine/.rvm/bin
BUNDLER_ORIG_GEM_PATH = /opt/redmine/.rvm/gems/ruby-2.1.4:/opt/redmine/.rvm/gems/ruby-2.1.4@gl
obal
BUNDLE_BIN_PATH = /opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/exe/bundle
BUNDLE_GEMFILE = /opt/redmine/redmine-3.3.1/Gemfile
BUNDLER_VERSION = 1.13.7
RUBYOPT = -rbundler/setup
RUBYLIB = /opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib

```

## Ulimits

Unknown

## System memory usage

total	used	free	shared	buffers	cached		
Mem:	3952	3845	106	21	384	1774	
-/+ buffers/cache:		1686	2265				
Swap:	0	0	0				

## General Ruby interpreter information

```

RUBY_VERSION = 2.1.9
RUBY_PLATFORM = x86_64-linux-gnu
RUBY_ENGINE = ruby
RubyGems version = 2.2.5

```

## Ruby configuration (RbConfig::CONFIG)

```

DESTDIR =
MAJOR = 2
MINOR = 1
TEENY = 0
PATCHLEVEL = 490
INSTALL = /usr/bin/install -c
EXEEXT =
prefix = /usr
ruby_install_name = ruby2.1
RUBY_INSTALL_NAME = ruby2.1
RUBY_SO_NAME = ruby-2.1
exec = exec
ruby_pc = ruby-2.1.pc
PACKAGE = ruby
BUILTIN_TRANSRCS = newline.c
USE_RUBYGEMS = YES
MANTYPE = doc
NROFF = /usr/bin/nroff
vendorarchhdrdir = /usr/include/x86_64-linux-gnu/ruby-2.1.0/vendor_ruby
sitearchhdrdir = /usr/include/x86_64-linux-gnu/ruby-2.1.0/site_ruby
rubyarchhdrdir = /usr/include/x86_64-linux-gnu/ruby-2.1.0
vendorhdrdir = /usr/include/ruby-2.1.0/vendor_ruby
sitehdrdir = /usr/include/ruby-2.1.0/site_ruby
rubyhdrdir = /usr/include/ruby-2.1.0
RUBY_SEARCH_PATH =
UNIVERSAL_INTS =
UNIVERSAL_ARCHNAMES =
configure_args = '--build=x86_64-linux-gnu' '--prefix=/usr' '--includedir=${prefix}/include'
'--mandir=${prefix}/share/man' '--infodir=${prefix}/share/info' '--sysconfdir=/etc' '--localstated
ir=/var' '--libexecdir=${prefix}/lib/ruby2.1' '--disable-maintainer-mode' '--disable-dependency-tr
acking' '--enable-multiarch' '--target=x86_64-linux-gnu' '--program-suffix=2.1' '--with-soname=rub
y-2.1' '--enable-shared' '--disable-rpath' '--with-baseruby=/usr/bin/ruby' '--with-sitedir=/usr/lo
cal/lib/site_ruby' '--with-sitearchdir=/usr/local/lib/x86_64-linux-gnu/site_ruby' '--enable-ipv6'
'--with-dbm-type=gdbm_compat' 'CFLAGS=-g -O2 -fstack-protector --param=ssp-buffer-size=4 -Wformat
-Werror=format-security' 'CPPFLAGS=-D_FORTIFY_SOURCE=2' 'CXXFLAGS=-g -O2 -fstack-protector --param

```

```

=ssp-buffer-size=4 -Wformat -Werror=format-security' 'FFLAGS=-g -O2 -fstack-protector --param=ssp-
buffer-size=4' 'GCJFLAGS=-g -O2 -fstack-protector --param=ssp-buffer-size=4' 'LDFLAGS=-Wl,-Bsymbol
ic-functions -Wl,-z,relro -L/build/ruby2.1-3vrZnx/ruby2.1-2.1.9/debian/lib' '--with-tcltkversion=8
.5' '--with-tclConfig-dir=/usr/lib/x86_64-linux-gnu/tcl8.5/tclConfig.sh' '--with-tkConfig-dir=/usr
/lib/x86_64-linux-gnu/tk8.5/tkConfig.sh' '--with-tcllib=tcl8.5' '--with-tklib=tk8.5' '--with-tcl-i
nclude=/usr/include/tcl8.5' '--with-tk-include=/usr/include/tcl8.5' '--with-tcl-lib=/usr/lib/x86_6
4-linux-gnu' '--with-tk-lib=/usr/lib/x86_64-linux-gnu' 'build_alias=x86_64-linux-gnu' 'target_alia
s=x86_64-linux-gnu'
  vendorarchdir = /usr/lib/x86_64-linux-gnu/ruby/vendor_ruby/2.1.0
  vendorlibdir = /usr/lib/ruby/vendor_ruby/2.1.0
  vendordir = /usr/lib/ruby/vendor_ruby
  sitearchdir = /usr/local/lib/x86_64-linux-gnu/site_ruby
  sitelibdir = /usr/local/lib/site_ruby/2.1.0
  sitedir = /usr/local/lib/site_ruby
  rubyarchdir = /usr/lib/x86_64-linux-gnu/ruby/2.1.0
  rubylibdir = /usr/lib/ruby/2.1.0
  ruby_version = 2.1.0
  sitearch = x86_64-linux-gnu
  arch = x86_64-linux-gnu
  sitearchincludedir = /usr/include/x86_64-linux-gnu
  archincludedir = /usr/include/x86_64-linux-gnu
  sitearchlibdir = /usr/lib/x86_64-linux-gnu
  archlibdir = /usr/lib/x86_64-linux-gnu
  libdirname = archlibdir
  RUBY_EXEC_PREFIX = /usr
  RUBY_LIB_VERSION =
  RUBY_LIB_VERSION_STYLE = 3 /* full */
  RI_BASE_NAME = ri
  ridir = /usr/share/ri
  rubysitearchprefix = /usr/lib/x86_64-linux-gnu/ruby
  rubyarchprefix = /usr/lib/x86_64-linux-gnu/ruby
  MAKEFILES = Makefile GNUmakefile
  PLATFORM_DIR =
  THREAD_MODEL = pthread
  SYMBOL_PREFIX =
  EXPORT_PREFIX =
  COMMON_HEADERS =
  COMMON_MACROS =
  COMMON_LIBS =
  MAINLIBS =
  ENABLE_SHARED = yes
  DLDLIBS = -lc
  SOLIBS = -lpthread -lgmp -ldl -lcrypt -lm
  LIBRUBYARG_SHARED = -lruby-2.1
  LIBRUBYARG_STATIC = -lruby-2.1-static
  LIBRUBYARG = -lruby-2.1
  LIBRUBY = libruby-2.1.so.2.1.0
  LIBRUBY_ALIASES = libruby-2.1.so.2.1 libruby-2.1.so
  LIBRUBY_SO = libruby-2.1.so.2.1.0
  LIBRUBY_A = libruby-2.1-static.a
  RUBYW_INSTALL_NAME =
  rubyw_install_name =
  EXTDLDFLAGS =
  EXTLDFLAGS =
  strict_warnflags = -std=iso9899:1999
  warnflags = -Wall -Wextra -Wno-unused-parameter -Wno-parentheses -Wno-long-long -Wno-missing-f
ield-initializers -Wno-unused-variable -Wpointer-arith -Wwrite-strings -Wdeclaration-after-statement
-Wimplicit-function-declaration
  debugflags = -ggdb3
  optflags = -O3 -fno-fast-math
  cxxflags = -O3 -fno-fast-math -ggdb3 -Wall -Wextra -Wno-unused-parameter -Wno-parentheses -Wn
o-long-long -Wno-missing-field-initializers -Wno-unused-variable -Wpointer-arith -Wwrite-strings -Wde
claration-after-statement -Wimplicit-function-declaration
  cflags = -O3 -fno-fast-math -ggdb3 -Wall -Wextra -Wno-unused-parameter -Wno-parentheses -Wno-
long-long -Wno-missing-field-initializers -Wno-unused-variable -Wpointer-arith -Wwrite-strings -Wdecl
aration-after-statement -Wimplicit-function-declaration
  cppflags =

```

```

NULLCMD = :
DLNOBJ = dln.o
INSTALLDOC = all
CAPITARGET = nodoc
RDOCTARGET = rdoc
DTRACE_GLOMMED_OBJ = ruby-glommed.o
DTRACE_OBJ = probes.o
DTRACE_EXT = d
EXECUTABLE_EXTS =
ARCHFILE =
LIBRUBY_RELATIVE = no
EXTOUT = .ext
RUNRUBY_COMMAND = $(MINIRUBY) $(srcdir)/tool/runruby.rb --extout=.ext $(RUNRUBYOPT)
PREP = miniruby
BTESTRUBY = $(MINIRUBY)
CROSS_COMPILING = no
TEST_RUNNABLE = yes
rubylibprefix = /usr/lib/ruby
setup = Setup
EXTSTATIC =
STRIP = strip -S -x
TRY_LINK =
LIBPATHENV = LD_LIBRARY_PATH
RPATHFLAG =
LIBPATHFLAG = -L%s
LINK_SO =
LIBEXT = a
DLEXT2 =
DLEXT = so
LDSHAREDXX = g++ -shared
LDSHARED = gcc -shared
CCDLFLAGS = -fPIC
STATIC =
ARCH_FLAG =
DLDFLAGS =
ALLOCA =
codesign =
POSTLINK = :
WERRORFLAG = -Werror
CHDIR = cd -P
RMALL = rm -fr
RMDIRS = rmdir --ignore-fail-on-non-empty -p
RMDIR = rmdir --ignore-fail-on-non-empty
CP = cp
RM = rm -f
PKG_CONFIG = pkg-config
PYTHON =
DOXYGEN =
DOT =
DTRACE = dtrace
MAKEDIRS = /bin/mkdir -p
MKDIR_P = /bin/mkdir -p
INSTALL_DATA = /usr/bin/install -c -m 644
INSTALL_SCRIPT = /usr/bin/install -c
INSTALL_PROGRAM = /usr/bin/install -c
SET_MAKE =
LN_S = ln -s
NM = nm
DLLWRAP =
WINDRES =
OBJCOPY = :
OBJDUMP = objdump
ASFLAGS =
AS = as
AR = ar
RANLIB = ranlib
try_header =

```

```

CC_VERSION = gcc -v
COUTFLAG = -o
OUTFLAG = -o
CPPOUTFILE = -o conftest.i
GNU_LD = yes
LD = ld
GCC = yes
EGREP = /bin/grep -E
GREP = /bin/grep
CPP = gcc -E
CXXFLAGS = -g -O2 -fstack-protector --param=ssp-buffer-size=4 -Wformat -Werror=format-security
CXX = g++
OBJEXT = o
CPPFLAGS = -D_FORTIFY_SOURCE=2
LDFLAGS = -L. -Wl,-Bsymbolic-functions -Wl,-z,relro -L/build/ruby2.1-3vrZnx/ruby2.1-2.1.9/debi
an/lib -fstack-protector -rdynamic -Wl,-export-dynamic
CFLAGS = -g -O2 -fstack-protector --param=ssp-buffer-size=4 -Wformat -Werror=format-security -
fPIC
CC = gcc
NACL_SDK_VARIANT =
NACL_SDK_ROOT =
NACL_TOOLCHAIN =
target_os = linux-gnu
target_vendor = pc
target_cpu = x86_64
target = x86_64-pc-linux-gnu
host_os = linux-gnu
host_vendor = pc
host_cpu = x86_64
host = x86_64-pc-linux-gnu
RUBY_VERSION_NAME = ruby-2.1.0
RUBYW_BASE_NAME = rubyw
RUBY_BASE_NAME = ruby
build_os = linux-gnu
build_vendor = pc
build_cpu = x86_64
build = x86_64-pc-linux-gnu
RUBY_RELEASE_DATE = 2016-03-30
RUBY_PROGRAM_VERSION = 2.1.9
target_alias = x86_64-linux-gnu
host_alias =
build_alias = x86_64-linux-gnu
LIBS = -lpthread -lgmp -ldl -lcrypt -lm
ECHO_T =
ECHO_N = -n
ECHO_C =
DEFS =
mandir = /usr/share/man
localedir = /usr/share/locale
libdir = /usr/lib
psdir = /usr/share/doc/ruby
pdfdir = /usr/share/doc/ruby
dvidir = /usr/share/doc/ruby
htmldir = /usr/share/doc/ruby
infodir = /usr/share/info
docdir = /usr/share/doc/ruby
oldincludedir = /usr/include
includedir = /usr/include
localstatedir = /var
sharedstatedir = /usr/com
sysconfdir = /etc
datadir = /usr/share
datarootdir = /usr/share
libexecdir = /usr/lib/ruby2.1
sbindir = /usr/sbin
bindir = /usr/bin
program_transform_name = s&$&2.1&;s&^&&

```

```
exec_prefix = /usr
PACKAGE_URL =
PACKAGE_BUGREPORT =
PACKAGE_STRING =
PACKAGE_VERSION =
PACKAGE_TARNAME =
PACKAGE_NAME =
PATH_SEPARATOR = :
SHELL = /bin/bash
archdir = /usr/lib/x86_64-linux-gnu/ruby/2.1.0
topdir = /usr/lib/x86_64-linux-gnu/ruby/2.1.0
```

## Activated Ruby gems

```
bundler => 1.13.7
io-console => 0.4.3
psych => 2.0.5
rake => 12.0.0
RedCloth => 4.3.2
i18n => 0.7.0
json => 1.8.3
minitest => 5.10.1
thread_safe => 0.3.5
tzinfo => 1.2.2
activesupport => 4.2.7.1
builder => 3.2.2
erubis => 2.7.0
mini_portile2 => 2.1.0
nokogiri => 1.6.8.1
rails-deprecated_sanitizer => 1.0.3
rails-dom-testing => 1.0.8
loofah => 2.0.3
rails-html-sanitizer => 1.0.3
actionview => 4.2.7.1
rack => 1.6.5
rack-test => 0.6.3
actionpack => 4.2.7.1
globalid => 0.3.7
activejob => 4.2.7.1
mime-types-data => 3.2016.0521
mime-types => 3.1
mail => 2.6.4
actionmailer => 4.2.7.1
actionpack-action_caching => 1.1.1
actionpack-xml_parser => 1.0.2
activemodel => 4.2.7.1
arel => 6.0.4
activerecord => 4.2.7.1
public_suffix => 2.0.5
addressable => 2.5.0
asciidoctor => 1.5.5
coderay => 1.1.1
concurrent-ruby => 1.0.4
creole => 0.5.0
css_parser => 1.4.7
dalli => 2.7.6
github-markup => 1.4.0
gitlab-grack => 2.0.0.pre
grattr19 => 0.4.4.1
rugged => 0.24.0
gitolite-rugged => 1.1.0
tilt => 2.0.5
haml => 4.0.7
sexp_processor => 4.7.0
ruby_parser => 3.8.3
html2haml => 2.0.0
thor => 0.19.4
```

```
railties => 4.2.7.1
haml-rails => 0.9.0
hiredis => 0.6.1
htmlentities => 4.3.1
jquery-rails => 3.1.4
mimemagic => 0.3.2
mysql2 => 0.3.21
net-ldap => 0.12.1
rubypants => 0.6.0
org-ruby => 0.9.12
protected_attributes => 1.1.3
ruby-openid => 2.3.0
rack-openid => 1.4.2
sprockets => 3.7.1
sprockets-rails => 3.2.0
rails => 4.2.7.1
rbpdf-font => 1.19.0
rbpdf => 1.19.0
redcarpet => 3.3.4
redis => 3.3.2
request_store => 1.0.5
rmagick => 2.16.0
roadie => 3.2.0
roadie-rails => 1.1.1
will_paginate => 3.1.5
```

### Ruby load path (\$LOAD\_PATH)

```
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/will_paginate-3.1.5/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/roadie-rails-1.1.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/roadie-3.2.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/extensions/x86_64-linux/2.1.0/rmagick-2.16.0
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rmagick-2.16.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rmagick-2.16.0/ext
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rmagick-2.16.0/deprecated
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/request_store-1.0.5/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/redis-3.3.2/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/extensions/x86_64-linux/2.1.0/redcarpet-3.3.4
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/redcarpet-3.3.4/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rbpdf-1.19.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rbpdf-font-1.19.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rails-4.2.7.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/sprockets-rails-3.2.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/sprockets-3.7.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rack-openid-1.4.2/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/ruby-openid-2.3.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/protected_attributes-1.1.3/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/org-ruby-0.9.12/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rubypants-0.6.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/net-ldap-0.12.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/extensions/x86_64-linux/2.1.0/mysql2-0.3.21
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/mysql2-0.3.21/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/mimemagic-0.3.2/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/jquery-rails-3.1.4/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/htmlentities-4.3.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/extensions/x86_64-linux/2.1.0/hiredis-0.6.1
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/hiredis-0.6.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/haml-rails-0.9.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/thor-0.19.4/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/html2haml-2.0.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/ruby_parser-3.8.3/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/sexp_processor-4.7.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/haml-4.0.7/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tilt-2.0.5/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/bundler/gems/gitolite-rugged-85668adfb1f7/lib
```



```
/opt/redmine/.rvm/gems/ruby-2.1.4/extensions/x86_64-linux/2.1.0/rugged-0.24.0
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rugged-0.24.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/grattr19-0.4.4.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/bundler/gems/grack-1bc51d833970/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/github-markup-1.4.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/dalli-2.7.6/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/css_parser-1.4.7/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/creole-0.5.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/concurrent-ruby-1.0.4/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/coderay-1.1.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/asciidoctor-1.5.5/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/addressable-2.5.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/public_suffix-2.0.5/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activemodel-4.2.7.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-xml_parser-1.0.2/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-action_caching-1.1.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionmailer-4.2.7.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/mail-2.6.4/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/mime-types-3.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/mime-types-data-3.2016.0521/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activejob-4.2.7.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/globalid-0.3.7/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-4.2.7.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rack-test-0.6.3/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rack-1.6.5/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionview-4.2.7.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rails-html-sanitizer-1.0.3/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/loofah-2.0.3/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rails-dom-testing-1.0.8/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rails-deprecated_sanitizer-1.0.3/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/extensions/x86_64-linux/2.1.0/nokogiri-1.6.8.1
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/nokogiri-1.6.8.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/mini_portile2-2.1.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/erubis-2.7.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/builder-3.2.2/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/thread_safe-0.3.5/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/minitest-5.10.1/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/extensions/x86_64-linux/2.1.0/json-1.8.3
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/json-1.8.3/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/i18n-0.7.0/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/extensions/x86_64-linux/2.1.0/RedCloth-4.3.2
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/RedCloth-4.3.2/lib
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/RedCloth-4.3.2/lib/case_sensitive_require
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/RedCloth-4.3.2/ext
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rake-12.0.0/lib
/usr/local/lib/site_ruby/2.1.0
/usr/local/lib/x86_64-linux-gnu/site_ruby
/usr/local/lib/site_ruby
/usr/lib/ruby/vendor_ruby/2.1.0
/usr/lib/x86_64-linux-gnu/ruby/vendor_ruby/2.1.0
/usr/lib/ruby/vendor_ruby
/usr/lib/ruby/2.1.0
/usr/lib/x86_64-linux-gnu/ruby/2.1.0
```

#### Ruby loaded libraries (\$LOADED\_FEATURES)

enumerator.so

```
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/enc/encdb.so
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/enc/trans/transdb.so
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/rbconfig.rb
/usr/lib/ruby/2.1.0/rubygems/compatibility.rb
/usr/lib/ruby/2.1.0/rubygems/defaults.rb
/usr/lib/ruby/2.1.0/rubygems/deprecate.rb
```

/usr/lib/ruby/2.1.0/rubygems/errors.rb  
/usr/lib/ruby/2.1.0/rubygems/version.rb  
/usr/lib/ruby/2.1.0/rubygems/requirement.rb  
/usr/lib/ruby/2.1.0/rubygems/platform.rb  
/usr/lib/ruby/2.1.0/rubygems/basic\_specification.rb  
/usr/lib/ruby/2.1.0/rubygems/stub\_specification.rb  
/usr/lib/ruby/2.1.0/rubygems/util/stringio.rb  
/usr/lib/ruby/2.1.0/rubygems/specification.rb  
/usr/lib/ruby/2.1.0/rubygems/exceptions.rb  
/usr/lib/ruby/vendor\_ruby/rubygems/defaults/operating\_system.rb  
/usr/lib/ruby/2.1.0/rubygems/core\_ext/kernel\_gem.rb  
thread.rb  
/usr/lib/x86\_64-linux-gnu/ruby/2.1.0/thread.so  
/usr/lib/ruby/2.1.0/monitor.rb  
/usr/lib/ruby/2.1.0/rubygems/core\_ext/kernel\_require.rb  
/usr/lib/ruby/2.1.0/rubygems.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger.rb  
/usr/lib/x86\_64-linux-gnu/ruby/2.1.0/etc.so  
/usr/lib/ruby/2.1.0/fileutils.rb  
/usr/lib/ruby/2.1.0/tmpdir.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/utils/tmpio.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/platform\_info.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/platform\_info/operating\_system.rb  
/usr/lib/ruby/2.1.0/rubygems/path\_support.rb  
/usr/lib/ruby/2.1.0/rubygems/dependency.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/platform\_info/ruby.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/platform\_info/binary\_compatibility.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/constants.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/native\_support.rb  
/usr/lib/x86\_64-linux-gnu/ruby/2.1.0/socket.so  
/usr/lib/ruby/2.1.0/socket.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/ruby\_core\_enhancements.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/utils/tmpdir.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/preloader\_shared\_helpers.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/public\_api.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/debug\_logging.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/loader\_shared\_helpers.rb  
/usr/lib/x86\_64-linux-gnu/ruby/2.1.0/fcntl.so  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/message\_channel.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/utils.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/message\_client.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/utils/native\_support\_utils.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/utils/unseekable\_socket.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/request\_handler/thread\_handler.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/request\_handler.rb  
/usr/lib/x86\_64-linux-gnu/ruby/2.1.0/stringio.so  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/utils/tee\_input.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/rack/thread\_handler\_extension.rb  
/usr/lib/ruby/vendor\_ruby/phusion\_passenger/analytics\_logger.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/postit\_trampoline.rb  
/usr/lib/x86\_64-linux-gnu/ruby/2.1.0/pathname.so  
/usr/lib/ruby/2.1.0/pathname.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/constants.rb  
/usr/lib/x86\_64-linux-gnu/ruby/2.1.0/io/console.so  
/usr/lib/ruby/2.1.0/rubygems/user\_interaction.rb  
/usr/lib/ruby/2.1.0/rubygems/config\_file.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/rubygems\_integration.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/current\_ruby.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/shared\_helpers.rb  
/usr/lib/ruby/2.1.0/rubygems/ext/build\_error.rb  
/usr/lib/ruby/2.1.0/rubygems/ext/builder.rb  
/usr/lib/ruby/2.1.0/rubygems/ext/configure\_builder.rb  
/usr/lib/ruby/2.1.0/delegate.rb  
/usr/lib/ruby/2.1.0/tempfile.rb  
/usr/lib/ruby/2.1.0/rubygems/ext/ext\_conf\_builder.rb  
/usr/lib/ruby/2.1.0/rubygems/ext/rake\_builder.rb  
/usr/lib/ruby/2.1.0/optparse.rb

```
/usr/lib/ruby/2.1.0/rubygems/command.rb
/usr/lib/ruby/2.1.0/rubygems/ext/cmake_builder.rb
/usr/lib/ruby/2.1.0/rubygems/ext.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/errors.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/environment_preserver.rb
/usr/lib/ruby/2.1.0/timeout.rb
/usr/lib/ruby/2.1.0/net/protocol.rb
/usr/lib/ruby/2.1.0/uri/common.rb
/usr/lib/ruby/2.1.0/uri/generic.rb
/usr/lib/ruby/2.1.0/uri/ftp.rb
/usr/lib/ruby/2.1.0/uri/http.rb
/usr/lib/ruby/2.1.0/uri/https.rb
/usr/lib/ruby/2.1.0/uri/ldap.rb
/usr/lib/ruby/2.1.0/uri/ldaps.rb
/usr/lib/ruby/2.1.0/uri/mailto.rb
/usr/lib/ruby/2.1.0/uri.rb
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/zlib.so
/usr/lib/ruby/2.1.0/net/http/exceptions.rb
/usr/lib/ruby/2.1.0/net/http/header.rb
/usr/lib/ruby/2.1.0/net/http/generic_request.rb
/usr/lib/ruby/2.1.0/net/http/request.rb
/usr/lib/ruby/2.1.0/net/http/requests.rb
/usr/lib/ruby/2.1.0/net/http/response.rb
/usr/lib/ruby/2.1.0/net/http/responses.rb
/usr/lib/ruby/2.1.0/net/http/proxy_delta.rb
/usr/lib/ruby/2.1.0/net/http/backward.rb
/usr/lib/ruby/2.1.0/net/http.rb
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/date_core.so
/usr/lib/ruby/2.1.0/date/format.rb
/usr/lib/ruby/2.1.0/date.rb
/usr/lib/ruby/2.1.0/time.rb
/usr/lib/ruby/2.1.0/rubygems/request.rb
/usr/lib/ruby/2.1.0/cgi/core.rb
/usr/lib/ruby/2.1.0/cgi/util.rb
/usr/lib/ruby/2.1.0/cgi/cookie.rb
/usr/lib/ruby/2.1.0/cgi.rb
/usr/lib/ruby/2.1.0/rubygems/uri_formatter.rb
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/digest.so
/usr/lib/ruby/2.1.0/digest.rb
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/openssl.so
/usr/lib/ruby/2.1.0/openssl/bn.rb
/usr/lib/ruby/2.1.0/openssl/cipher.rb
/usr/lib/ruby/2.1.0/openssl/config.rb
/usr/lib/ruby/2.1.0/openssl/digest.rb
/usr/lib/ruby/2.1.0/openssl/x509.rb
/usr/lib/ruby/2.1.0/openssl/buffering.rb
/usr/lib/ruby/2.1.0/openssl/ssl.rb
/usr/lib/ruby/2.1.0/openssl.rb
/usr/lib/ruby/2.1.0/securerandom.rb
/usr/lib/ruby/2.1.0/resolv.rb
/usr/lib/ruby/2.1.0/rubygems/remote_fetcher.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/gem_remote_fetcher.rb
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/digest/sha1.so
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/plugin/api/source.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/plugin/api.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/plugin.rb
/usr/lib/ruby/2.1.0/rubygems/util.rb
/usr/lib/ruby/2.1.0/rubygems/source/git.rb
/usr/lib/ruby/2.1.0/rubygems/source/installed.rb
/usr/lib/ruby/2.1.0/rubygems/source/specific_file.rb
/usr/lib/ruby/2.1.0/rubygems/source/local.rb
/usr/lib/ruby/2.1.0/rubygems/source/lock.rb
/usr/lib/ruby/2.1.0/rubygems/source/vendor.rb
/usr/lib/ruby/2.1.0/rubygems/source.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/gem_helpers.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/match_platform.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/rubygems_ext.rb
```

```
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/version.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/settings.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/yaml_serializer.rb
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/strscan.so
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/source.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/source/path.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/source/git.rb
/usr/lib/ruby/2.1.0/rubygems/text.rb
/usr/lib/ruby/2.1.0/rubygems/name_tuple.rb
/usr/lib/ruby/2.1.0/rubygems/spec_fetcher.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/source/rubygems.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/lockfile_parser.rb
/usr/lib/ruby/2.1.0/set.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/definition.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/dependency.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/ruby_dsl.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/dsl.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/source_list.rb
/usr/lib/ruby/2.1.0/erb.rb
/usr/lib/ruby/2.1.0/psych/exception.rb
/usr/lib/ruby/2.1.0/psych/syntax_error.rb
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/psych.so
/usr/lib/ruby/2.1.0/psych/omap.rb
/usr/lib/ruby/2.1.0/psych/set.rb
/usr/lib/ruby/2.1.0/psych/class_loader.rb
/usr/lib/ruby/2.1.0/psych/scalar_scanner.rb
/usr/lib/ruby/2.1.0/psych/nodes/node.rb
/usr/lib/ruby/2.1.0/psych/nodes/stream.rb
/usr/lib/ruby/2.1.0/psych/nodes/document.rb
/usr/lib/ruby/2.1.0/psych/nodes/sequence.rb
/usr/lib/ruby/2.1.0/psych/nodes/scalar.rb
/usr/lib/ruby/2.1.0/psych/nodes/mapping.rb
/usr/lib/ruby/2.1.0/psych/nodes/alias.rb
/usr/lib/ruby/2.1.0/psych/nodes.rb
/usr/lib/ruby/2.1.0/psych/streaming.rb
/usr/lib/ruby/2.1.0/psych/visitors/visitor.rb
/usr/lib/ruby/2.1.0/psych/visitors/to_ruby.rb
/usr/lib/ruby/2.1.0/psych/visitors/emitter.rb
/usr/lib/ruby/2.1.0/psych/handler.rb
/usr/lib/ruby/2.1.0/psych/tree_builder.rb
/usr/lib/ruby/2.1.0/psych/visitors/yaml_tree.rb
/usr/lib/ruby/2.1.0/psych/json/ruby_events.rb
/usr/lib/ruby/2.1.0/psych/visitors/json_tree.rb
/usr/lib/ruby/2.1.0/psych/visitors/depth_first.rb
/usr/lib/ruby/2.1.0/psych/visitors.rb
/usr/lib/ruby/2.1.0/psych/parser.rb
/usr/lib/ruby/2.1.0/psych/coder.rb
/usr/lib/ruby/2.1.0/psych/core_ext.rb
/usr/lib/ruby/2.1.0/psych/deprecated.rb
/usr/lib/ruby/2.1.0/psych/stream.rb
/usr/lib/ruby/2.1.0/psych/json/yaml_events.rb
/usr/lib/ruby/2.1.0/psych/json/tree_builder.rb
/usr/lib/ruby/2.1.0/psych/json/stream.rb
/usr/lib/ruby/2.1.0/psych/handlers/document_stream.rb
/usr/lib/ruby/2.1.0/psych.rb
/usr/lib/ruby/2.1.0/yaml.rb
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/enc/utf_16le.so
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/enc/utf_16be.so
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/ui.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/ui/silent.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/ui/rg_proxy.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/lazy_specification.rb
/usr/lib/ruby/2.1.0/tsort.rb
/usr/lib/ruby/2.1.0/forwardable.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/spec_set.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/gem_version_promoter.rb
```

```
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/source/git/git_proxy.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/source/gemspec.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/runtime.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/dep_proxy.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/index.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/remote_specification.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/stub_specification.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/endpoint_specification.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/bundler-1.13.7/lib/bundler/setup.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rack-1.6.5/lib/rack/multipart.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rack-1.6.5/lib/rack/utils.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rack-1.6.5/lib/rack.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/rack-1.6.5/lib/rack/builder.rb
/opt/redmine/redmine-3.3.1/config/boot.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/ruby_version_check.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/thread_safe-0.3.5/lib/thread_safe/version.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/thread_safe-0.3.5/lib/thread_safe/synchronized_delegato
r.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/thread_safe-0.3.5/lib/thread_safe.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/array
/prepend_and_append.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/hash/
deep_merge.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/hash/
except.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/hash/
slice.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/i18n-0.7.0/lib/i18n/version.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/i18n-0.7.0/lib/i18n/exceptions.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/i18n-0.7.0/lib/i18n/interpolate/ruby.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/i18n-0.7.0/lib/i18n.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/lazy_load_hook
s.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/i18n-0.7.0/lib/i18n/config.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/i18n.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/thread_safe-0.3.5/lib/thread_safe/non_concurrent_cache_
backend.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/thread_safe-0.3.5/lib/thread_safe/mri_cache_backend.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/thread_safe-0.3.5/lib/thread_safe/cache.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/inflector/infl
ections.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/inflections.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/inflector/meth
ods.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/dependencies/a
utoload.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/gem_version.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/version.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/array
/extract_options.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/modul
e/attribute_accessors.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/concern.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/logger_silence
.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/logger_thread_
safe_level.rb
/usr/lib/ruby/2.1.0/logger.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/logger.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support.rb
/usr/lib/ruby/2.1.0/singleton.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/kerne
l/singleton_class.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/modul
e/delegation.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/deprecation/in
stance_delegator.rb
```

```
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/notifications/instrumenter.rb
/usr/lib/ruby/2.1.0/mutex_m.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/notifications/fanout.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/per_thread_registry.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/notifications.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/deprecation/behaviors.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/deprecation/reporting.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/module/aliasing.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/deprecation/method_wrappers.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/deprecation/proxy_wrappers.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/module/deprecation.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/deprecation.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/kernel/reporting.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/hash/keys.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/object/blank.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/key_generator.rb
/usr/lib/ruby/2.1.0/base64.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/security_utils.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/message_verifier.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/initializable.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/ordered_options.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/object/acts_like.rb
/usr/lib/x86_64-linux-gnu/ruby/2.1.0/bigdecimal.so
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/object/duplicable.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/object/deep_dup.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/object/itself.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/object/try.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/object/inclusion.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/object/to_query.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/object/to_param.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/multibyte.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/string/multibyte.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/inflector/transliterate.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/string/inflections.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date_time/calculations.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/xml_mini/rexml.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/xml_mini.rb
```

```
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/array/
/conversions.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/time/
acts_like.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/duration.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/ruby_core_support.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/offset_rationals.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/time_or_datetime.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/timezone_definition.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/timezone_offset.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/timezone_transition.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/timezone_transition_definition.
rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/timezone_index_definition.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/timezone_info.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/data_timezone_info.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/linked_timezone_info.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/transition_data_timezone_info.r
b
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/zoneinfo_timezone_info.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/data_source.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/ruby_data_source.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/zoneinfo_data_source.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/timezone_period.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/timezone.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/info_timezone.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/data_timezone.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/linked_timezone.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/timezone_proxy.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/country_index_definition.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/country_info.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/ruby_country_info.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/zoneinfo_country_info.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/country.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo/country_timezone.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/tzinfo-1.2.2/lib/tzinfo.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/values/time_zo
ne.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/time/
conversions.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/time_with_zone
.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date_
and_time/zones.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/time/
zones.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date_
and_time/calculations.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date/
zones.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date/
calculations.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/time/
calculations.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/time/
marshal.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/time.
rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date/
acts_like.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/modul
e/remove_method.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date/
conversions.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date.
rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date_
```

```
time/acts_like.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date_
time/conversions.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date_
time/zones.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/date_
time.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/numer
ic/time.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/integ
er/time.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/strin
g/conversions.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/strin
g/zones.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/time.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/array
/wrap.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/hash/
reverse_merge.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/hash/
conversions.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/objec
t/conversions.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/objec
t/instance_variables.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/json-1.8.3/lib/json/version.rb
  /usr/lib/ruby/2.1.0/ostruct.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/json-1.8.3/lib/json/generic_object.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/json-1.8.3/lib/json/common.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/json-1.8.3/lib/json/pure/parser.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/json-1.8.3/lib/json/pure/generator.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/json-1.8.3/lib/json/pure.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/json-1.8.3/lib/json.rb
  /usr/lib/ruby/2.1.0/bigdecimal/util.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/big_d
ecimal/conversions.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/objec
t/json.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/option_merger.
rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/objec
t/with_options.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/objec
t.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/paths.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/rack.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/configuration.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/inflector.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/modul
e/introspection.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/railtie.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/engine/railties.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/engine.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/application.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/gem_version.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/version.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/file_update_ch
ecker.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails/railtie/configuration.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/i18n_railtie.r
b
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/railtie.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/class
/attribute.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/rails.rb
  /opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-4.2.7.1/lib/action_pack/gem_version.rb
```



/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-4.2.7.1/lib/action\_pack/version.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-4.2.7.1/lib/action\_pack.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-4.2.7.1/lib/action\_dispatch.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/actionpack-4.2.7.1/lib/action\_dispatch/railtie.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/railties-4.2.7.1/lib/rails.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activemodel-4.2.7.1/lib/active\_model/gem\_version.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activemodel-4.2.7.1/lib/active\_model/version.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activemodel-4.2.7.1/lib/active\_model.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/crud.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/factory\_methods.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/expressions.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/predications.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/window\_predications.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/math.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/alias\_predication.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/order\_predications.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/table.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/attributes/attribute.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/attributes.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/compatibility/wheres.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/visitor.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/depth\_first.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/reduce.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/to\_sql.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/sqlite.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/postgresql.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/mysql.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/mssql.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/oracle.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/where\_sql.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/dot.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/ibm\_db.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors/informix.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/visitors.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/collectors/plain\_string.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/collectors/sql\_string.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/tree\_manager.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/insert\_manager.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/select\_manager.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/update\_manager.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/delete\_manager.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/node.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/select\_statement.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/select\_core.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/insert\_statement.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/update\_statement.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/bind\_param.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/terminal.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/true.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/false.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/unary.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/grouping.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/ascending.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/descending.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/unqualified\_column.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/with.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/binary.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/equality.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/in.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/join\_source.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/delete\_statement.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/table\_alias.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/infix\_operation.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/over.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/matches.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/and.rb  
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/function.rb

```
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/count.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/extract.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/values.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/named_function.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/window.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/full_outer_join.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/inner_join.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/outer_join.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/right_outer_join.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/string_join.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes/sql_literal.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/nodes.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/gem_version.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/version.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/attribute.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/attribute_set/bu
ilder.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/attribute_set.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/enume
rable.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/strin
g/filters.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activemodel-4.2.7.1/lib/active_model/attribute_methods.
rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/attribute_method
s.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/decorator.r
b
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/mutable.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/numeric.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/time_value.
rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/value.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/integer.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/big_integer
.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/binary.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/boolean.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/date.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/date_time.r
b
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/decimal.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/decimal_wit
hout_scale.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/float.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/serialized.
rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/string.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/text.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/time.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/unsigned_in
teger.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/type_map.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type/hash_lookup
_type_map.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/type.rb
/usr/lib/ruby/2.1.0/benchmark.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/bench
mark.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/connection_adapt
ers/schema_cache.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/connection_adapt
ers/abstract/schema_dumper.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/strin
g/strip.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/connection_adapt
```

```
ers/abstract/schema_creation.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/arel-6.0.4/lib/arel/collectors/bind.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/connection_adapt
ers/abstract/quotting.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/connection_adapt
ers/abstract/database_statements.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/errors.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/migration.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/migration/join_t
able.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/string
/access.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/connection_adapt
ers/abstract/schema_definitions.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/connection_adapt
ers/abstract/schema_statements.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/connection_adapt
ers/abstract/database_limits.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/connection_adapt
ers/abstract/query_cache.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/descendants_tr
acker.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/callbacks.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/connection_adapt
ers/abstract_adapter.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record/scoping.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activerecord-4.2.7.1/lib/active_record.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activemodel-4.2.7.1/lib/active_model/railtie.rb
/opt/redmine/.rvm/gems/ruby-2.1.4/gems/activesupport-4.2.7.1/lib/active_support/core_ext/modul
e/attr_internal.rb
```

## History

### #1 - 2017-01-07 08:54 - Jean-Philippe Lang

- Status changed from New to Closed
- Resolution set to Invalid

Sorry no technical support here in the issue tracker.

## Files

Redmine Error.tar.gz	13.8 KB	2017-01-07	Vivek Buzruk
----------------------	---------	------------	--------------