

## Redmine - Patch #25014

### redmine/i18n.rb - languages\_lookup class variable is rebuilt every time

2017-02-06 11:56 - Jens Krämer

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Jean-Philippe Lang	<b>% Done:</b>	0%
<b>Category:</b>	I18n	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	3.4.0		

#### Description

the @@languages\_lookup variable in redmine/i18n.rb appears to be intended as a cache but is assigned to a new value everytime find\_language is called.

Attached patch fixes this by using ||= instead of =.

#### Associated revisions

##### Revision 16349 - 2017-03-02 20:42 - Jean-Philippe Lang

Turns @@languages\_lookup into a cache by using ||= (#25014).

Patch by Jens Kraemer.

#### History

##### #1 - 2017-02-06 14:20 - Go MAEDA

- Target version set to 3.4.0

Since find\_language method is called on every request, I think caching values is reasonable.

Setting target version to 3.4.0.

##### #2 - 2017-03-02 20:42 - Jean-Philippe Lang

- Status changed from New to Closed

- Assignee set to Jean-Philippe Lang

Committed, thanks for the fix.

#### Files

0001-turns-languages_lookup-into-a-cache-by-using.patch	758 Bytes	2017-02-06	Jens Krämer
---	-----------	------------	-------------