

Redmine - Defect #26513

Rails5: production env: NameError (uninitialized constant Redmine::SortCriteria)

2017-07-24 15:38 - Toshi MARUYAMA

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Fixed		
Description			
<pre>Started GET "/test-trunk/projects/redmine-svn/issues" for ::1 at 2017-07-24 22:33:49 +0900 Processing by IssuesController#index as HTML Parameters: {"project_id"=>"redmine-svn"} Current user: admin (id=1) Completed 500 Internal Server Error in 258ms (ActiveRecord: 184.1ms) NameError (uninitialized constant Redmine::SortCriteria): app/models/query.rb:758:in `sort_criteria=' app/models/query.rb:380:in `build_from_params' app/models/issue_query.rb:77:in `build_from_params' app/helpers/queries_helper.rb:299:in `retrieve_query' app/controllers/issues_controller.rb:43:in `index' lib/redmine/sudo_mode.rb:63:in `sudo_mode'</pre>			
It is fine in test env.			
Related issues:			
Related to Redmine - Feature #23630: Migrate to Rails 5.2		Closed	

Associated revisions

Revision 16877 - 2017-07-24 19:14 - Jean-Philippe Lang

Fixed that sort_criteria is required (#26513).

Revision 16881 - 2017-07-25 15:42 - Toshi MARUYAMA

add "config.enable_dependency_loading = true" at config/environments/production.rb (#26513, #26524, #26526)

Revision 16882 - 2017-07-25 17:38 - Toshi MARUYAMA

fix NameError (uninitialized constant) when "config.eager_load = true" (#26513)

Revision 16883 - 2017-07-25 17:39 - Toshi MARUYAMA

revert r16881 (#26513, #26524, #26526)

History

#1 - 2017-07-24 15:57 - Go MAEDA

- Status changed from New to Confirmed

Confirmed the problem.

```
Started GET "/projects/ecookbook/issues" for 127.0.0.1 at 2017-07-24 22:54:41 +0900
Processing by IssuesController#index as HTML
  Parameters: {"project_id"=>"ecookbook"}
  Current user: admin (id=1)
Completed 500 Internal Server Error in 112ms (ActiveRecord: 8.7ms)
```

NameError (uninitialized constant Redmine::SortCriteria):

```
app/models/query.rb:758:in `sort_criteria='
```

```
app/models/query.rb:361:in `initialize'  
app/models/issue_query.rb:54:in `initialize'  
app/helpers/queries_helper.rb:305:in `retrieve_query'  
app/controllers/issues_controller.rb:43:in `index'  
lib/redmine/sudo_mode.rb:63:in `sudo_mode'
```

```
$ bin/about
```

```
Environment:
```

```
Redmine version      3.4.2.devel.16874  
Ruby version         2.4.0-p0 (2016-12-24) [x86_64-darwin16]  
Rails version        5.1.2  
Environment          production  
Database adapter     SQLite
```

```
SCM:
```

```
Subversion           1.9.5  
Darcs                 2.12.0  
Mercurial            3.8.4  
Cvs                   1.12.13  
Bazaar               2.7.0  
Git                   2.11.0  
Filesystem
```

```
Redmine plugins:
```

```
no plugin installed
```

#2 - 2017-07-24 16:12 - Go MAEDA

A workaround for this issue.

http://guides.rubyonrails.org/upgrading_ruby_on_rails.html#autoloading-is-disabled-after-booting-in-the-production-environment

```
Index: config/application.rb
```

```
=====  
--- config/application.rb      (revision 16874)  
+++ config/application.rb      (working copy)  
@@ -12,6 +12,7 @@
```

```
    # Custom directories with classes and modules you want to be autoloadable.  
    config.autoload_paths += %W(#{config.root}/lib)  
+   config.enable_dependency_loading = true
```

```
    # Only load the plugins named here, in the order given (default is alphabetical).  
    # :all can be used as a placeholder for all plugins not explicitly named.
```

#3 - 2017-07-24 19:15 - Jean-Philippe Lang

- Status changed from *Confirmed* to *Closed*

- Target version deleted (4.0.0)

- Resolution set to *Fixed*

Fixed in [r16877](#).

#4 - 2017-07-24 19:15 - Jean-Philippe Lang

- Related to Feature #23630: *Migrate to Rails 5.2 added*

#5 - 2017-07-25 15:48 - Toshi MARUYAMA

I tried this.

```
config.eager_load_paths << Rails.root.join('lib')
```

But it seems we have many jobs, so I have committed [r16881](#).

#6 - 2017-07-25 16:13 - Pavel Rosický

[toshio harita](#) it should be only a temporarily solution

all classes should be explicitly required or eager-loaded on production to avoid concurrency issues

<http://blog.bigbinary.com/2016/08/29/rails-5-disables-autoloading-after-booting-the-app-in-production.html>

#7 - 2017-07-25 18:00 - Toshi MARUYAMA

Pavel Rosický wrote:

[toshio harita](#) it should be only a temporarily solution

all classes should be explicitly required

OK. I have committed [r16882](#) and [r16883](#).

or eager-loaded on production to avoid concurrency issues

<http://blog.bigbinary.com/2016/08/29/rails-5-disables-autoloading-after-booting-the-app-in-production.html>

I tried this.

```
=== (+3,-2) config/application.rb ===
@@ -11,7 +11,8 @@
     # -- all .rb files in that directory are automatically loaded.

     # Custom directories with classes and modules you want to be autoloadable.
-   config.autoload_paths += %W(#{config.root}/lib)
+   #config.autoload_paths += %W(#{config.root}/lib)
+   config.eager_load_paths << Rails.root.join('lib')
```

then

```
.../lib/generators/redmine_plugin_controller/redmine_plugin_controller_generator.rb:1:in `<>top (required)>':
  uninitialized constant Generators::NamedBase (NameError)
```

```
"$ rm -fR lib/generators/redmine_plugin_*, then
```

```
/home/xxxxx/.rvm/gems/ruby-2.2.7/gems/activesupport-5.1.2/lib/active_support/dependencies.rb:292:in `require':
  No such file to load -- test/unit.rb (LoadError)
  from /home/xxxxx/.rvm/gems/ruby-2.2.7/gems/activesupport-5.1.2/lib/active_support/dependencies.rb:292:in `
  block in require'
  from /home/xxxxx/.rvm/gems/ruby-2.2.7/gems/activesupport-5.1.2/lib/active_support/dependencies.rb:258:in `
  load_dependency'
  from /home/xxxxx/.rvm/gems/ruby-2.2.7/gems/activesupport-5.1.2/lib/active_support/dependencies.rb:292:in `
  require'
  from /yyyyy/lib/plugins/acts_as_tree/test/acts_as_tree_test.rb:1:in `<>top (required)>'
```