

Redmine - Defect #26544

SQL-Error occurs sometimes when clicking on "calendar" tab

2017-07-26 16:09 - Florian S.

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Calendar	Estimated time:	0.00 hour
Target version:		Affected version:	3.4.2
Resolution:	Duplicate		

Description

An error occurs sometimes (and mostly not) when clicking at calendar.

Second (third and so on) click works fine but first does not. After a break the "first" click also does not work again.

Maybe there is a caching problem, too?

Extract from logfile:

```
Query::StatementInvalid: Mysql2::Error: Not unique table/alias: 'enumerations': SELECT `issues`.`id` AS t0_r0,
`issues`.`tracker_id` AS t0_r1, `issues`.`project_id` AS t0_r2, `issues`.`subject` AS t0_r3, `issues`.`description` AS t0_r4,
`issues`.`due_date` AS t0_r5, `issues`.`category_id` AS t0_r6, `issues`.`status_id` AS t0_r7, `issues`.`assigned_to_id` AS
t0_r8, `issues`.`priority_id` AS t0_r9, `issues`.`fixed_version_id` AS t0_r10, `issues`.`author_id` AS t0_r11,
`issues`.`lock_version` AS t0_r12, `issues`.`created_on` AS t0_r13, `issues`.`updated_on` AS t0_r14, `issues`.`start_date` AS
t0_r15, `issues`.`done_ratio` AS t0_r16, `issues`.`estimated_hours` AS t0_r17, `issues`.`parent_id` AS t0_r18,
`issues`.`root_id` AS t0_r19, `issues`.`lft` AS t0_r20, `issues`.`rgt` AS t0_r21, `issues`.`is_private` AS t0_r22,
`issues`.`closed_on` AS t0_r23, `issue_statuses`.`id` AS t1_r0, `issue_statuses`.`name` AS t1_r1, `issue_statuses`.`is_closed`
AS t1_r2, `issue_statuses`.`position` AS t1_r3, `issue_statuses`.`default_done_ratio` AS t1_r4, `projects`.`id` AS t2_r0,
`projects`.`name` AS t2_r1, `projects`.`description` AS t2_r2, `projects`.`homepage` AS t2_r3, `projects`.`is_public` AS t2_r4,
`projects`.`parent_id` AS t2_r5, `projects`.`created_on` AS t2_r6, `projects`.`updated_on` AS t2_r7, `projects`.`identifier` AS
t2_r8, `projects`.`status` AS t2_r9, `projects`.`lft` AS t2_r10, `projects`.`rgt` AS t2_r11, `projects`.`inherit_members` AS t2_r12,
`projects`.`default_version_id` AS t2_r13, `projects`.`default_assigned_to_id` AS t2_r14, `trackers`.`id` AS t3_r0,
`trackers`.`name` AS t3_r1, `trackers`.`is_in_chlog` AS t3_r2, `trackers`.`position` AS t3_r3, `trackers`.`is_in_roadmap` AS
t3_r4, `trackers`.`fields_bits` AS t3_r5, `trackers`.`default_status_id` AS t3_r6, `users`.`id` AS t4_r0, `users`.`login` AS t4_r1,
`users`.`hashed_password` AS t4_r2, `users`.`firstname` AS t4_r3, `users`.`lastname` AS t4_r4, `users`.`admin` AS t4_r5,
`users`.`status` AS t4_r6, `users`.`last_login_on` AS t4_r7, `users`.`language` AS t4_r8, `users`.`auth_source_id` AS t4_r9,
`users`.`created_on` AS t4_r10, `users`.`updated_on` AS t4_r11, `users`.`type` AS t4_r12, `users`.`identity_url` AS t4_r13,
`users`.`mail_notification` AS t4_r14, `users`.`salt` AS t4_r15, `users`.`must_change_passwd` AS t4_r16,
`users`.`passwd_changed_on` AS t4_r17, `enumerations`.`id` AS t5_r0, `enumerations`.`name` AS t5_r1,
`enumerations`.`position` AS t5_r2, `enumerations`.`is_default` AS t5_r3, `enumerations`.`type` AS t5_r4,
`enumerations`.`active` AS t5_r5, `enumerations`.`project_id` AS t5_r6, `enumerations`.`parent_id` AS t5_r7,
`enumerations`.`position_name` AS t5_r8 FROM `issues` INNER JOIN `projects` ON `projects`.`id` = `issues`.`project_id`
INNER JOIN `issue_statuses` ON `issue_statuses`.`id` = `issues`.`status_id` LEFT OUTER JOIN `trackers` ON `trackers`.`id` =
`issues`.`tracker_id` LEFT OUTER JOIN `users` ON `users`.`id` = `issues`.`assigned_to_id` LEFT OUTER JOIN
`enumerations` ON `enumerations`.`id` = `issues`.`priority_id` AND `enumerations`.`type` IN ('IssuePriority') LEFT OUTER
JOIN enumerations ON enumerations.id = issues.priority_id WHERE (((projects.status <> 9 AND EXISTS (SELECT 1 AS one
FROM enabled_modules em WHERE em.project_id = projects.id AND em.name='issue_tracking')) AND (((projects.is_public =
1 AND projects.id NOT IN (SELECT project_id FROM members WHERE user_id IN (6,47))) AND ((issues.is_private = 0 OR
issues.author_id = 6 OR issues.assigned_to_id IN (6)))) OR (projects.id IN (1,4,6,7) AND ((issues.is_private = 0 OR
issues.author_id = 6 OR issues.assigned_to_id IN (6)))))) AND ((issues.fixed_version_id IS NULL) AND issues.is_private IN
(0) AND projects.id = 1) AND (((start_date BETWEEN '2017-06-26' AND '2017-08-06') OR (due_date BETWEEN '2017-06-26'
AND '2017-08-06')))) ORDER BY enumerations.position DESC
```

executing this query manually in mysql/mariadb I get the result

#1066 - Tabellenname/Alias 'enumerations' nicht eindeutig

=> Table name / alias "enumeration" not unique

Related issues:

Duplicates Redmine - Defect # 27153: Custom query breaks calendar view with e...

Closed

History

#1 - 2017-07-26 18:38 - Toshi MARUYAMA

- Status changed from New to Needs feedback

- Priority changed from High to Normal

What version is your MySQL?

#2 - 2017-07-27 07:31 - Florian S.

Toshi MARUYAMA wrote:

| What version is your MySQL?

Standard debian 9 db package:

Server-Typ: MariaDB

Server-Version: 10.1.23-MariaDB-9+deb9u1 - Debian 9.0

#3 - 2017-07-27 07:41 - Toshi MARUYAMA

MariaDB is not supported.

#4 - 2017-07-27 07:43 - Florian S.

Hmm that's a pity due to the fact that debian replaced mysql with mariadb in the latest debian version (9)

#5 - 2017-07-27 13:04 - Florian S.

I actually also tried this sql statement at a mysql database:

#1066 - Not unique table/alias: 'enumerations'

Server Version: 5.5.49-0+deb7u1

Protokoll-Version: 10

So it seems as if it is not a mariadb-specific problem..

#6 - 2017-08-15 21:48 - Toshi MARUYAMA

- File sql.txt added

I cannot reproduce on my CentOS 7 and Redmine 3.4.2.

```
$ ruby --version
ruby 2.2.7p470 (2017-03-28 revision 58194) [x86_64-linux]
```

```
$ rpm -qa | grep mysql
php-mysql-5.4.16-42.el7.x86_64
mysql-community-server-5.5.57-2.el7.x86_64
mysql-community-client-5.5.57-2.el7.x86_64
mysql-community-common-5.5.57-2.el7.x86_64
mysql-community-libs-5.5.57-2.el7.x86_64
mysql57-community-release-el7-11.noarch
mysql-community-devel-5.5.57-2.el7.x86_64
```

```
$ bundle show | grep mysql
* mysql2 (0.4.9)
```

#7 - 2017-08-15 21:50 - Toshi MARUYAMA

- File deleted (sql.txt)

#8 - 2017-08-15 21:58 - Toshi MARUYAMA

- File sql.txt added

#9 - 2017-08-16 12:35 - Jitendra Chandani

I am also having this issue: <https://www.screencast.com/t/J1ajHPH6fnP>

```
ruby --version
ruby 2.2.4p230 (2015-12-16 revision 53155) [x86_64-linux]
```

```
rpm -qa | grep mysql
mysql-5.1.73-5.el6_7.1.x86_64
mysql-devel-5.1.73-5.el6_7.1.x86_64
php56u-mysqldb-5.6.28-1.ius.el6.x86_64
mysql-libs-5.1.73-5.el6_7.1.x86_64
```

```
bundle show | grep mysql
* mysql2 (0.4.8)
```

Error logs:

```
Query::StatementInvalid: Mysql2::Error: Not unique table/alias: 'enumerations': SELECT `issues`.`id` AS t0_r0, `issues`.`tracker_id` AS t0_r1,
`issues`.`project_id` AS t0_r2, `issues`.`subject` AS t0_r3, `issues`.`description` AS t0_r4, `issues`.`due_date` AS t0_r5, `issues`.`category_id`
```

```

AS t0_r6, `issues`.`status_id` AS t0_r7, `issues`.`assigned_to_id` AS t0_r8, `issues`.`priority_id` AS t0_r9, `issues`.`fixed_version_id` AS
t0_r10, `issues`.`author_id` AS t0_r11, `issues`.`lock_version` AS t0_r12, `issues`.`created_on` AS t0_r13, `issues`.`updated_on` AS t0_r14,
`issues`.`start_date` AS t0_r15, `issues`.`done_ratio` AS t0_r16, `issues`.`estimated_hours` AS t0_r17, `issues`.`parent_id` AS t0_r18,
`issues`.`root_id` AS t0_r19, `issues`.`lft` AS t0_r20, `issues`.`rgt` AS t0_r21, `issues`.`is_private` AS t0_r22, `issues`.`closed_on` AS t0_r23,
`issue_statuses`.`id` AS t1_r0, `issue_statuses`.`name` AS t1_r1, `issue_statuses`.`is_closed` AS t1_r2, `issue_statuses`.`position` AS t1_r3,
`issue_statuses`.`default_done_ratio` AS t1_r4, `projects`.`id` AS t2_r0, `projects`.`name` AS t2_r1, `projects`.`description` AS t2_r2,
`projects`.`homepage` AS t2_r3, `projects`.`is_public` AS t2_r4, `projects`.`parent_id` AS t2_r5, `projects`.`created_on` AS t2_r6,
`projects`.`updated_on` AS t2_r7, `projects`.`identifier` AS t2_r8, `projects`.`status` AS t2_r9, `projects`.`lft` AS t2_r10, `projects`.`rgt` AS
t2_r11, `projects`.`inherit_members` AS t2_r12, `projects`.`default_version_id` AS t2_r13, `projects`.`default_assigned_to_id` AS t2_r14,
`trackers`.`id` AS t3_r0, `trackers`.`name` AS t3_r1, `trackers`.`is_in_chlog` AS t3_r2, `trackers`.`position` AS t3_r3, `trackers`.`is_in_roadmap`
AS t3_r4, `trackers`.`fields_bits` AS t3_r5, `trackers`.`default_status_id` AS t3_r6, `users`.`id` AS t4_r0, `users`.`login` AS t4_r1,
`users`.`hashed_password` AS t4_r2, `users`.`firstname` AS t4_r3, `users`.`lastname` AS t4_r4, `users`.`mail_notification` AS t4_r5,
`users`.`admin` AS t4_r6, `users`.`status` AS t4_r7, `users`.`last_login_on` AS t4_r8, `users`.`language` AS t4_r9, `users`.`auth_source_id` AS
t4_r10, `users`.`created_on` AS t4_r11, `users`.`updated_on` AS t4_r12, `users`.`type` AS t4_r13, `users`.`identity_url` AS t4_r14,
`users`.`salt` AS t4_r15, `users`.`must_change_passwd` AS t4_r16, `users`.`passwd_changed_on` AS t4_r17, `enumerations`.`id` AS t5_r0,
`enumerations`.`name` AS t5_r1, `enumerations`.`position` AS t5_r2, `enumerations`.`is_default` AS t5_r3, `enumerations`.`type` AS t5_r4,
`enumerations`.`active` AS t5_r5, `enumerations`.`project_id` AS t5_r6, `enumerations`.`parent_id` AS t5_r7, `enumerations`.`position_name`
AS t5_r8, `agile_data`.`id` AS t6_r0, `agile_data`.`issue_id` AS t6_r1, `agile_data`.`position` AS t6_r2, `agile_data`.`story_points` AS t6_r3
FROM `issues` INNER JOIN `projects` ON `projects`.`id` = `issues`.`project_id` INNER JOIN `issue_statuses` ON `issue_statuses`.`id` =
`issues`.`status_id` LEFT OUTER JOIN `trackers` ON `trackers`.`id` = `issues`.`tracker_id` LEFT OUTER JOIN `users` ON `users`.`id` =
`issues`.`assigned_to_id` LEFT OUTER JOIN `enumerations` ON `enumerations`.`id` = `issues`.`priority_id` AND `enumerations`.`type` IN
('IssuePriority') LEFT OUTER JOIN `agile_data` ON `agile_data`.`issue_id` = `issues`.`id` LEFT OUTER JOIN enumerations ON
enumerations.id = issues.priority_id WHERE (((projects.status <> 9 AND EXISTS (SELECT 1 AS one FROM enabled_modules em WHERE
em.project_id = projects.id AND em.name='issue_tracking')) AND ((projects.id IN
(7,15,23,48,52,54,59,60,63,64,67,68,69,70,71,72,73,74,75,76,79,81,82,83,84,85,86,87,88,89,90,91,92,94,95,96,97,98,99,100,101,102,103,104,105,106,10
4,105,106,107,108,109,110,111,113,116,117,118,119,120,122,123,124,125,127,128,129,130,131,132,133,136,137,138,139,140,141,142,143,144,145,146
,144,145,146,148,149,151,152,153,154,155,156,157,158,159,160,161,162,163,164,165,166,167,168,170,171) AND (((issues.is_private = 0 OR
issues.author_id = 79 OR issues.assigned_to_id IN (79)))) OR (projects.id IN (20,55,74,79,88,124,127,147) AND (((issues.is_private = 0 OR
issues.author_id = 79 OR issues.assigned_to_id IN (79)))))) AND (((issues.status_id IN (SELECT id FROM issue_statuses WHERE
is_closed=0)) AND (issues.assigned_to_id IN ('79')) AND (((start_date BETWEEN '2017-07-30' AND '2017-09-02') OR (due_date BETWEEN
'2017-07-30' AND '2017-09-02')) ORDER BY enumerations.position DESC, issues.updated_on DESC

```

Rendered common/error.html.erb within layouts/base (0.1ms)

Completed 500 Internal Server Error in 83ms (Views: 21.1ms | ActiveRecord: 37.3ms)

#10 - 2017-09-26 09:19 - Hapee de Groot

Completely the same error as above

ruby 2.3.1p112

mysql Ver 14.14 Distrib 5.7.19

mysql2 (0.4.9)

Same error output

mysql2::Error: Not unique table/alias: 'enumerations':

was somebody able to fix it?

#11 - 2017-09-27 07:56 - Andrey Semenov

Have same error.

Docker.io/redmine
Docker.io/mariadb

(In my case, I did an upgrade 3.0 to 3.4)

Everything works well, except for the calendar

"Custom queries" get 100% error

#12 - 2017-09-27 18:58 - Hapee de Groot

Is there a way to escalated this or give the ticket a status bug with a higher priority?

#13 - 2017-09-27 19:44 - Andrey Semenov

I will try with Compose file:

```
services:
  redmine:
    image: redmine
    environment:
      REDMINE_DB_MYSQL: db
      REDMINE_DB_PASSWORD: example
    depends_on:
      - db
  db:
    image: mysql:5.7
    environment:
      MYSQL_ROOT_PASSWORD: example
      MYSQL_DATABASE: redmine
```

Have same error, without mariadb

#14 - 2017-10-04 21:12 - Hapee de Groot

So I repeat my question specially with regards to Toshi MARUYAMA who changed priority to normal instead of high:

Is there a way to escalated this or give the ticket a status bug with a higher priority?

#15 - 2017-10-05 04:47 - Toshi MARUYAMA

Hapee de Groot wrote:

| *So I repeat my question specially with regards to Toshi MARUYAMA who changed priority to normal instead of high:*

Is there a way to escalated this or give the ticket a status bug with a higher priority?

As I noted, I cannot reproduce on vanilla Redmine.

Please describe your environment on [[submissions]] and how to reproduce.

#16 - 2017-10-05 09:27 - Hapee de Groot

Environment:

Redmine version 3.4.2.devel
Ruby version 2.3.1-p112 (2016-04-26) [x86_64-linux-gnu]
Rails version 5.1.2
Environment production
Database adapter Mysql2

SCM:

Subversion 1.9.3
Git 2.7.4
Filesystem

And I got the same error as above repeated here:

```
Query::StatementInvalid: Mysql2::Error: Not unique table/alias: 'enumerations': SELECT `issues`.`id` AS t0_r0, `issues`.`tracker_id` AS t0_r1, `issues`.`project_id` AS t0_r2, `issues`.`subject` AS t0_r3, `issues`.`description` AS t0_r4, `issues`.`due_date` AS t0_r5, `issues`.`category_id` AS t0_r6, `issues`.`status_id` AS t0_r7, `issues`.`assigned_to_id` AS t0_r8, `issues`.`priority_id` AS t0_r9, `issues`.`fixed_version_id` AS t0_r10, `issues`.`author_id` AS t0_r11, `issues`.`lock_version` AS t0_r12, `issues`.`created_on` AS t0_r13, `issues`.`updated_on` AS t0_r14, `issues`.`start_date` AS t0_r15, `issues`.`done_ratio` AS t0_r16, `issues`.`estimated_hours` AS t0_r17, `issues`.`parent_id` AS t0_r18, `issues`.`root_id` AS t0_r19, `issues`.`lft` AS t0_r20, `issues`.`rgt` AS t0_r21, `issues`.`is_private` AS t0_r22, `issues`.`closed_on` AS t0_r23, `issue_statuses`.`id` AS t1_r0, `issue_statuses`.`name` AS t1_r1, `issue_statuses`.`is_closed` AS t1_r2, `issue_statuses`.`position` AS t1_r3, `issue_statuses`.`default_done_ratio` AS t1_r4, `projects`.`id` AS t2_r0, `projects`.`name` AS t2_r1, `projects`.`description` AS t2_r2, `projects`.`homepage` AS t2_r3, `projects`.`is_public` AS t2_r4, `projects`.`parent_id` AS t2_r5, `projects`.`created_on` AS t2_r6, `projects`.`updated_on` AS t2_r7, `projects`.`identifier` AS t2_r8, `projects`.`status` AS t2_r9, `projects`.`lft` AS t2_r10, `projects`.`rgt` AS t2_r11, `projects`.`inherit_members` AS t2_r12, `projects`.`default_version_id` AS t2_r13, `projects`.`default_assigned_to_id` AS t2_r14, `trackers`.`id` AS t3_r0, `trackers`.`name` AS t3_r1, `trackers`.`is_in_chlog` AS t3_r2, `trackers`.`position` AS t3_r3, `trackers`.`is_in_roadmap` AS t3_r4, `trackers`.`fields_bits` AS t3_r5, `trackers`.`default_status_id` AS t3_r6, `users`.`id` AS t4_r0, `users`.`login` AS t4_r1, `users`.`hashed_password` AS t4_r2, `users`.`firstname` AS t4_r3, `users`.`lastname` AS t4_r4, `users`.`admin` AS t4_r5, `users`.`status` AS t4_r6, `users`.`last_login_on` AS t4_r7, `users`.`language` AS t4_r8, `users`.`auth_source_id` AS t4_r9, `users`.`created_on` AS t4_r10, `users`.`updated_on` AS t4_r11, `users`.`type` AS t4_r12, `users`.`identity_url` AS t4_r13, `users`.`mail_notification` AS t4_r14, `users`.`salt` AS t4_r15, `users`.`must_change_passwd` AS t4_r16, `users`.`passwd_changed_on` AS t4_r17, `enumerations`.`id` AS t5_r0, `enumerations`.`name` AS t5_r1, `enumerations`.`position` AS t5_r2, `enumerations`.`is_default` AS t5_r3, `enumerations`.`type` AS t5_r4, `enumerations`.`active` AS t5_r5, `enumerations`.`project_id` AS t5_r6, `enumerations`.`parent_id` AS t5_r7, `enumerations`.`position_name` AS t5_r8 FROM `issues` INNER JOIN `projects` ON `projects`.`id` = `issues`.`project_id` INNER JOIN `issue_statuses` ON `issue_statuses`.`id` = `issues`.`status_id` LEFT OUTER JOIN `trackers` ON `trackers`.`id` = `issues`.`tracker_id` LEFT OUTER JOIN `users` ON `users`.`id` = `issues`.`assigned_to_id` LEFT OUTER JOIN `enumerations` ON `enumerations`.`id` = `issues`.`priority_id` AND `enumerations`.`type` IN ('IssuePriority') LEFT OUTER JOIN enumerations ON enumerations.id = issues.priority_id WHERE (((projects.status <> 9 AND EXISTS (SELECT 1 AS one FROM enabled_modules em WHERE em.project_id = projects.id AND em.name='issue_tracking')) AND (((projects.is_public = 1 AND projects.id NOT IN (SELECT project_id FROM members WHERE user_id IN (6,47))) AND ((issues.is_private = 0 OR issues.author_id = 6 OR issues.assigned_to_id IN (6)))) OR (projects.id IN (1,4,6,7) AND ((issues.is_private = 0 OR issues.author_id = 6 OR issues.assigned_to_id IN (6)))))) AND ((issues.fixed_version_id IS NULL) AND issues.is_private IN (0) AND projects.id = 1) AND (((start_date BETWEEN '2017-06-26' AND '2017-08-06') OR (due_date BETWEEN '2017-06-26' AND '2017-08-06')))) ORDER BY enumerations.position DESC
```

in short:

Not unique table/alias: 'enumerations':

#17 - 2017-10-05 11:24 - Marius BALTEANU

Redmine 3.4.2.devel (current trunk) is not a stable version. You should use the latest Redmine 3.4.2 version. You can check this page for more info: [\[\[Download\]\]](#).

#18 - 2017-10-05 12:05 - Andrey Semenov

In my example

Environment:

Redmine version	3.4.2.stable
Ruby version	2.4.2-p198 (2017-09-14) [x86_64-linux]
Rails version	4.2.8
Environment	production
Database adapter	Mysql2

SCM:

Subversion	1.8.10
Mercurial	3.1.2
Bazaar	2.7.0
Git	2.1.4
Filesystem	

#19 - 2017-10-05 16:05 - Hapee de Groot

To Marius, so you are saying you actually have the same problem running on the 3.4.2.stable version?

Than I am not going to downgrade existing version to end up with the same error.

The error is very straight forward:

Mysql2::Error: Not unique table/alias: 'enumerations'

Is none of the Redmine specialists able to tell us how to make the table/alias enumerations unique?

#20 - 2017-10-07 15:03 - Hapee de Groot

just tested in on stable:

Environment:

Redmine version	3.4.2.stable
Ruby version	2.3.1-p112 (2016-04-26) [x86_64-linux-gnu]
Rails version	5.1.2
Environment	production

Database adapter Mysql2
SCM:
Subversion 1.9.3
Git 2.7.4
Filesystem

and indeed same issue, so can we not have a serious look at what is causing:
Mysql2::Error: Not unique table/alias: 'enumerations'

#21 - 2017-10-07 15:29 - Marius BALTEANU

Did you run bundle install? I'm asking because Redmine 3.4.2 works with Rails 4.2.8 (source:branches/3.4-stable/Gemfile#L7), and not with 5.1.2.
Also, please post your entire environment information (including Plugin section).

#22 - 2017-10-07 18:20 - Hapee de Groot

For Marius I did it all over again:

Environment:
Redmine version 3.4.2.stable
Ruby version 2.3.3-p222 (2016-11-21) [x86_64-linux-gnu]
Rails version 4.2.8
Environment production
Database adapter Mysql2
SCM:
Filesystem

Query::StatementInvalid: Mysql2::Error: Not unique table/alias: 'enumerations'

And now I would like to have a serious answer on the error instead of pointing me to wrong installations

#23 - 2017-10-07 18:41 - Marius BALTEANU

Hapee de Groot wrote:

For Marius I did it all over again:

[...]

Query::StatementInvalid: Mysql2::Error: Not unique table/alias: 'enumerations'

And now I would like to have a serious answer on the error instead of pointing me to wrong installations

First of all, I'm not pointing you to the wrong installations, I'm trying to help you based on the information provided. Until now, I saw two problems: you tried to install a version that is not stable and after that, you tried to install a stable version, but with another Rails version (each Redmine version sticks with a specific Rails version - Rails 5.1.* it'll be supported by Redmine 4.0).

Can you provide the plugins list and the entire log? (please see [[submissions]] for more details).

#24 - 2017-10-07 18:51 - Marius BALTEANU

Also, [here](#) you can see the tests results for each Redmine version with the supported Ruby versions and databases.

#25 - 2017-10-07 21:35 - Hapee de Groot

Thanks Marius, but so far nobody ever went into the specifics of the error but anyway, that is what it is.

No plugins and the complete error:

```
Started GET "/projects/techissues/issues/calendar?query_id=54" for 127.0.0.1 at 2017-10-07 18:18:36 +0200
Processing by CalendarsController#show as HTML
Parameters: {"query_id"=>"54", "project_id"=>"techissues"}
Current user: hapee (id=237)
Query::StatementInvalid: Mysql2::Error: Not unique table/alias: 'enumerations': SELECT `issues`.`id` AS t0_r0, `issues`.`tracker_id` AS t0_r1,
`issues`.`project_id` AS t0_r2, `issues`.`subject` AS t0_r3, `issues`.`description` AS t0_r4, `issues`.`due_date` AS t0_r5, `issues`.`category_id`
AS t0_r6, `issues`.`status_id` AS t0_r7, `issues`.`assigned_to_id` AS t0_r8, `issues`.`priority_id` AS t0_r9, `issues`.`fixed_version_id` AS
t0_r10, `issues`.`author_id` AS t0_r11, `issues`.`lock_version` AS t0_r12, `issues`.`created_on` AS t0_r13, `issues`.`updated_on` AS t0_r14,
`issues`.`start_date` AS t0_r15, `issues`.`done_ratio` AS t0_r16, `issues`.`estimated_hours` AS t0_r17, `issues`.`parent_id` AS t0_r18,
`issues`.`root_id` AS t0_r19, `issues`.`lft` AS t0_r20, `issues`.`rgt` AS t0_r21, `issues`.`is_private` AS t0_r22, `issues`.`closed_on` AS t0_r23,
`issue_statuses`.`id` AS t1_r0, `issue_statuses`.`name` AS t1_r1, `issue_statuses`.`is_closed` AS t1_r2, `issue_statuses`.`position` AS t1_r3,
`issue_statuses`.`default_done_ratio` AS t1_r4, `projects`.`id` AS t2_r0, `projects`.`name` AS t2_r1, `projects`.`description` AS t2_r2,
`projects`.`homepage` AS t2_r3, `projects`.`is_public` AS t2_r4, `projects`.`parent_id` AS t2_r5, `projects`.`created_on` AS t2_r6,
`projects`.`updated_on` AS t2_r7, `projects`.`identifier` AS t2_r8, `projects`.`status` AS t2_r9, `projects`.`lft` AS t2_r10, `projects`.`rgt` AS
t2_r11, `projects`.`inherit_members` AS t2_r12, `projects`.`default_version_id` AS t2_r13, `projects`.`default_assigned_to_id` AS t2_r14,
`trackers`.`id` AS t3_r0, `trackers`.`name` AS t3_r1, `trackers`.`is_in_chlog` AS t3_r2, `trackers`.`position` AS t3_r3, `trackers`.`is_in_roadmap`
AS t3_r4, `trackers`.`fields_bits` AS t3_r5, `trackers`.`default_status_id` AS t3_r6, `users`.`id` AS t4_r0, `users`.`login` AS t4_r1,
`users`.`hashed_password` AS t4_r2, `users`.`firstname` AS t4_r3, `users`.`lastname` AS t4_r4, `users`.`admin` AS t4_r5, `users`.`status` AS
t4_r6, `users`.`last_login_on` AS t4_r7, `users`.`language` AS t4_r8, `users`.`auth_source_id` AS t4_r9, `users`.`created_on` AS t4_r10,
`users`.`updated_on` AS t4_r11, `users`.`type` AS t4_r12, `users`.`identity_url` AS t4_r13, `users`.`mail_notification` AS t4_r14, `users`.`salt`
AS t4_r15, `users`.`must_change_passwd` AS t4_r16, `users`.`passwd_changed_on` AS t4_r17, `enumerations`.`id` AS t5_r0,
`enumerations`.`name` AS t5_r1, `enumerations`.`position` AS t5_r2, `enumerations`.`is_default` AS t5_r3, `enumerations`.`type` AS t5_r4,
`enumerations`.`active` AS t5_r5, `enumerations`.`project_id` AS t5_r6, `enumerations`.`parent_id` AS t5_r7, `enumerations`.`position_name`
AS t5_r8 FROM `issues` INNER JOIN `projects` ON `projects`.`id` = `issues`.`project_id` INNER JOIN `issue_statuses` ON
`issue_statuses`.`id` = `issues`.`status_id` LEFT OUTER JOIN `trackers` ON `trackers`.`id` = `issues`.`tracker_id` LEFT OUTER JOIN `users`
ON `users`.`id` = `issues`.`assigned_to_id` LEFT OUTER JOIN `enumerations` ON `enumerations`.`id` = `issues`.`priority_id` AND
`enumerations`.`type` IN ('IssuePriority') LEFT OUTER JOIN enumerations ON enumerations.id = issues.priority_id WHERE (((projects.status
<> 9 AND EXISTS (SELECT 1 AS one FROM enabled_modules em WHERE em.project_id = projects.id AND em.name='issue_tracking')) AND
((projects.id IN (5) AND ((issues.is_private = 0 OR issues.author_id = 237 OR issues.assigned_to_id IN (237)))))) AND ((issues.status_id IN
(SELECT id FROM issue_statuses WHERE is_closed=0)) AND (issues.assigned_to_id IN ('237')) AND projects.id = 5) AND (((start_date
BETWEEN '2017-10-01' AND '2017-11-04') OR (due_date BETWEEN '2017-10-01' AND '2017-11-04')))) ORDER BY enumerations.position
DESC
Rendered common/error.html.erb within layouts/base (2.2ms)
Completed 500 Internal Server Error in 257ms (Views: 89.9ms | ActiveRecord: 49.0ms)
```

#26 - 2017-10-07 21:39 - Hapee de Groot

what I am actually dealing with is a mysql database coming from

Redmine version 2.6.10.stable

to a new redmine installation

Redmine version 3.4.2.stable

so the question probably is how do I change the database in such a way that 'enumerations' becomes a unique table/alias

#27 - 2017-10-10 17:17 - Bernhard Rohloff

It seems like I've reported the same issue in #27153 today.

I can reproduce the failure with particular custom queries (with a second sort criteria) as described in my ticket.

Can anybody affected by this issue double check my assumptions?

#28 - 2017-10-11 14:37 - Bernhard Rohloff

For the last couple of hours, I've taken a deep dive into Redmine sources (and Ruby and MySQL).

So here is the thing,...

As I mentioned above the issue occurs if you have chosen a custom query before entering the calendar. This adds additional sort criteria which results in a bad SQL query similar to [this](#).

The issue initially occurred back in the days in #7451 and was fixed in source:trunk/app/controllers/issues_controller.rb@3379#L430 by deleting the group_by member of the query.

In r16390 a method sort_clause was added into the issues method in source:trunk/app/models/issue_query.rb@16390 which adds the sort_criteria member of the custom query.

Right now, there are three ways to fix this issue...

1. Fix the SQL Query

I think this would be the best solution for the problem, but it's also the most difficult. And I have no solution, yet...

2. Delete the sort_criteria member in the calendars_controller

Just like it's done with the group_by member.

```
@calendar = Redmine::Helpers::Calendar.new(Date.civil(@year, @month, 1), current_language, :month)
retrieve_query
@query.group_by = nil
@query.sort_criteria = nil #insert this into app/controllers/calendars_controller.rb
```

3. Set the issues order explicitly to [] in the query issues method in calendars_controller.rb

This prohibits the execution of sort_clause which isn't necessary in this case.

```
events = []
events += @query.issues(:include => [:tracker, :assigned_to, :priority],
  :conditions => ["((start_date BETWEEN ? AND ?) OR (due_date BETWEEN ? AND ?))", @calendar.startdt, @calendar.enddt],
  @calendar.startdt, @calendar.enddt],
  :order => [] # add this line into app/controllers/calendars_controller.rb
)
```

So I think I would prefer the third solution.

Although it's the same solution as in r3379, removing the sort_criteria from the query object feels like a 'quick & dirty' hack to me. Setting the sort order explicitly to [] in the query seems like a more comprehensible approach.

#29 - 2017-10-12 09:26 - Marius BALTEANU

- Duplicates Defect #27153: Custom query breaks calendar view with error 500 added

#30 - 2017-10-12 09:27 - Marius BALTEANU

- Status changed from Needs feedback to Closed
- Resolution set to Duplicate

This problem will be tracked in #27153. Closing this one.

Files

sql.txt	6.83 KB	2017-08-15	Toshi MARUYAMA
---------	---------	------------	----------------