

Redmine - Feature #27864

Subtasks inherit parent settings during copy

2017-12-28 15:04 - Alessandro Zucchi

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Issues	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Resolution:</b>	Duplicate		
<b>Description</b> Hi, often I copy issues across versions. My issues have a lot of subtasks. It would be useful if when I set, for example, version or status on parent issue the same are set on the subtasks. Without this I must modify them afterwards, and this in not always easy.  Regards Alessandro			
<b>Related issues:</b> Is duplicate of Redmine - Feature #14342: Apply changes on parent issue to su... <b>New</b>			

History

#1 - 2018-08-07 16:46 - Go MAEDA

- Is duplicate of Feature #14342: Apply changes on parent issue to subtasks when copying issues added

#2 - 2018-08-07 16:48 - Go MAEDA

- Status changed from New to Closed
- Resolution set to Duplicate

I am closing this issue as a duplicate of [#14342](#). Thank you for suggesting this feature.

#3 - 2018-08-07 17:23 - Go MAEDA

- Related to Feature #10989: Prevent parent issue from being closed if a child issue is open added

#4 - 2018-08-07 17:24 - Go MAEDA

- Related to deleted (Feature #10989: Prevent parent issue from being closed if a child issue is open)