

## Redmine - Patch #29305

### Use Hash#each\_key instead of Hash#keys.each

2018-07-31 23:54 - Go MAEDA

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Go MAEDA	<b>% Done:</b>	0%
<b>Category:</b>	Performance	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	4.0.0		
<b>Description</b>			
Hash#each_key is faster than Hash#keys.each because it does not allocate a new array when iterating keys. See <a href="https://github.com/JuanitoFatas/fast-ruby#hasheach_key-instead-of-hashkeyseach-code">https://github.com/JuanitoFatas/fast-ruby#hasheach_key-instead-of-hashkeyseach-code</a> for details.			

#### Associated revisions

##### Revision 17458 - 2018-08-01 16:28 - Go MAEDA

Replace Hash#keys.each with faster Hash#each\_key (#29305).

Patch by Go MAEDA.

#### History

##### #1 - 2018-08-01 03:15 - Go MAEDA

- Target version set to 4.1.0

##### #2 - 2018-08-01 16:33 - Go MAEDA

- Status changed from New to Closed

- Target version changed from 4.1.0 to 4.0.0

Committed.

##### #3 - 2018-09-16 00:16 - Go MAEDA

- Assignee set to Go MAEDA

#### Files

replace-each-with-each_key.diff	2.68 KB	2018-07-31	Go MAEDA
---------------------------------	---------	------------	----------