

Redmine - Feature #3057

Allow custom my_page blocks to define drop-down names

2009-03-26 23:07 - Brad Beattie

Status:	Closed	Start date:	2009-03-26
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Plugin API	Estimated time:	0.00 hour
Target version:	0.9.0		
Resolution:	Fixed		
Description			
<p>I have a plugin that adds additional blocks to the my_page page. The only problem I have here is that I can't name the blocks beyond their file names, whereas core blocks define their localized names:</p> <pre>BLOCKS = { 'issuesassignedtome' => :label_assigned_to_me_issues, 'issuesreportedbyme' => :label_reported_issues, 'issueswatched' => :label_watched_issues, 'news' => :label_news_latest, 'calendar' => :label_calendar, 'documents' => :label_document_plural, 'timelog' => :label_spent_time }.merge(Redmine::Views::MyPage::Block.additional_blocks).freeze</pre> <p>This request is necessary in order to localize the plugin.</p>			

Associated revisions

Revision 2659 - 2009-04-05 15:33 - Jean-Philippe Lang

Set a default scope for 'My page' block names translations (#3057).

History

#1 - 2009-03-30 22:21 - Jean-Philippe Lang

Actually, you can add a key in your locales that matches the partial name, eg:

```
_my_partial.rhtml => uses 'my_partial' translation key if available
```

Maybe we could use a prefix for these translations in locales, eg: 'my.blocks.my_partial' or something.

What do you think?

#2 - 2009-03-30 22:33 - Brad Beattie

Jean-Philippe Lang wrote:

Actually, you can add a key in your locales that matches the partial name, eg:

```
_my_partial.rhtml => uses 'my_partial' translation key if available
```

Maybe we could use a prefix for these translations in locales, eg: 'my.blocks.my_partial' or something.

| What do you think?

Hrm. A prefix would be nice as it would help avoid any unintended overlap. Not necessary, but nice.

#3 - 2009-04-05 15:30 - Jean-Philippe Lang

- Status changed from New to Resolved
- Target version set to 0.9.0
- Resolution set to Fixed

Committed in r2659.

Default scope is 'my.blocks', so you can have:

```
my:  
  blocks:  
    block_name: Localized block name
```

or (if not found):

```
block_name: Localized block name
```

#4 - 2009-11-15 14:23 - Jean-Philippe Lang

- Status changed from Resolved to Closed

#5 - 2011-10-25 13:00 - Jedidiah Lira

- Assignee deleted (Eric Davis)

SPAM