

## Redmine - Defect #31924

### Paging misses some entries

2019-08-19 17:15 - Attie Grande

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	REST API	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	4.0.4
<b>Resolution:</b>	Duplicate		

#### Description

I've just been using the API to batch-update a large number of time entries (moving toggled ID from a comment into a custom field), and I noticed that a handful of records were not retrieved via `time\_entries.json` (and thus weren't update), while a handful of others were returned multiple times.

- This happens for all page sizes ` $\leq 99$ ` that I've tried (`5`, `15`, `25`, `50`, `75`, `99`).
- Strangely for a page size `100` I get the expected output, though this could be fluke with where the page boundaries fall.
- Requests for page sizes ` $\geq 100$ ` return pages of `100` records.

I think it's also worth mentioning that by varying the page sizes, I see that records are not always returned in the same order...

For example, with pages of 5 records, `498` is returned twice:

- Page `n-1`: `505` `502` `503` `504` 498
- Page `n`: `500` 498 `501` `497` `496`

Then, with pages of 25 records, `498` is returned once, with neighbours in a different order:

- Page `n`: `503` `502` `504` `500` `501` 498 `499` `497` `496` `493` `494`

I suspect that the indeterminate ordering is very related to this bug.

Note, I have also tried using the undocumented `page` parameter with no difference, as mentioned here:

<https://www.redmine.org/issues/20479>

Some example code:

```
```python
import json
import itertools
import requests

base_url = 'https://redmine.example.com'
headers = {
    'X-Redmine-API-Key': 'YOUR_API_KEY'
}

params = {
    'limit': 5
}

count = 0
entries = {}

for i in itertools.count(0, params['limit']):
    params['offset'] = i

response = requests.get(f'{base_url}/time_entries.json', params=params, headers=headers)
content = json.loads(response.content)
```

```
num = len(content['time_entries'])
count += num

for e in content['time_entries']:
    e_id = e['id']
    if e_id in entries:
        raise Exception(f'ID {e_id} already exists!')

entries[e_id] = e

if content['offset'] + num >= content['total_count']:
    break

print(count)
'''
```

I'm running Redmine using the [redmine:4.0.4` docker image]([https://hub.docker.com/\\_/redmine/](https://hub.docker.com/_/redmine/))

Info tab:

'''

Environment:

```
Redmine version      4.0.4.stable
Ruby version         2.6.3-p62 (2019-04-16) [x86_64-linux]
Rails version        5.2.3
Environment          production
Database adapter     Mysql2
Mailer queue         ActiveRecord::QueueAdapters::AsyncAdapter
Mailer delivery      smtp
SCM:
Subversion           1.10.4
Mercurial             4.8.2
Bazaar               2.8.0
Git                  2.20.1
Filesystem
Redmine plugins:
redmine_auth_gitlab 0.0.1
'''
```

The database is MySQL using the [mysql/mysql-server:8.0.17` docker image]([https://hub.docker.com/\\_/mysql](https://hub.docker.com/_/mysql)).

#### Related issues:

Is duplicate of Redmine - Defect #29581: Issues in paginated views may be los...

Closed

#### History

##### #1 - 2019-08-19 17:18 - Attie Grande

Gah, not markdown and I can't edit the original...

Also the example code was broken:

```
import json
import itertools
import requests

base_url = 'https://redmine.example.com'
headers = {
    'X-Redmine-API-Key': 'YOUR_API_KEY'
}

params = {
    'limit': 5
}

count = 0
entries = {}

for i in itertools.count(0, params['limit']):
```

```

params['offset'] = i

response = requests.get(f'{base_url}/time_entries.json', params=params, headers=headers)
content = json.loads(response.content)

num = len(content['time_entries'])
count += num

for e in content['time_entries']:
    e_id = e['id']

    print(e_id)

    if e_id in entries:
        raise Exception(f'ID {e_id} already exists!')

    entries[e_id] = e

if content['offset'] + num >= content['total_count']:
    break

print(count)
print(len(entries))

```

## #2 - 2019-08-20 04:48 - Go MAEDA

- Status changed from New to Needs feedback

Could you try the following patch extracted from [#29581](#)?

```

Index: app/models/time_entry_query.rb
=====
--- app/models/time_entry_query.rb      (revision 18379)
+++ app/models/time_entry_query.rb      (working copy)
@@ -141,6 +141,7 @@
     def results_scope(options={})
       order_option = [group_by_sort_order, (options[:order] || sort_clause)].flatten.reject(&:blank?)

+     order_option << "#{TimeEntry.table_name}.id ASC"
       base_scope.
         order(order_option).
         joins(joins_for_order_statement(order_option.join(', ')))

```

## #3 - 2019-08-30 13:27 - Attie Grande

Hi,

Thanks for your reply, and sorry for my delay (it looks like your emails are going into spam by the way - you're getting SPF neutral).

I applied the full fix-29581-v3.patch, and it's resolved the issue for me - thanks very much!

Any idea when this patch will make it into a release? It looks like it's scheduled for v4.1.0?  
I've incorporated it into my docker image for the moment.

Feel free to close this ticket as a duplicate.

Attie

## #4 - 2019-08-30 15:46 - Go MAEDA

- Is duplicate of Defect #29581: Issues in paginated views may be lost because sorting criteria are not unique added

## #5 - 2019-08-30 15:49 - Go MAEDA

- Status changed from Needs feedback to Closed

- Resolution set to Duplicate

Thank you for your feedback. I am happy to hear that the problem was fixed by the patch.

I think that Redmine 4.1.0 should be released soon, but I don't know the accurate date.