

Redmine - Patch #34150

Use match? instead of =~ when MatchData is not used

2020-10-22 04:17 - Go MAEDA

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:	Go MAEDA	% Done:	0%
Category:	Performance	Estimated time:	0.00 hour
Target version:	4.2.0		
Description String#match? was added in Ruby 2.4. you can replace =~ with faster String#match? or Regexp#match? when MatchData generated by `=~` is not necessary. The attached patch changes such =~ to mach?. I generated the patch with the following commands. <pre>sed -i '' 's/TargetRubyVersion: 2.3/TargetRubyVersion: 2.4/' .rubocop.yml bundle exec rubocop --only Performance/RegexpMatch -a</pre>			
Related issues: Related to Redmine - Feature #34142: Drop Ruby 2.3 support Closed Blocks Redmine - Patch #32530: Update RuboCop to 1.12 Closed			

Associated revisions

Revision 20168 - 2020-10-23 02:13 - Go MAEDA

Use match? instead of =~ when MatchData is not used (#34150).

Patch by Go MAEDA.

History

- #1 - 2020-10-22 04:24 - Go MAEDA
- Blocks Patch #32530: Update RuboCop to 1.12 added
- #2 - 2020-10-22 04:25 - Go MAEDA
- Related to Feature #34142: Drop Ruby 2.3 support added
- #3 - 2020-10-23 02:13 - Go MAEDA
- Status changed from New to Closed
 - Assignee set to Go MAEDA

Committed the patch.

Files

use-match.diff	7.32 KB	2020-10-22	Go MAEDA
----------------	---------	------------	----------