

# Redmine - Defect #34810

## SQL Error with UTF8 character greater or equals

2021-02-26 18:56 - Florent H.

<b>Status:</b>	Reopened	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Wiki	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	4.1.1
<b>Resolution:</b>	Invalid		

### Description

I am currently getting a fatal error using this character (greater or equals) editing a wiki page

≥

<https://fr.wiktionary.org/wiki/%E2%89%A5>

### Error

```
app/models/wiki_page.rb:249:in `block in save_with_content'
app/models/wiki_page.rb:245:in `save_with_content'
app/controllers/wiki_controller.rb:180:in `update'
lib/redmine/sudo_mode.rb:65:in `sudo_mode'
Started PUT "/projects/site-web/wiki/Breakpoints" for 92.167.55.166 at 2021-02-26 17:46:08 +0000
Processing by WikiController#update as HTML
  Parameters: {"utf8"=>"<E2><9C><93>", "authenticity_token"=>"XXX", "content"=>{"version"=>"1", "text"=>"h1.
Breakpoints\r\n\r\nNous utilisons bootstrap 5 avec ses breakpoints
officiels\r\n\r\nhttps://getbootstrap.com/docs/5.0/layout/breakpoints\r\n\r\n|.Breakpoint|.Class
infix|.Dimensions|.Appareil\r\n|X-Small|None|<576px|Mobile\r\n|Small|sm|<E2><89><A5>576px|Mobile\r\n|Medium|md|<E2><89><A5>
><89><A5>768px|Mobile\r\n|Large|lg|<E2><89><A5>992px|Ordinateur\r\n|Extra
large|x|<E2><89><A5>1200px|Ordinateur\r\n|Extra extra large|xl|<E2><89><A5>1400px|Ordinateur\r\n", "comments"=>""},
"wiki_page"=>{"parent_id"=>"25"}, "commit"=>"Sauvegarder", "project_id"=>"site-web", "id"=>"Breakpoints"}
  Current user: Me (id=1)
Completed 500 Internal Server Error in 257ms (ActiveRecord: 249.6ms)

ActiveRecord::StatementInvalid (Mysql2::Error: Incorrect string value: '\xE2\x89xA5576...' for column
`redmine`.`wiki_contents`.`text` at row 1: INSERT INTO `wiki_contents` (`page_id`, `author_id`, `text`, `updated_on`, `version`)
VALUES (27, 1, 'h1. Breakpoints\r\n\r\nNous utilisons bootstrap 5 avec ses breakpoints
officiels\r\n\r\nhttps://getbootstrap.com/docs/5.0/layout/breakpoints\r\n\r\n|.Breakpoint|.Class
infix|.Dimensions|.Appareil\r\n|X-Small|None|<576px|Mobile\r\n|Small|sm|<E2><89><A5>576px|Mobile\r\n|Medium|md|<E2><89><A5>
><89><A5>768px|Mobile\r\n|Large|lg|<E2><89><A5>992px|Ordinateur\r\n|Extra
large|x|<E2><89><A5>1200px|Ordinateur\r\n|Extra extra large|xl|<E2><89><A5>1400px|Ordinateur\r\n', '2021-02-26
17:46:08', 1)):
```

Here is my redmine's environment

```
Environment:
  Redmine version      4.1.1.stable
  Ruby version         2.6.3-p62 (2019-04-16) [x86_64-linux]
  Rails version        5.2.4.2
```

Environment	production
Database adapter	Mysql2
Mailer queue	ActiveJob::QueueAdapters::AsyncAdapter
Mailer delivery	smtp

SCM:

Git	2.25.1
Filesystem	

Redmine plugins:

no plugin installed

## History

---

### #1 - 2021-02-26 18:57 - Florent H.

To make it work quickly, I just replaced the character by >=, this is not a problem for my usage.

### #2 - 2021-02-28 17:46 - Marius BALTEANU

- Status changed from New to Needs feedback

What kind of database encoding are you using?

You can use the following queries to retrieve this:

1. MySQL config:

```
SHOW VARIABLES WHERE Variable_name LIKE 'character\_set\_%' OR Variable_name LIKE 'collation%';
```

2. Redmine database:

```
SELECT default_character_set_name FROM information\_schema.SCHEMATA WHERE schema\_name = "<redmine\_database\_name>";
```

### #3 - 2021-04-20 00:43 - Marius BALTEANU

- Status changed from Needs feedback to Closed

- Resolution set to Invalid

Please reopen with the required information.

### #4 - 2021-04-20 08:08 - Florent H.

- Status changed from Closed to Reopened

Sorry, I missed the notification email.

```
MariaDB [(none)]> SHOW VARIABLES WHERE Variable_name LIKE 'character\_set\_%' OR Variable_name LIKE 'collation%';
```

```

+-----+-----+
| Variable_name      | Value      |
+-----+-----+
| character_set_client | utf8mb4    |
| character_set_connection | utf8mb4    |
| character_set_database | utf8mb4    |
| character_set_filesystem | binary     |
| character_set_results  | utf8mb4    |
| character_set_server   | utf8mb4    |
| character_set_system   | utf8       |
| collation_connection  | utf8mb4_general_ci |
| collation_database    | utf8mb4_general_ci |
| collation_server      | utf8mb4_general_ci |
+-----+-----+
10 rows in set (0.128 sec)

```

MariaDB [(none)]> SELECT default\_character\_set\_name FROM information\_schema.SCHEMATA WHERE schema\_name = "redmine";

```

+-----+
| default_character_set_name |
+-----+
| utf8mb4                    |
+-----+
1 row in set (0.000 sec)

```