

Redmine - Feature #3960

Reposman.rb should create Repository even if SCM Module is enabled

2009-10-02 16:28 - Yoann Besson

Status:	Closed	Start date:	2009-10-02
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	SCM	Estimated time:	0.00 hour
Target version:			
Resolution:			
Description			
<p>Hi,</p> <p>Since i use Project Hierarchy, I never need top project SCM Repository.</p> <p>Main Project (No SCM)</p> <ul style="list-style-type: none"> <i>Sub Project 1 (SCM Repository)</i> <i>Sub Project 2 (SCM Repository)</i> <p>So using Reposman.rb should create Repository even if SCM Module is enabled on project</p>			

History

#1 - 2009-10-03 20:08 - Nicolas Chuche

| *So using Reposman.rb should create Repository even if SCM Module is enabled on project*

I don't understand your problem.

I've just tested this in redmine :

Create a main project with SCM module disable
Create a sub project 1 with SCM module enabled
Create a sub project 2 with SCM module disable

And reposman say :

```
% ./extra/svn/reposman.rb -s /var/git -r localhost:3000 -o www-data --test  
running in test mode  
create repository /var/git/subproject1
```

So, if SCM module is enabled in a subproject reposman create a repository.

#2 - 2009-10-03 23:30 - Yoann Besson

- *Status changed from New to Resolved*

My bad ... You right, no problem here.

You can close that issue.

Thanks..

#3 - 2009-10-04 03:22 - Eric Davis

- *Status changed from Resolved to Closed*