Redmine - Feature #4119

Use /raw/ for url instead of format=raw for showing raw repository files

2009-10-27 01:43 - Eric Davis

Status:	Closed	Start date:	2009-10-27	7	
Priority:	Normal	Due date:			
Assignee:		% Done:	0%		
Category:		Estimated time:	0.00 hour		
Target version:	0.9.0				
Resolution:	Fixed				
Description					
	org/projects/redmine/repository/revisions/23			<u>aw</u> becomes	
http://www.redmine.c http://www.redmine.c References: • http://www.redn	•			<u>aw</u> becomes	
http://www.redmine.c http://www.redmine.c References: • http://www.redm	org/projects/redmine/repository/revisions/23 org/projects/redmine/repository/revisions/23 nine.org/issues/1901#note-17			<u>aw</u> becomes	
http://www.redmine.co http://www.redmine.co References: <u>http://www.redm</u> <u>http://www.redm</u> Related issues:	org/projects/redmine/repository/revisions/23 org/projects/redmine/repository/revisions/23 nine.org/issues/1901#note-17			aw becomes 2008-09-15	

Use /raw/ for url instead of ?format=raw for getting raw repository files (#1901, #4119).

History

#1 - 2009-11-16 20:34 - Jean-Philippe Lang

- Status changed from New to Closed
- Target version set to 0.9.0
- Resolution set to Fixed

Done in <u>r3074</u>.