

## Redmine - Feature #4267

### <code> block improvements

2009-11-23 13:46 - Aleksej Lebedev

<b>Status:</b>	New	<b>Start date:</b>	2009-11-23
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Text formatting	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Resolution:</b>			

#### Description

I think it would be useful to implement the following features<sup>1</sup> for code block

Source code:

```
<pre><code class="ruby">
# The Greeter class
class Greeter
  def initialize(name)
    @name = name.capitalize
  end

  def salute
    puts "Hello #{@name}!"
  end
end
</code></pre>
```

Result:

```
# The Greeter class
class Greeter
  def initialize(name)
    @name = name.capitalize
  end

  def salute
    puts "Hello #{@name}!"
  end
end
```

#### **:line\_numbers<sup>2</sup>**

```
<code class="ruby" lineNumbers="yes">.....</code>
<code class="ruby" lineNumbers="no">.....</code>
```

Redmine\_code\_lineNumbers\_no.png

#### **:line\_number\_start<sup>2</sup>**

```
<code class="ruby" start="50">.....</code>
```

Redmine\_code\_start\_50.png

#### **:bold\_every<sup>2</sup>**

```
<code class="ruby" every="2">.....</code>
```

Redmine\_every\_2.png  
:highlight\_lines<sup>2</sup>

```
&lt;code class="ruby" highlight="1,3,5,7"&gt;.....&lt;/code&gt;
```

Redmine\_highlight\_1\_3\_5\_7.png

## title

```
&lt;code class="ruby" title="/path/to/file.rb"&gt;.....&lt;/code&gt;
```

Redmine\_title.png

<sup>1</sup> This standard features in CodeRay, but unfortunately not supported in Redmine :(

<sup>2</sup> CodeRay HTML Encoder options

## Related issues:

Related to Redmine - Feature #3382: Ability to select only source code without...

**Closed**

**2009-05-18**

## History

### #1 - 2009-11-23 14:30 - Mischa The Evil

+10 from me on this one. I actually still had to file this issue myself... Thanks for doing it for me :)

These options really would make syntax-highlighting more useable IMHO.

### #2 - 2010-04-01 20:21 - Kornelius Kalnbach

It seems to me that `:line_number_start` and `highlight_lines` are most useful. We should focus on them, to keep the highlighter plugin API simple, and ensure that other highlighters can adapt.

### #3 - 2010-04-03 01:02 - William Baum

For me, the inability to cut and paste code without the line numbers is a deal-breaker. Furthermore, without representing file line numbers, I don't see how they add value. While the CODE blocks are prettier, the plain PRE blocks are better for exchanging code snippets, simply due to the line numbers.

In terms of usefulness and ease of implementation, the CodeRay features I'd like to see supported are:

1. Suppress the line numbers

```
:line_numbers => nil
```

2. Use the table method:

```
:line_numbers => :table
```

3. Use actual file line numbers:

```
:line_number_start
```

I did experiment with changing the line numbering method in `lib/redmine/syntax_highlighting.rb`.

`nil` works fine and does suppress the line numbers. `:table` will require some changes to the style declarations to get working properly, but would fix the clipboard issues. The samples on the CodeRay site that cut and paste well seem to be using the `:table` method.

### #4 - 2010-04-14 06:08 - Eric Thomas

William Baum wrote:

For me, the inability to cut and paste code without the line numbers is a deal-breaker. Furthermore, without representing file line numbers, I don't see how they add value. While the CODE blocks are prettier, the plain PRE blocks are better for exchanging code snippets, simply due to the line numbers.

In terms of usefulness and ease of implementation, the CodeRay features I'd like to see supported are:

1. Suppress the line numbers

[...]

2. Use the table method:

[...]

3. Use actual file line numbers:

[...]

I did experiment with changing the line numbering method in `lib/redmine/syntax_highlighting.rb`.

nil works fine and does suppress the line numbers. :table will require some changes to the style declarations to get working properly, but would fix the clipboard issues. The samples on the CodeRay site that cut and paste well seem to be using the :table method.

William, if you get a chance please see my patch at [#3382](#). Thanks.

**#5 - 2011-05-26 17:04 - Ling Li**

+1

I like William Baum's suggestion in note#3 a lot! Would this be put into some planned version?

William Baum wrote:

For me, the inability to cut and paste code without the line numbers is a deal-breaker.

Strongly agree!

**#6 - 2011-07-22 11:06 - Anthony Gerrard**

Generally +1

For me, the inability to cut and paste code without the line numbers is a deal-breaker.

+10 on this

**Files**

---

Redmine_code_lineNumbers_no.png	5.51 KB	2009-11-23	Aleksej Lebedev
Redmine_code_start_50.png	6.39 KB	2009-11-23	Aleksej Lebedev
Redmine_every_2.png	6.11 KB	2009-11-23	Aleksej Lebedev
Redmine_highlight_1_3_5_7.png	6.22 KB	2009-11-23	Aleksej Lebedev
Redmine_title.png	5.32 KB	2009-11-23	Aleksej Lebedev