

Redmine - Defect #5374

repositories_controller queries SCM adapter even when all changes are cached in db

2010-04-22 20:42 - Michael Vance

Status:	Closed	Start date:	2010-04-22
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	SCM	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Invalid		

Description

Latest/head version of redmine synced from edavis' Git mirror this morning, running on Windows Vista 64-bit, ruby 1.8.6 (2008-08-11 patchlevel 287), rails 2.3.5, sqlite3.

I have a remote repository which I access using a custom Perforce adapter I wrote for Redmine which is patterned on the Subversion adapter. Access to this repository is slow, and the repo has many changes/files, so local caching is important. However I've found that Redmine goes out to the repo even when auto-fetching is disabled. I put a breakpoint in my adapter's entries method and this is some of the relevant tidbits from the rdebug session:

```
(rdb:97) l
[74, 83] in D:/redmine/app/controllers/repositories_controller.rb
 74   end
 75
 76   def show
 77     @repository.fetch_changesets if Setting.autofetch_changesets? && @path.empty?
 78
=> 79     @entries = @repository.entries(@path, @rev)
 80     if request.xhr?
 81       @entries ? render(:partial => 'dir_list_content') : render(:nothing => true)
 82     else
 83       (show_error_not_found; return) unless @entries
(rdb:97) p Setting.autofetch_changesets?
false
(rdb:97) bt
#0 Redmine::Scm::Adapters::PerforceAdapter.entries(path#String, identifier#NilClass,...)
  at line D:/redmine/lib/redmine/scm/adapters/perforce_adapter.rb:68
#1 Repository.entries(path#String, identifier#NilClass)
  at line D:/redmine/app/models/repository.rb:63
#2 Kernel.send(method#Symbol, args#Array)
  at line C:/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations/as
sociation_proxy.rb:217
#3 ActiveRecord::Associations::AssociationProxy.method_missing
  at line C:/Ruby/lib/ruby/gems/1.8/gems/activerecord-2.3.5/lib/active_record/associations/as
sociation_proxy.rb:217
--> #4 RepositoriesController.show
  at line D:/redmine/app/controllers/repositories_controller.rb:79
[etc.]
```

The slightly wonky thing (to me) is that the model (eg app/models/repository/perforce.rb in my case, but again patterned off of the svn adapter which does the same thing) in fetch_changesets does its own caching; it checks latest scm vs db revision and only grabs more if its been updated (and this works properly). But the repositories_controller invokes the scm adapter directly from what I can tell. So my question is, am I missing something obvious in my adapter implementation (doesn't seem likely, I've basically mirrored the svn implementation), or is this a defect in the general relationship between the controller/model/and adapters? I've also attached a snippet from the log file that shows the output in development. Thanks!

History

#1 - 2010-04-22 20:47 - Michael Vance

- File redmine-about.txt added

Adding script/about per edavis.

#2 - 2010-04-27 18:25 - Jean-Philippe Lang

- *Status changed from New to Closed*
- *Resolution set to Invalid*

Changeset caching is mainly used by the search engine. When you browse a Subversion repository, there are some queries on the repository to get directory content and history log.

#3 - 2012-07-20 08:16 - Toshi MARUYAMA

- *Category set to SCM*

Files			
redmine-p4-log.txt	3.89 KB	2010-04-22	Michael Vance
redmine-about.txt	654 Bytes	2010-04-22	Michael Vance