

Redmine - Feature #566

A possible script or plugin to generate subversion compatible authz permission file?

2008-01-18 12:46 - Liang Jin

<b>Status:</b>	New	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	SCM extra	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Resolution:</b>			

**Description**

I have configured the current trunk version of redmine with subversion to be used for our developers/users. Users systems are synced using pam, nss method outlined in the redmine wiki.

Anonymous users will check out the latest version using [http:// protocol](#). And the developers use SVN+SSH:// to check out and commit.

However, as many users are using Windows machines and TortoiseSVN, the SVN+SSH:// method does not integrate very well in TortoiseSVN. You will be asked to enter password a few times in the normal workflow of checkout and commit.

A much nicer way would be to use the Authz permission system along with Apache in the frontend to serve the [https:// protocol](#).

The authz file is quite simple actually, for example:

```
[project1_team]
project1_readonly = bob, bill
project1_commit = bob, barry, brett

[/]
* =
```

```
[/project1]
@project1_readonly = r
project1_commit = rw
```

Certainly, the user list and passwords will be stored in another file for Apache DAV access.

What do you think? Thanks.

History

- #1 - 2008-02-04 23:37 - Liang Jin
- I have written a PHP script to do this right now. And use crontab jobs to update the authz file regularly. However, it would be best to do this in Ruby I guess, since this is a Ruby project.
- #2 - 2008-02-05 19:43 - Jean-Philippe Lang
- You can post the php script. I'll see if it's easy to implement it in ruby.
- #3 - 2011-03-24 05:42 - Toshi MARUYAMA
- Category set to SCM
- #4 - 2011-03-24 07:39 - Toshi MARUYAMA
- Category changed from SCM to SCM extra