

Redmine - Defect #6128

"assigned\_to" seem to be ignored when creating issues via REST API

2010-08-13 05:12 - Alex Last

Status:	Closed	Start date:	2010-08-13
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	REST API	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:			
<b>Description</b> sending request:  POST http://172.17.10.53:3000/issues.xml HTTP/1.1 -> <issue><project_id>ace</project_id><subject>test zzx</subject><assigned_to name="Alexey Skor" id="19640"/></issue>  response:  HTTP/1.1 201 Created  but the new issue's "assignee" is empty. I verified there's a user with such id. I'm trying to use the same <issue> format as I see in the response from Redmine when I retrieve issues list.  is this REST API's limitation that assignee can't be set on issue creation or I should use different format for this field? if it's the latter, then I hope there's a documentation somewhere about that.			

History

#1 - 2010-08-13 11:37 - Felix Schäfer

Try <assigned\_to\_id>USERID</assigned\_to\_id> in the <issue></issue> block.

#2 - 2010-08-14 05:49 - Alex Last

thanks, this works.

XML response for "get issues" and "get issue" requests has different structure, that's why I expected that parameter to be in

<assigned\_to name="Alexey Skor" id="19640"/>

format. I'm using Castor XML parsing/generating library and I'd like to use the same xml-java mapping file for requests AND responses (to not duplicate stuff), but that would be only possible if both response and request had the same format (which I don't see as an unrealistic requirement).

Another my concern here is that I haven't seen this documented anywhere, so I have to spend peoples' time by asking these questions here. what's the best way to find that kind of information? I don't know Ruby, but I can try reading Redmine source code if you tell me, which file(s) exactly to look at. I'm sure I will hit many similar stones with REST API (I'm writing 2-way synch program for Redmine-Microsoft Project).

I can also put info I find about REST API :) on some wiki page in Redmine if I have permissions.

#3 - 2010-08-17 09:24 - Felix Schäfer

Well, the XML (write) response expected is nearly 1-to-1 a copy of what the HTML forms look like. You should be able to find out the names of the required fields by looking at the html forms, keeping in mind that issue[foo][bar]=value in the HTML translates to <issue><foo><bar>value</bar></foo></issue> in XML (at least that's how I find them out).

#4 - 2010-08-17 09:24 - Felix Schäfer

- Status changed from New to Closed

I was meaning to close that, sorry for the noise.