Redmine - Defect #6676

.htaccess assumes to use mod_fcgi if istalled

2010-10-15 11:59 - Anton Vesnin

Status:	Closed	Start date:	2010-10-15
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:			
Resolution:	Wont fix	Affected version:	1.0.2

Description

This code in .htaccess creates a problem when you have mod_fastcgi or such, but running rails under passenger apache module.

```
<IfModule mod_fastcgi.c>
        RewriteRule ^(.*)$ dispatch.fcgi [QSA,L]
</IfModule>
<IfModule mod_fcgid.c>
        RewriteRule ^(.*)$ dispatch.fcgi [QSA,L]
</IfModule>
<IfModule mod_cgi.c>
        RewriteRule ^(.*)$ dispatch.cgi [QSA,L]
</IfModule>
```

History

#1 - 2010-10-16 20:24 - Holger Just

- Status changed from New to Closed

- Resolution set to Wont fix

You don't need the .htaccess file with passenger at all. A common (and recommended) setup is therefore to use the following statement inside your Apache configuration to disable processing of .htaccess files:

AllowOverride none

Another variant would be to just remove the .htaccess file completely.

There are just no other ways. You can't really tell whether the installed module is actually used or not.