

## Redmine - Feature #6735

### Add user-agent to reposman

2010-10-24 20:36 - Be Fio

<b>Status:</b>	Closed	<b>Start date:</b>	2010-10-24
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	SCM	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	1.0.3		
<b>Resolution:</b>	Fixed		

**Description**

Hi,

On my system, reposman.rb fails with a 400 Bad Request. The reason for that is that I use mod\_security, which has some strict rules regarding correct compliance with requests, browsers, etc. (these rules are very essential because they cause bad bots, malicious users, malicious requests, etc, to be denied)

Anyways, one of the requirements is that anything accessing the site must have a user-agent, and the reason that reposman fails is because it doesn't specify a user-agent (I read my access logs)

So, could a user-agent be added? It'd make the tool more compliant with standards anyways, and it'd allow people to more easily see and understand that the "thing" accessing their /sys/ area is reposman.

I was thinking of a user-agent such as: "Redmine repository manager/1.3 (<http://&lt;site url>>)"

#### Associated revisions

##### Revision 4288 - 2010-10-24 23:00 - Jean-Philippe Lang

Adds a user-agent to reposman (#6735).

#### History

##### #1 - 2010-10-24 22:54 - Jean-Philippe Lang

- Status changed from New to Closed
- Target version set to 1.1.0
- Resolution set to Fixed

Done in [r4288](#). User-agent is "Redmine repository manager/#{Version}"

##### #2 - 2010-10-31 19:20 - Eric Davis

- Target version changed from 1.1.0 to 1.0.3

This is safe for the 1.0-stable branch and 1.0.3.