

Redmine - Defect #7375

<pre> ... </pre> doesn't escape wiki syntax correctly

2011-01-19 17:43 - Michele d'Amico

Status:	Closed	Start date:	2011-01-19
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Text formatting	Estimated time:	0.00 hour
Target version:		Affected version:	
Resolution:	Duplicate		
Description Try this wiki code (see http://demo.redmine.org/projects/testcode/wiki/Wiki): does really escape? <pre><code class="ruby"> # The Greeter class class Greeter def initialize(name) @name = name.capitalize end def salute puts "Hello #{@name}!" end end end </code></pre> I think that the pre tag blocks should escape the wiki syntax at all without "see" any wiki code like tags			
Related issues:			
Related to Redmine - Defect #8395: Tags start with 'pre' are handled as 'pre'...		Closed	2011-05-18
Is duplicate of Redmine - Defect #4472: Escape <code> tag		New	2009-12-22

History

#1 - 2011-01-22 13:39 - Jean-Philippe Lang

- Status changed from New to Closed
- Resolution set to Invalid

The "does really escape?" string is not inside a pre tag.
Past your example in a simple html page and see how firefox renders it.

#2 - 2011-01-24 10:41 - Michele d'Amico

- File example_7375.text added
- Status changed from Closed to Reopened

I'm sorry, maybe the body of my bug is affected to that bug to:

I've attached the wiki text that I wrote in the body and I think it should become like this where pode is replaced by code:

<pode java>

does really escape?

```
# The Greeter class
class Greeter
  def initialize(name)
```

```
@name = name.capitalize
end

def salute
  puts "Hello #{@name}!"
end
end
```

I know that pre tag block is a wiki to html escape, but I think a wiki to simple text escape could be useful too (something like {{nowiki}}, {{nowiki_end}} macros).

I found that issue while writing a dokuwiki to redmine's wiki translator and maybe that is a very rare case; if you think that is not a bug or it is how redmine's wiki should work close it and please forgive me for the noise.

Just a question: how can I write <pode> where pode is replaced by code with redmine's wiki engine?

Regards

--Michele

#3 - 2011-03-24 08:35 - Toshi MARUYAMA

- *Category set to Text formatting*

#4 - 2011-08-04 17:27 - David Raison

Any developments on this?

In my case I'm trying to display xml containing a <kode> (:s/k/c/) tag inside a

```
<pre></pre>
```

blog.

#5 - 2011-08-04 17:28 - David Raison

I found that by doubling the tags, i.e. using <code>728</code> I can show at least one pair.

#6 - 2011-11-28 11:50 - Etienne Massip

- *Status changed from Reopened to Closed*

- *Resolution changed from Invalid to Duplicate*

Dupe of [#4472](#).

Files

example_7375.text	229 Bytes	2011-01-24	Michele d'Amico
-------------------	-----------	------------	-----------------