Redmine - Feature #7450

Subtask : automatic status

2011-01-26 12:22 - Alain V.

Status:	New	Start date:	2011-01-2	6
Priority:	Normal	Due date:		
Assignee:		% Done:	0%	
Category:	Issues	Estimated time:	0.00 hour	
Target version:				
Resolution:				
Description				
Hello				
I would like to use	e redmine in such way			
Project1 with trac	kerA, with status open, on going, do	ne		
Subproject11 of p	project1 with trackerB with status Per	nding/Finished		
	ate a task1 in project1. to create a substask (task2) in Subp	project11.		
Is it to possible th	at when I change the status of task2	2 to Finished, my task1 change au	tomatically to Fi	nished.
And ideally if i ha	ve several subtask when all are Finis	shed, my father task switches to D)one.	
Thank you				
Related issues:				
Related to Redmine	- Feature #13585: Make sub-task inheri	t the properties of	New	
Has duplicate Redr	nine - Feature #5734: Subtasks: inheritar	nce of status needs	Closed	2010-06-22
Has duplicate Redr	nine - Feature #9991: Estate parent task	vs subtask	Closed	

History

#1 - 2011-01-28 09:42 - Etienne Massip

I guess closing children issues when closing their parent is ok, but closing the parent when closing the last opened issue may be dangerous : what if your parent issue is not just a subtask container but includes itself some specific actions ?

#2 - 2011-01-28 09:58 - Alain V.

Yes this is a rule to define. For me subtasking is not a "related task" but more a "split" of the parent task..

#3 - 2011-01-28 10:39 - Etienne Massip

You mean like grouping tasks for a project phase ?

This is indeed the most common use of subtasking, but not the only one.

#4 - 2011-01-28 11:42 - Alain V.

What i would like is be able to define rules

Like for instance

For Subtask/tracker-ii if Status1 => Status2 then For Subtask/tracker1 Status=StatusX

#5 - 2011-01-31 09:43 - Roman G

The possiblity to define a rule for status deriving would be great.

I use sub tasks for grouping of tasks because i don't want to create a sub project. Therefore the container itself should be closed if all subtasks are closed

#6 - 2011-01-31 10:10 - Alain V.

Roman G wrote:

The possibility to define a rule for status deriving would be great.

I use sub tasks for grouping of tasks because i don't want to create a sub project. Therefore the container itself should be closed if all subtasks are closed

Exactly the same thing for me!

#7 - 2011-01-31 10:38 - Olivier Farlotti

The way i see subtask is more like ie. "You're trying to describe a body. Subtask are head, legs, arms etc...". But not like a body, you could add more subtasks as your parent task is on going. What if you need afterward to add another subtask while all the previous subtask has already been closed ? Does it really mean the parent task is really finished ?

#8 - 2011-01-31 10:43 - Roman G

if a parent task was closed and a new sub taks is added i would suggest opening the parent task again

#9 - 2011-01-31 11:12 - Alain V.

Roman G wrote:

if a parent task was closed and a new sub taks is added i would suggest opening the parent task again

Exactly ..

Adding a subtask implicitly means that your parent task should be reopen

#10 - 2011-01-31 13:49 - Etienne Massip

This can't be a good choice : once a task is closed, it is not supposed to be reopened, ever, except if it was closed by mistake (you think it was resolved but it was not).

What you are using subtasking for is, as I see it, more of a replacement for some lacking level in the project -> issue tree, maybe phase.

#11 - 2011-01-31 15:08 - Alain V.

Etienne Massip wrote:

This can't be a good choice : once a task is closed, it is not supposed to be reopened, **ever**, except if it was closed by mistake (you think it was resolved but it was not).

What you are using subtasking for is, as I see it, more of a replacement for some lacking level in the project -> issue tree, maybe phase.

This is completely unreal..

When you produce a software, it may happen that you did not thought of all the aspect and so reopen a ticket can happen.

We use Redmine in production and i can tell you reopen a ticket is something that is happening.

Not the same by you?

#12 - 2011-01-31 15:50 - Etienne Massip

No, I won't close a ticket before the specified development has been tested and validated.

Once the version has been released for production, I close all related tickets in Redmine (and the version itself) and they won't be reopened.

If you reopen a ticket related to an already closed version, you're going to change the fixed version to a new one and loose your closed version history, aren't you ?

#13 - 2011-01-31 17:52 - Alain V.

Ok for closed but what about intermediate status?

For instance to have the possibility that the parent ticket switch "to test" when all the substasks are in "to test"

#14 - 2011-01-31 20:12 - Etienne Massip

As I said before :

What you are using subtasking for is, as I see it, more of a replacement for some lacking level in the project -> issue tree, maybe phase.

What I meant is that maybe what you are asking for is not a parent task status autoupdate but some kind of another concept, somehow a simple group of tasks reflecting the progress of every one of them.

Or can't you simply use categories for that, as Category progress is displayed on the version overview screen ?

#15 - 2011-05-19 15:47 - Etienne Massip

- Category set to Issues