

Redmine - Defect #7516

Redmine does not work with RubyGems 1.5.0

2011-02-02 00:50 - Matt Blair

Status:	Closed	Start date:	2011-02-02
Priority:	Normal	Due date:	
Assignee:		% Done:	100%
Category:	Gems support	Estimated time:	0.00 hour
Target version:	1.2.0	Affected version:	1.1.0
Resolution:	Fixed		
Description			
RubyGems 1.5.0 was released yesterday .			
I attempted to install Redmine 1.1.1 using RVM, Ruby 1.8.7p330 and Rails 2.3.5.			
rake db:migrate failed with the following error message:			
rake aborted!			
undefined local variable or method `version_requirements' for #<Rails::GemDependency:0xb7351b0c>			
Here's the relevant Rails ticket:			
https://rails.lighthouseapp.com/projects/8994/tickets/4026-rubygems-136-warning-in-rails-235			
Related issues:			
Related to Redmine - Defect # 8325: undefined method `name' for "actionmailer...		Closed	2011-05-09
Blocked by Redmine - Feature # 6887: Upgrade to Rails 2.3.11		Closed	2010-11-13

History

#1 - 2011-02-03 02:00 - Anonymous

I have the exact same issue - can I somehow use an older ruby gems version or is there some other work around to get the redmine update until this is fixed?

#2 - 2011-02-03 09:47 - Oto Brglez

I have the same problem. Redmine 1.1, Rails 2.3.5, Ruby 1.8.7, RubyGems 1.5.0.

Perhaps work around is to downgrade RubyGems?

#3 - 2011-02-03 09:51 - Oto Brglez

Phillip Koebbe from Ruby on Rails suggested inserting following code between bootstrap and initialize section of enviroment.rb. And it works.

```
if Gem::VERSION >= "1.3.6"
  module Rails
    class GemDependency
      def requirement
        r = super
        (r == Gem::Requirement.default) ? nil : r
      end
    end
  end
end
```

```
end
end
end
```

#4 - 2011-02-07 21:28 - Andrew Vit

Confirmed that this hack fixes the problem. Would it make sense to check this into the codebase for the time being, until the updates for rails 2.3.latest are resolved?

#5 - 2011-02-19 09:51 - Jose Torres

This problem persists through Ruby-gems 1.5.2 with latest git commit:

<https://github.com/edavis10/redmine/commit/824adaf30c55695c08ebd5456923ba573344b3e9>

```
atomic redmine # RAILS_ENV=production rake db:migrate
(in /var/www/redmine)
rake aborted!
undefined local variable or method `version_requirements' for #<Rails::GemDependency:0x7f1bdb0f24d8>
```

(See full trace by running task with --trace)

```
atomic redmine # RAILS_ENV=production rake db:migrate --trace
(in /var/www/redmine)
** Invoke db:migrate (first_time)
** Invoke environment (first_time)
** Execute environment
rake aborted!
undefined local variable or method `version_requirements' for #<Rails::GemDependency:0x7f6f5ec058a8>
/usr/local/lib64/ruby/gems/1.8/gems/rails-2.3.5/lib/rails/gem_dependency.rb:119:in `requirement'
/usr/lib64/ruby/site_ruby/1.8/rubygems.rb:254:in `activate'
/usr/lib64/ruby/site_ruby/1.8/rubygems.rb:1204:in `gem'
/usr/local/lib64/ruby/gems/1.8/gems/rails-2.3.5/lib/rails/gem_dependency.rb:73:in `add_load_paths'
/usr/local/lib64/ruby/gems/1.8/gems/rails-2.3.5/lib/initializer.rb:301:in `add_gem_load_paths'
/usr/local/lib64/ruby/gems/1.8/gems/rails-2.3.5/lib/initializer.rb:301:in `each'
/usr/local/lib64/ruby/gems/1.8/gems/rails-2.3.5/lib/initializer.rb:301:in `add_gem_load_paths'
/usr/local/lib64/ruby/gems/1.8/gems/rails-2.3.5/lib/initializer.rb:132:in `process'
/usr/local/lib64/ruby/gems/1.8/gems/rails-2.3.5/lib/initializer.rb:113:in `send'
/usr/local/lib64/ruby/gems/1.8/gems/rails-2.3.5/lib/initializer.rb:113:in `run'
/var/www/redmine/config/environment.rb:20
/usr/lib64/ruby/site_ruby/1.8/rubygems/custom_require.rb:29:in `gem_original_require'
/usr/lib64/ruby/site_ruby/1.8/rubygems/custom_require.rb:29:in `require'
/usr/local/lib64/ruby/gems/1.8/gems/activessupport-2.3.5/lib/active_support/dependencies.rb:156:in `require'
/usr/local/lib64/ruby/gems/1.8/gems/activessupport-2.3.5/lib/active_support/dependencies.rb:521:in `new_constants_in'
/usr/local/lib64/ruby/gems/1.8/gems/activessupport-2.3.5/lib/active_support/dependencies.rb:156:in `require'
/usr/local/lib64/ruby/gems/1.8/gems/rails-2.3.5/lib/tasks/misc.rake:4
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:636:in `call'
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:636:in `execute'
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:631:in `each'
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:631:in `execute'
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:597:in `invoke_with_call_chain'
/usr/lib64/ruby/1.8/monitor.rb:242:in `synchronize'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:590:in `invoke_with_call_chain'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:607:in `invoke_prerequisites'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:604:in `each'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:604:in `invoke_prerequisites'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:596:in `invoke_with_call_chain'  
/usr/lib64/ruby/1.8/monitor.rb:242:in `synchronize'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:590:in `invoke_with_call_chain'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:583:in `invoke'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2051:in `invoke_task'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2029:in `top_level'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2029:in `each'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2029:in `top_level'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2068:in `standard_exception_handling'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2023:in `top_level'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2001:in `run'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2068:in `standard_exception_handling'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:1998:in `run'  
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/bin/rake:31  
/usr/bin/rake:8:in `load'  
/usr/bin/rake:8  
atomic redmine #
```

#6 - 2011-02-22 18:05 - Jean-Baptiste Barth

- *Target version set to 1.2.0*

With trunk updated to Rails 2.3.11, I upgraded my rubygems to 1.5.2 and everything works fine. Does anybody still have issues with current trunk, or can we close this issue ?

#7 - 2011-02-23 04:57 - moto kawasaki

Could you please back-port to redmine-1.1.1, or should I use 1.2.0 or current?
thank you very much!

#8 - 2011-02-24 21:40 - Jose Torres

- *Status changed from New to Resolved*
- *% Done changed from 0 to 100*

This error has been resolved with rails upgraded to 2.3.11. Thanks Jean-Baptiste Barth.

#9 - 2011-02-24 22:57 - Jean-Baptiste Barth

- *Status changed from Resolved to Closed*
- *Resolution set to Fixed*

@moto: you'll have to wait 1.2.0 unless you're working with trunk. 1.2.0 should be released in about 2 months, not that far from now :) If you can't wait,

you can try Oto's patch.

@Jose: no problem, we should thank Jean-Philippe for that though.

I close the issue, please re-open if you have problems with rubygems 1.5+ **on trunk** or after 1.2.0 release.

#10 - 2011-04-06 16:21 - Alex Q

Jean-Baptiste Barth wrote:

```
| With trunk updated to Rails 2.3.11, I upgraded my rubygems to 1.5.2 and everything works fine. Does anybody still have issues with current trunk,  
| or can we close this issue ?
```

I still I've this issue

Opensuse11.4 x86_64

```
/srv/www/htdocs/redmine # rpm -qa |grep ruby
```

```
rubygem-rake-0.8.7-8.4.x86_64  
rubygem-activerecord-2_3-2.3.11-1.2.4.x86_64  
rubygems-1.5.2-22.1.x86_64  
ruby-1.8.7.p334-1.2.2.x86_64  
rubygem-rack-1.1.0-7.4.x86_64  
rubygem-activeresource-2_3-2.3.11-1.2.4.x86_64  
rubygem-actionpack-2_3-2.3.11-1.2.4.x86_64  
rubygem-rails-2_3-2.3.11-1.2.1.x86_64  
ruby-devel-1.8.7.p334-1.2.2.x86_64  
rubygem-activesupport-2_3-2.3.11-1.2.4.x86_64  
rubygem-actionmailer-2_3-2.3.11-1.2.4.x86_64
```

```
/srv/www/htdocs/redmine # rpm -qa |grep gem
```

```
rubygem-rake-0.8.7-8.4.x86_64  
rubygem-activerecord-2_3-2.3.11-1.2.4.x86_64  
rubygems-1.5.2-22.1.x86_64  
rubygem-rack-1.1.0-7.4.x86_64  
rubygem-activeresource-2_3-2.3.11-1.2.4.x86_64  
rubygem-actionpack-2_3-2.3.11-1.2.4.x86_64  
rubygem-rails-2_3-2.3.11-1.2.1.x86_64  
rubygem-activesupport-2_3-2.3.11-1.2.4.x86_64  
rubygem-actionmailer-2_3-2.3.11-1.2.4.x86_64
```

gem list

```
- LOCAL GEMS ***
```

```
actionmailer (2.3.11)  
actionpack (2.3.11)  
activerecord (2.3.11)  
activeresource (2.3.11)  
activesupport (2.3.11)  
i18n (0.4.2)  
rack (1.1.0)
```

rails (2.3.11)

rake (0.8.7)

My error:

```
/srv/www/htdocs/redmine # RAILS_ENV=production rake db:migrate --trace
```

```
(in /srv/www/htdocs/redmine)
```

- Invoke db:migrate (first_time)
- Invoke environment (first_time)
- Execute environment

```
rake aborted!
```

```
undefined local variable or method `version_requirements' for #<Rails::GemDependency:0x7f75411a2490>
```

```
/srv/www/htdocs/redmine/config/./vendor/rails/railties/lib/rails/gem_dependency.rb:119:in `requirement'
```

```
/usr/lib64/ruby/vendor_ruby/1.8/rubygems.rb:254:in `activate'
```

```
/usr/lib64/ruby/vendor_ruby/1.8/rubygems.rb:1204:in `gem'
```

```
/srv/www/htdocs/redmine/config/./vendor/rails/railties/lib/rails/gem_dependency.rb:73:in `add_load_paths'
```

```
/srv/www/htdocs/redmine/config/./vendor/rails/railties/lib/initializer.rb:301:in `add_gem_load_paths'
```

```
/srv/www/htdocs/redmine/config/./vendor/rails/railties/lib/initializer.rb:301:in `each'
```

```
/srv/www/htdocs/redmine/config/./vendor/rails/railties/lib/initializer.rb:301:in `add_gem_load_paths'
```

```
/srv/www/htdocs/redmine/config/./vendor/rails/railties/lib/initializer.rb:132:in `process'
```

```
/srv/www/htdocs/redmine/config/./vendor/rails/railties/lib/initializer.rb:113:in `send'
```

```
/srv/www/htdocs/redmine/config/./vendor/rails/railties/lib/initializer.rb:113:in `run'
```

```
/srv/www/htdocs/redmine/config/environment.rb:20
```

```
/usr/lib64/ruby/vendor_ruby/1.8/rubygems/custom_require.rb:29:in `gem_original_require'
```

```
/usr/lib64/ruby/vendor_ruby/1.8/rubygems/custom_require.rb:29:in `require'
```

```
/srv/www/htdocs/redmine/vendor/rails/activestorage/lib/active_support/dependencies.rb:156:in `require'
```

```
/srv/www/htdocs/redmine/vendor/rails/activestorage/lib/active_support/dependencies.rb:521:in `new_constants_in'
```

```
/srv/www/htdocs/redmine/vendor/rails/activestorage/lib/active_support/dependencies.rb:156:in `require'
```

```
/srv/www/htdocs/redmine/vendor/rails/railties/lib/tasks/misc.rake:4
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:636:in `call'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:636:in `execute'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:631:in `each'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:631:in `execute'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:597:in `invoke_with_call_chain'
```

```
/usr/lib64/ruby/1.8/monitor.rb:242:in `synchronize'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:590:in `invoke_with_call_chain'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:607:in `invoke_prerequisites'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:604:in `each'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:604:in `invoke_prerequisites'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:596:in `invoke_with_call_chain'
```

```
/usr/lib64/ruby/1.8/monitor.rb:242:in `synchronize'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:590:in `invoke_with_call_chain'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:583:in `invoke'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2051:in `invoke_task'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2029:in `top_level'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2029:in `each'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2029:in `top_level'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2068:in `standard_exception_handling'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2023:in `top_level'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2001:in `run'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2068:in `standard_exception_handling'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:1998:in `run'
```

```
/usr/lib64/ruby/gems/1.8/gems/rake-0.8.7/bin/rake:31
```

```
/usr/bin/rake:19:in `load'
```

#11 - 2011-04-15 18:24 - Etienne Massip

- Category set to Gems support

#12 - 2011-05-16 20:58 - Evgeny Seliverstov

- Status changed from Closed to Reopened

Doesn't work for me with trunk (r5798), rails 2.3.11, rubygems 1.8.2, RedCloth (4.0.4, 3.0.4).

It is very similar to #8325.

Failed with rake db:migrate and rake gems tasks:

```
$ rake gems RAILS_ENV=production --trace
** Invoke gems (first_time)
** Invoke gems:base (first_time)
** Execute gems:base
** Invoke environment (first_time)
** Execute environment
rake aborted!
undefined method `name' for "RedCloth":String
/usr/local/www/.gem/ruby/1.8/gems/rails-2.3.11/lib/rails/gem_dependency.rb:277:in `=='
/usr/local/lib/ruby/site_ruby/1.8/rubygems/dependency.rb:217:in `==='
/usr/local/lib/ruby/site_ruby/1.8/rubygems/dependency.rb:217:in `matching_specs'
/usr/local/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:36:in `find_all'
/usr/local/lib/ruby/site_ruby/1.8/rubygems/specification.rb:403:in `each'
/usr/local/lib/ruby/site_ruby/1.8/rubygems/specification.rb:402:in `each'
/usr/local/lib/ruby/site_ruby/1.8/rubygems/dependency.rb:216:in `find_all'
/usr/local/lib/ruby/site_ruby/1.8/rubygems/dependency.rb:216:in `matching_specs'
/usr/local/lib/ruby/site_ruby/1.8/rubygems/dependency.rb:238:in `to_specs'
/usr/local/lib/ruby/site_ruby/1.8/rubygems/dependency.rb:256:in `to_spec'
/usr/local/lib/ruby/site_ruby/1.8/rubygems.rb:1182:in `gem'
/usr/local/www/.gem/ruby/1.8/gems/rails-2.3.11/lib/rails/gem_dependency.rb:75:in `add_load_paths'
/usr/local/www/.gem/ruby/1.8/gems/rails-2.3.11/lib/initializer.rb:301:in `add_gem_load_paths'
/usr/local/www/.gem/ruby/1.8/gems/rails-2.3.11/lib/initializer.rb:301:in `each'
/usr/local/www/.gem/ruby/1.8/gems/rails-2.3.11/lib/initializer.rb:301:in `add_gem_load_paths'
/usr/local/www/.gem/ruby/1.8/gems/rails-2.3.11/lib/initializer.rb:132:in `process'
/usr/local/www/.gem/ruby/1.8/gems/rails-2.3.11/lib/initializer.rb:113:in `send'
/usr/local/www/.gem/ruby/1.8/gems/rails-2.3.11/lib/initializer.rb:113:in `run'
/usr/local/www/redmine/config/environment.rb:20
/usr/local/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:36:in `gem_original_require'
/usr/local/lib/ruby/site_ruby/1.8/rubygems/custom_require.rb:36:in `require'
/usr/local/www/.gem/ruby/1.8/gems/activesupport-2.3.11/lib/active_support/dependencies.rb:182:in `require'
/usr/local/www/.gem/ruby/1.8/gems/activesupport-2.3.11/lib/active_support/dependencies.rb:547:in `new_constants_in'
/usr/local/www/.gem/ruby/1.8/gems/activesupport-2.3.11/lib/active_support/dependencies.rb:182:in `require'
/usr/local/www/.gem/ruby/1.8/gems/rails-2.3.11/lib/tasks/misc.rake:4
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:636:in `call'
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:636:in `execute'
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:631:in `each'
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:631:in `execute'
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:597:in `invoke_with_call_chain'
```

```
/usr/local/lib/ruby/1.8/monitor.rb:242:in `synchronize'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:590:in `invoke_with_call_chain'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:583:in `invoke'  
/usr/local/www/.gem/ruby/1.8/gems/rails-2.3.11/lib/tasks/gems.rake:17  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:636:in `call'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:636:in `execute'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:631:in `each'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:631:in `execute'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:597:in `invoke_with_call_chain'  
/usr/local/lib/ruby/1.8/monitor.rb:242:in `synchronize'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:590:in `invoke_with_call_chain'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:607:in `invoke_prerequisites'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:604:in `each'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:604:in `invoke_prerequisites'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:596:in `invoke_with_call_chain'  
/usr/local/lib/ruby/1.8/monitor.rb:242:in `synchronize'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:590:in `invoke_with_call_chain'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:583:in `invoke'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2051:in `invoke_task'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2029:in `top_level'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2029:in `each'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2029:in `top_level'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2068:in `standard_exception_handling'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2023:in `top_level'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2001:in `run'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:2068:in `standard_exception_handling'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/lib/rake.rb:1998:in `run'  
/usr/local/lib/ruby/gems/1.8/gems/rake-0.8.7/bin/rake:31  
/usr/local/www/.gem/ruby/1.8/bin/rake:19:in `load'  
/usr/local/www/.gem/ruby/1.8/bin/rake:19
```

#13 - 2011-05-20 15:33 - Branson Matheson

I too am having the same problem with the same setup. This is a piece of Rails 2.x code on a newly built osx platform:

- rails (2.3.11, 2.3.8)
- RedCloth (4.2.7, 4.0.2)
- rake (0.8.7)

I tried the code above. . no joy.

#14 - 2011-05-20 16:10 - Etienne Massip

Related RubyGems bug tracker entry is [here](#).

#15 - 2011-05-22 12:34 - Jean-Philippe Lang

- Status changed from Reopened to Closed

Closing this ticket since the problem was about rubygems 1.5.0, not 1.8.