

## Redmine - Defect #9752

### "Subtasks autocompletion" feature breaks "Add related issue" scenario

2011-12-08 08:12 - Max Khon

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	High	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Issues	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>Affected version:</b>	1.1.2
<b>Resolution:</b>	Invalid		
<b>Description</b>			
<p>The browser asks for HTTP basic auth with the following text: "The server XXX:443 requires a username and password. The server says: Redmine API." every time when user tries to add a related issue.</p> <p>In our case redmine runs under Apache (mod_passenger) on SSL port if that can be related.</p> <p>See also: <a href="http://www.redmine.org/boards/2/topics/24303?r=27877#message-27877">http://www.redmine.org/boards/2/topics/24303?r=27877#message-27877</a></p>			
<b>Related issues:</b>			
Related to Redmine - Defect # 9749: Entering data into the 'Parent Task' fiel... <b>Closed</b>			

#### History

##### #1 - 2011-12-08 20:14 - Jean-Philippe Lang

Hint [here](#).

##### #2 - 2011-12-09 05:16 - Max Khon

I copied Ajax.Responders.register() from trunk (that does CSRF token copy) but the problem still persists (I made sure that my browser sees new Ajax.Responders.register() version).

##### #3 - 2012-02-24 10:38 - Carsten Schurig

I just can say we have this problem sometimes two, but not on entry of related issues. It "just happens" sometimes and I couldn't determine when, yet. I assume a plugin is the culprit...

BTW we are running 1.3.1

##### #4 - 2012-02-24 17:39 - Etienne Massip

Carsten Schurig wrote:

*I just can say we have this problem sometimes two, but not on entry of related issues. It "just happens" sometimes and I couldn't determine when, yet. I assume a plugin is the culprit...*

*BTW we are running 1.3.1*

Can also be due to outdated application.js on client?

## #5 - 2012-05-09 16:15 - Anonymous

I have the same problem here, too. While moving tickets over the Kanban board, my browser asks me for a new authentication for the context "Redmine API".

I've replaced the application.js with the new one mentioned by Jean-Philippe Lang in #9749, but no difference. A diff shows to me, that my existing application.js had already the CSRF token copy part included.

```
--- application.js.old 2012-02-06 12:22:35.000000000 +0100
+++ application.js    2012-05-09 14:19:30.000000000 +0200
@@ -89,7 +89,7 @@
   var fields = $('attachments_fields');
   if (fields.childElements().length >= 10) return false;
   fileFieldCount++;
- var s = new Element('span');
+ var s = document.createElement("span");
   s.update(fields.down('span').innerHTML);
   s.down('input.file').name = "attachments[" + fileFieldCount + "][file]";
   s.down('input.description').name = "attachments[" + fileFieldCount + "][description]";
@@ -293,7 +293,6 @@
     { minChars: 3,
       frequency: 0.5,
       paramName: 'q',
-     method: 'get',
       updateElement: function(value) {
         document.getElementById('issue_parent_issue_id').value = value.id;
       }});
@@ -306,7 +305,6 @@
     { minChars: 3,
       frequency: 0.5,
       paramName: 'q',
-     method: 'get',
       updateElement: function(value) {
         document.getElementById('relation_issue_to_id').value = value.id;
       },
     },
   ],

```

I'm running Redmine 1.3.1 with Redmine\_Kanban plugin as well as these gems:

\*\*\* LOCAL GEMS \*\*\*

```
aasm (3.0.5)
actionmailer (3.2.3, 2.3.14)
actionpack (3.2.3, 2.3.14)
activemodel (3.2.3)
activerecord (3.2.3, 2.3.14)
activeresource (3.2.3, 2.3.14)
activesupport (3.2.3, 2.3.14)
arel (3.0.2)
block_helpers (0.3.3)
builder (3.0.0)
```

bundler (1.1.3)  
erubis (2.7.0)  
fcgi (0.8.8)  
hike (1.2.1)  
i18n (0.6.0)  
journey (1.0.3)  
json (1.7.1)  
mail (2.4.4)  
mime-types (1.18)  
multi\_json (1.3.4)  
mysql (2.8.1)  
polyglot (0.3.3)  
rack (1.4.1, 1.1.1)  
rack-cache (1.2)  
rack-ssl (1.3.2)  
rack-test (0.6.1)  
rails (3.2.3, 2.3.14)  
railties (3.2.3)  
rake (0.9.2.2, 0.8.7)  
rdoc (3.12, 2.4.2)  
rmagick (2.13.1)  
sprockets (2.1.3)  
thor (0.14.6)  
tilt (1.3.3)  
treetop (1.4.10)  
tzinfo (0.3.33)

Can anyone can give me a hint where to search for the real problem? I've never written Ruby code before, so please give me a few hints or say which additional information I should provide to you.

#### #6 - 2012-05-09 17:05 - Mischa The Evil

Christoph Rüdiger wrote:

*... While moving tickets over the Kanban board, my browser asks me for a new authentication for the context "Redmine API".*

*[...]*

*I'm running Redmine 1.3.1 with Redmine\_Kanban plugin as well as these gems:*

*[...]*

*Can anyone can give me a hint where to search for the real problem? I've never written Ruby code before, so please give me a few hints or say which additional information I should provide to you.*

Might be an issue with the used kanban plugin.

#### #7 - 2012-05-18 15:16 - Gary Pinkham

having the same issue with the Kanban plugin. I have used other plugins with drag and drop like Redmine Backlogs and never had the issue so

assuming it's the Kanban plugin..

**#8 - 2012-05-18 15:31 - Gary Pinkham**

fyi.. discovered this discussion over at the kanban plugin projects page.. applied the last fix mentioned and it works for me now..

<https://projects.littlestreamsoftware.com/issues/6273>

**#9 - 2013-05-27 17:10 - Denis Savitskiy**

Gary Pinkham wrote:

*fyi.. discovered this discussion over at the kanban plugin projects page.. applied the last fix mentioned and it works for me now..*

<https://projects.littlestreamsoftware.com/issues/6273>

Link is no longer available.

**#10 - 2013-05-28 16:04 - Toshi MARUYAMA**

- *Status changed from New to Closed*

- *Resolution set to Invalid*

It seems this issue is caused by kanban plugin.